

The Form 1 Company™

www.form1.net.au

FORM 1 - VENDOR'S STATEMENT

(Section 7 Land and Business (Sale and Conveyancing) Act 1994)

Contents

Preliminary

Part A – Parties and land

Part B – Purchaser's cooling off rights and proceeding with the purchase

Part C – Statement with respect to required particulars

Part D – Certificate with respect to prescribed inquiries by registered agent

Schedule

Preliminary**To the purchaser:**

The purpose of a statement under section 7 of the *Land and Business (Sale and Conveyancing) Act 1994* is to put you on notice of certain particulars concerning the land to be acquired. If you intend to carry out building work on the land, change the use of the land or divide the land, you should make further inquiries to determine whether this will be permitted. For example, building work may not be permitted on land not connected to a sewerage system or common drainage scheme if the land is near a watercourse, dam, bore or the River Murray and Lakes.

The *Aboriginal Heritage Act 1988* protects any Aboriginal site or object on the land. Details of any such site or object may be sought from the "traditional owners" as defined in that Act.

If you desire additional information, it is up to you to make further inquiries as appropriate.

Instructions to the vendor for completing this statement:

☐ means the Part, Division, particulars or item may not be applicable.
 If it is applicable, ensure the box is ticked and complete the Part, Division, particulars or item.
 If it is not applicable, ensure the box is empty or strike out the Part, Division, particulars or item. Alternatively, the Part, Division, particulars or item may be omitted, but not in the case of an item or heading in the table of particulars in Division 1 of the Schedule that is required by the instructions at the head of that table to be retained as part of this statement.

* means strike out or omit the option that is not applicable.

All questions must be answered with a YES or NO (inserted in the place indicated by a rectangle or square brackets below or to the side of the question).

If there is insufficient space to provide any particulars required, continue on attachments.

PART A – PARTIES AND LAND**1. Purchaser:**

Address:

2. Purchaser's registered agent:

Address:

3. Vendor:

TIMOTHY JAMES ZANDER AND SANDRA ZANDER

Address:

44 HIGH STREET GLADSTONE SA 5473

4. Vendor's registered agent:

FOX REAL ESTATE (SA) PTY LTD ACN 113 976 024

Address:

192 MELBOURNE STREET NORTH ADELAIDE SA 5006

5. Date of Contract (if made before this statement is served):**6. Description of Land (Identify the land including any certificate of title reference)**

11/150 CHILDERS STREET NORTH ADELAIDE SA 5006 BEING UNIT 11 IN STRATA PLAN 3604 BEING THE WHOLE OF THE LAND IN CERTIFICATE OF TITLE VOLUME 5032 FOLIO 559



PART B – PURCHASER'S COOLING-OFF RIGHTS AND PROCEEDING WITH THE PURCHASE TO THE PURCHASER:

Right to cool-off (section 5)

1 – Right to cool-off and restrictions on that right

You may notify the vendor of your intention not to be bound by the contract for the sale of the land **UNLESS** –

- (a) you purchased by auction; or
- (b) you purchased on the same day as you, or some person on your behalf, bid at the auction of the land; or
- (c) you have, before signing the contract, received independent advice from a legal practitioner and the legal practitioner has signed a certificate in the prescribed form as to the giving of that advice; or
- (d) you are a body corporate and the land is not residential land; or
- (e) the contract is made by the exercise of an option to purchase not less than 5 clear business days after the grant of the option and not less than 2 clear business days after service of this form; or
- (f) the sale is by tender and the contract is made not less than 5 clear business days after the day fixed for the closing of tenders and not less than 2 clear business days after service of this form; or
- (g) the contract also provides for the sale of a business that is not a small business.

2 – Time for Service

The cooling-off notice must be served –

- (a) if this form is served on you before the making of the contract – before the end of the second clear business day after the day on which the contract was made; or
- (b) if this form is served on you after the making of the contract – before the end of the second clear business day from the day on which this form is served.

However, if this form is not served on you at least 2 clear business days before the time at which settlement takes place, the cooling-off notice may be served at any time before settlement.

3 – Forms of cooling-off notice

The cooling-off notice must be in writing and must be signed by you.

4 – Methods of service

The cooling-off notice must be –

- (a) given to the vendor personally; or
- (b) posted by registered post to the vendor at the following address:
44 HIGH STREET GLADSTONE SA 5473
(being the vendor's last known address); or
- (c) transmitted by fax or email to the following fax number or email address:
Email: fox@foxrealestate.com.au
(being a number or address provided to you by the vendor for the purpose of service of the notice); or
- (d) left for the vendor's agent (with a person apparently responsible to the agent) at, or posted by registered post to the agent at, the following address:
192 MELBOURNE STREET NORTH ADELAIDE SA 5006

(being *the agent's address for service under the Land Agents Act 1994/an address nominated by the agent to you for the purpose of service of the notice).

Note –

Section 5(3) of the *Land and Business (Sale and Conveyancing) Act 1994* places the onus of proving the giving of the cooling-off notice on the purchaser. It is therefore strongly recommended that –

- (a) if you intend to serve the notice by leaving it for the vendor's agent at the agent's address for service or an address nominated by the agent, you obtain an acknowledgment of service of the notice in writing; or
- (b) if you intend to serve the notice by fax or email, you obtain a record of the transmission of the fax or email.

5 – Effect of service

If you serve such cooling-off notice on the vendor, the contract will be taken to have been rescinded at the time when the notice was served. You are then entitled to the return of any money you paid under the contract other than –

- (a) the amount of any deposit paid if the deposit did not exceed \$100; or
- (b) an amount paid for an option to purchase the land.

FORM 1 – STATEMENT UNDER SECTION 7 (*Land and Business (Sale and Conveyancing) Act 1994*)

3

PROCEEDING WITH THE PURCHASE

If you wish to proceed with the purchase –

- (a) it is strongly recommended that you take steps to make sure your interest in the property is adequately insured against loss or damage; and
- (b) pay particular attention to the provisions in the contract as to time of settlement – it is essential that the necessary arrangements are made to complete the purchase by the agreed date – if you do not do so, you may be in breach of the contract; and
- (c) you are entitled to retain the solicitor or registered conveyancer of your choice.

PART C – STATEMENT WITH RESPECT TO REQUIRED PARTICULARS
(section 7(1))


To the purchaser:

I/We, **TIMOTHY JAMES ZANDER AND SANDRA ZANDER**of **44 HIGH STREET GLADSTONE SA 5473**

being the *vendor(s)/person authorised to act on behalf of the vendor(s) in relation to the transaction state that the Schedule contains all particulars required to be given to you pursuant to section 7(1) of the *Land and Business (Sale and Conveyancing) Act 1994*.


Date: 15-Jul-2026

Signed:

Signed on Greatforms by:

PERSONS AUTHORIZED TO SIGN

Date: 15-Jul-2026

Signed:

Signed on Greatforms by:

PERSONS AUTHORIZED TO SIGN

Date: _____

Signed: _____

PART D – CERTIFICATE WITH RESPECT TO PRESCRIBED INQUIRIES BY REGISTERED AGENT

(section 9)

To the purchaser:

I, **CHRISTOPHER GILL FOR AND ON BEHALF OF THE FORM 1 COMPANY PTY LTD**

certify that the responses that, subject to the exceptions stated below, the responses to the inquiries made pursuant to section 9 of the *Land and Business (Sale and Conveyancing) Act 1994* confirm the completeness and accuracy of the particulars set out in the Schedule.

Exceptions:

Nil

Date:

15/7/2026

Signed:



Vendor's/Purchaser's agent

*Person authorised to act on behalf of Vendor's/Purchaser's agent

FORM 1 – STATEMENT UNDER SECTION 7 (Land and Business (Sale and Conveyancing) Act 1994)

4

SCHEDULE – DIVISION 1

PARTICULARS OF MORTGAGES, CHARGES AND PRESCRIBED ENCUMBRANCES AFFECTING THE LAND

(section 7(1)(b))

Note –

Section 7(3) of the Act provides that this statement need not include reference to charges arising from the imposition of rates or taxes less than 12 months before the date of service of the statement. Where a mortgage, charge or prescribed encumbrance referred to in column 1 of the table below is applicable to the land, the particulars in relation to that mortgage, charge or prescribed encumbrance required by column 2 of the table must be set out in the table (in accordance with the instructions in the table) unless –

- (a) there is an attachment to this statement and –
 - (i) all the required particulars are contained in that attachment; and
 - (ii) the attachment is identified in column 2; and
 - (iii) if the attachment consists of more than 2 sheets of paper, those parts of the attachment that contain the required particulars are identified in column 2; or
- (b) the mortgage, charge or prescribed encumbrance –
 - (i) is 1 of the following items in the table:
 - (A) under the heading 1. General –
 - 1.1 Mortgage of land
 - 1.4 Lease, agreement for lease, tenancy agreement or licence
 - 1.5 Caveat
 - 1.6 Lien or notice of a lien
 - (B) under the heading 36. Other charges –
 - 36.1 Charge of any kind affecting the land (not included in another item); and
 - (ii) is registered on the certificate of title to the land; and
 - (iii) is to be discharged or satisfied prior to or at settlement.

TABLE OF PARTICULARS

Column 1	Column 2	Column 3
----------	----------	----------

[If an item is applicable, ensure that the box for the item is ticked and complete the item.]

[If an item is not applicable, ensure that the box for the item is empty or else strike out the item or write "NOT APPLICABLE" or "N/A" in column 1. Alternatively, the item and any inapplicable heading may be omitted, but not in the case of –

- (a) the heading "1. General" and items 1.1, 1.2, 1.3 and 1.4; and
- (b) the heading "5. Development Act 1993 (repealed)" and item 5.1; and
- (c) the heading "6. Repealed Act Conditions" and item 6.1; and
- (d) the heading "29. Planning, Development and Infrastructure Act 2016" and items 29.1 and 29.2,

which must be retained as part of this statement whether applicable or not.]

[If an item is applicable, all particulars requested in column 2 must be set out in the item unless the Note preceding this table otherwise permits. Particulars requested in **bold type** must be set out in column 3 and all other particulars must be set out in column 2.]

[If there is more than 1 mortgage, charge or prescribed encumbrance of a kind referred to in column 1, the particulars requested in column 2 must be set out for each such mortgage, charge or prescribed encumbrance.]

[If requested particulars are set out in the item and then continued on an attachment due to insufficient space, identify the attachment in the place provided in column 2. If all of the requested particulars are contained in an attachment (instead of in the item) in accordance with the Note preceding this table, identify the attachment in the place provided in column 2 and (if required by the Note) identify the parts of the attachment that contain the particulars.]

FORM 1 – STATEMENT UNDER SECTION 7 (Land and Business (Sale and Conveyancing) Act 1994)

5

Column 1	Column 2	Column 3
1. General		
1.1 Mortgage of land <i>[Note – Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i>	Is this item applicable? Will this be discharged or satisfied prior to or at settlement? Are there attachments? <i>If YES, identify the attachment(s) (and, if applicable, the part(s) containing the particulars):</i> CERTIFICATE OF TITLE Number of mortgage (if registered): 8818084 Name of mortgagee: WESTPAC BANKING CORPORATION	☒ YES YES
1.2 Easement (whether over the land or annexed to the land) Note – "Easement" includes rights of way and party wall rights. <i>[Note – Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i>	Is this item applicable? Will this be discharged or satisfied prior to or at settlement? Are there attachments? <i>If YES, identify the attachment(s) (and, if applicable, the part(s) containing the particulars):</i> PROPERTY INTEREST REPORT Description of land subject to easement: PORTION OF THE LAND IN THE SAID CERTIFICATE OF TITLE Nature of easement: REFER PAGE 12 IN THE PROPERTY INTEREST REPORT FOR DETAILS OF STATUTORY EASEMENTS Are you aware of any encroachment on the easement? NO (If YES, give details): If there is an encroachment, has approval for the encroachment been given? (If YES, give details):	☒ NO YES
1.3 Restrictive covenant <i>[Note – Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i>	Is this item applicable? Will this be discharged or satisfied prior to or at settlement? Are there attachments? <i>If YES, identify the attachment(s) (and, if applicable, the part(s) containing the particulars):</i> Nature of restrictive covenant: Name of person in whose favour restrictive covenant operates: Does the restrictive covenant affect the whole of the land being acquired? (If NO, give details): Does the restrictive covenant affect land other than that being acquired?	☐ YES / NO YES / NO
1.4 Lease, agreement for lease, tenancy agreement or licence	Is this item applicable? Will this be discharged or satisfied prior to or at settlement? Are there attachments?	☐ YES / NO YES / NO

Column 1	Column 2	Column 3
(The information does not include information about any sublease or subtenancy. That information may be sought by the purchaser from the lessee or tenant or sublessee or subtenant.)	if YES , identify the attachment(s) (and, if applicable, the part(s) containing the particulars):	
	Names of parties:	
	Period of lease, agreement for lease etc:	
	From	
	To	
	Amount of rent or licence fee:	
	\$ per (period)	
	Is the lease, agreement for lease etc in writing?	
	If the lease or licence was granted under an Act relating to the disposal of Crown lands, specify:	
	(a) the Act under which the lease or licence was granted:	
	(b) the outstanding amounts due (including any interest or penalty):	

5. Development Act 1993 (repealed)

5.1 section 42 – Condition (that continues to apply) of a development authorisation	Is this item applicable?	☒
	Will this be discharged or satisfied prior to or at settlement?	NO
	Are there attachments?	YES
	If YES , identify the attachment(s) (and, if applicable, the part(s) containing the particulars):	
	CITY OF ADELAIDE SEARCH	
	Condition(s) of authorisation:	
	REFER APPLICATION: DA/786/2016	

6. Repealed Act conditions

6.1 Condition (that continues to apply) of an approval or authorisation granted under the Building Act 1971 (repealed), the City of Adelaide Development Control Act 1976 (repealed), the Planning Act 1982 (repealed) or the Planning and Development Act 1967 (repealed)	Is this item applicable?	☐
	Will this be discharged or satisfied prior to or at settlement?	YES / NO
	Are there attachments?	YES / NO
	If YES , identify the attachment(s) (and, if applicable, the part(s) containing the particulars):	
	Nature of condition(s):	

[Note – Do not omit this item. The item and its heading must be included in the statement even if not applicable.]

29. Planning, Development and Infrastructure Act 2016

29.1 Part 5 – Planning and Design Code	Is this item applicable?	☒
	Will this be discharged or satisfied prior to or at settlement?	NO
	Are there attachments?	YES
	If YES , identify the attachment(s) (and, if applicable, the part(s) containing the particulars):	
	CITY OF ADELAIDE SEARCH AND PROPERTY INTEREST REPORT	

Column 1	Column 2	Column 3
	Title or other brief description of zone, subzone and overlay in which the land is situated (as shown in the Planning and Design Code): 150 CHILDERS ST NORTH ADELAIDE SA 5006 UNIT 11 ZONES CITY LIVING - CL SUBZONES NORTH ADELAIDE LOW INTENSITY - NALI OVERLAYS AIRCRAFT NOISE EXPOSURE - ANEF 20 THE AIRCRAFT NOISE EXPOSURE OVERLAY SEEKS TO ENSURE DEVELOPMENT SENSITIVE TO AIRCRAFT NOISE IS DESIGNED TO MINIMISE NOISE INTRUSION AND PROVIDE APPROPRIATE INTERIOR ACOUSTIC AMENITY. AIRPORT BUILDING HEIGHTS (REGULATED) - ALL STRUCTURES OVER 110 METRES AHD THE AIRPORT BUILDING HEIGHTS (REGULATED) OVERLAY SEEKS TO ENSURE BUILDING HEIGHT DOES NOT POSE A HAZARD TO THE OPERATION AND SAFETY REQUIREMENTS OF COMMERCIAL AND MILITARY AIRFIELDS. BUILDING NEAR AIRFIELDS THE BUILDING NEAR AIRFIELDS OVERLAY SEEKS TO ENSURE DEVELOPMENT DOES NOT POSE A HAZARD TO THE OPERATIONAL AND SAFETY REQUIREMENTS OF COMMERCIAL AND MILITARY AIRFIELDS. DESIGN THE DESIGN OVERLAY SEEKS TO ENSURE SIGNIFICANT DEVELOPMENT POSITIVELY CONTRIBUTES TO THE LIVEABILITY, DURABILITY AND SUSTAINABILITY OF THE BUILT ENVIRONMENT THROUGH HIGH-QUALITY DESIGN. HISTORIC AREA - ADEL1 THE HISTORIC AREA OVERLAY AIMS TO REINFORCE HISTORIC THEMES AND CHARACTERISTICS THROUGH CONSERVATION, CONTEXTUALLY RESPONSIVE DEVELOPMENT, DESIGN AND ADAPTIVE REUSE THAT RESPONDS TO THE ATTRIBUTES EXPRESSED IN THE HISTORIC AREA STATEMENT. THE DEMOLITION OF WHOLE OR PART OF A BUILDING WITHIN THE HISTORIC AREAS OVERLAY REQUIRES A DEVELOPMENT APPLICATION TO BE SUBMITTED FOR ASSESSMENT AND CAN ONLY PROCEED IF APPROVED. HERITAGE ADJACENCY THE HERITAGE ADJACENCY OVERLAY SEEKS TO ENSURE DEVELOPMENT ADJACENT TO STATE AND LOCAL HERITAGE PLACES MAINTAINS THE HERITAGE AND CULTURAL VALUES OF THOSE PLACES. HAZARDS (FLOODING - EVIDENCE REQUIRED) THE HAZARDS (FLOODING - EVIDENCE REQUIRED) OVERLAY ADOPTS A PRECAUTIONARY APPROACH TO MITIGATE POTENTIAL IMPACTS OF POTENTIAL FLOOD RISK THROUGH APPROPRIATE SITING AND DESIGN OF DEVELOPMENT. PRESCRIBED WELLS AREA THE PRESCRIBED WELLS AREA OVERLAY SEEKS TO ENSURE SUSTAINABLE WATER USE IN PRESCRIBED WELLS AREAS. REGULATED AND SIGNIFICANT TREE	

Column 1	Column 2	Column 3
	THE REGULATED AND SIGNIFICANT TREE OVERLAY SEEKS TO MITIGATE THE LOSS OF REGULATED TREES THROUGH APPROPRIATE DEVELOPMENT AND REDEVELOPMENT. STORMWATER MANAGEMENT THE STORMWATER MANAGEMENT OVERLAY SEEKS TO ENSURE NEW DEVELOPMENT INCORPORATES WATER SENSITIVE URBAN DESIGN TECHNIQUES TO CAPTURE AND RE-USE STORMWATER. URBAN TREE CANOPY THE URBAN TREE CANOPY OVERLAY SEEKS TO PRESERVE AND ENHANCE URBAN TREE CANOPY THROUGH THE PLANTING OF NEW TREES AND RETENTION OF EXISTING MATURE TREES WHERE PRACTICABLE. Is there a State heritage place on the land or is the land situated in a State heritage area? NO Is the land designated as a local heritage place? NO Is there a tree or stand of trees declared in Part 10 of the Planning and Design Code to be a significant tree or trees on the land? NO Is there a current amendment to the Planning and Design Code released for public consultation by a designated entity on which consultation is continuing or on which consultation has ended but whose proposed amendment has not yet come into operation? YES Note – For further information about the Planning and Design Code visit https://code.plan.sa.gov.au.	
29.2 section 127 – Condition (that continues to apply) of a development authorisation <i>[Note – Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i>	Is this item applicable? Will this be discharged or satisfied prior to or at settlement? Are there attachments? <i>If YES, identify the attachment(s) (and, if applicable, the part(s) containing the particulars):</i> CITY OF ADELAIDE SEARCH Date of authorisation: 09/01/2025 Name of relevant authority that granted authorisation: CITY OF ADELAIDE Condition(s) of authorisation: REFER DEVELOPMENT APPLICATION NO. 24016837	☒ NO YES

SCHEDULE – DIVISION 2 – OTHER PARTICULARS

(section 7(1)(b))

Particulars relating to strata unit

1 Name of strata corporation:

STRATA CORPORATION 3604 INC

Address of strata corporation:

150 CHILDERS STREET NORTH ADELAIDE SA 5006

2 Application must be made in writing to the strata corporation for the particulars and documents referred to in 3 and 4. Application must also be made in writing to the strata corporation for the articles referred to in 6 unless the articles are obtained from the Lands Titles Registration Office.

3 Particulars supplied by the strata corporation or known to the vendor:

(a) particulars of contributions payable in relation to the unit (including details of arrears of contributions related to the unit):

REFER STRATA CORPORATION SEARCH ANNEXED HERETO

(b) particulars of the assets and liabilities of the strata corporation:

REFER STRATA CORPORATION SEARCH ANNEXED HERETO

(c) particulars of expenditure that the strata corporation has incurred, or has resolved to incur, and to which the unit holder of the unit must contribute, or is likely to be required to contribute:

REFER STRATA CORPORATION SEARCH ANNEXED HERETO

(d) particulars of the unit entitlement of the unit:

UNIT 11 : 22 OF 561

[If any of the above particulars have not been supplied by the strata corporation by the date of this statement and are not known to the vendor, state "not known" for those particulars.]

4 Documents supplied by the strata corporation that are enclosed:

(a) a copy of the minutes of the general meetings of the strata corporation and management committee for the 2 years preceding this statement/~~since the deposit of the community plan~~; (*Strike out or omit whichever is the greater period)

YES

(b) a copy of the statement of accounts of the strata corporation last prepared;

YES

(c) a copy of current policies of insurance taken out by the strata corporation.

NO

[For each document indicate (YES or NO) whether or not the document has been supplied by the strata corporation by the date of this statement.]

5 If "not known" has been specified for any particulars in 3 or a document referred to in 4 has not been supplied, set out the date of the application made to the strata corporation and give details of any other steps taken to obtain the particulars or documents concerned:

AN APPLICATION WAS SENT TO STRATA DATA ON 09 JULY 2026

6 A copy of the articles of the strata corporation is enclosed.

7 The following additional particulars are known to the vendor or have been supplied by the strata corporation;



8 Further inquiries may be made to the secretary of the strata corporation or the appointed strata manager.
Name:

STRATA DATA

Address:

647 PORTRUSH ROAD GLEN OSMOND SA 5064

Note –

- 1 A strata corporation must (on application by or on behalf of a current owner, prospective purchaser or other relevant person) provide the particulars and documents referred to in 3(a)-(c), 4 and 6 and must also make available for inspection its accountancy records and minute books, any contract with a body corporate manager, the register of unit holders and unit holder entitlements that it maintains and any documents in its possession relating to the design and construction of the buildings or improvements on the site or relating to the strata scheme.
- 2 Copies of the articles of the strata corporation may also be obtained from the Lands Titles Registration Office.
- 3 All owners of a strata unit are bound by the articles of the strata corporation. The articles regulate the rights and liabilities of owners of units in relation to their units and the common property and matters of common concern.
- 4 For a brief description of some of the matters that need to be considered before purchasing a strata unit, see Division 3 of this Schedule.

SCHEDULE – DIVISION 3 – COMMUNITY LOTS AND STRATA UNITS**Matters to be considered in purchasing a community lot or strata unit**

The property you are buying is on strata or community title. There are **special obligations and restrictions** that go with this kind of title. Make sure you understand these. If unsure, seek legal advice before signing a contract. For example:

**Governance**

You will automatically become a member of the **body corporate**, which includes all owners and has the job of maintaining the common property and enforcing the rules. Decisions, such as the amount you must pay in levies, will be made by vote of the body corporate. You will need to take part in meetings if you wish to have a say. If outvoted, you will have to live with decisions that you might not agree with.

If you are buying into a mixed use development (one that includes commercial as well as residential lots), owners of some types of lots may be in a position to outvote owners of other types of lots. Make sure you fully understand your voting rights, see later.

Use of your property

You, and anyone who visits or occupies your property, will be bound by rules in the form of **articles or by-laws**. These can restrict the use of the property, for example, they can deal with keeping pets, car parking, noise, rubbish disposal, short-term letting, upkeep of buildings and so on. Make sure that you have read the articles or by-laws before you decide whether this property will suit you.

Depending on the rules, you might not be permitted to make changes to the exterior of your unit, such as installing a television aerial or an air-conditioner, building a pergola, attaching external blinds etc without the permission of the body corporate. A meeting may be needed before permission can be granted. Permission may be refused. Note that the articles or by-laws could change between now and when you become the owner: the body corporate might vote to change them. Also, if you are buying before the community plan is registered, then any by-laws you have been shown are just a draft.

Are you buying a debt?

If there are unpaid contributions owing on this property, you can be made to pay them. You are entitled to **know the financial state of the body corporate** and you should make sure you see its records before deciding whether to buy. As a prospective owner, you can write to the body corporate requiring to see the records, including minutes of meetings, details of assets and liabilities, contributions payable, outstanding or planned expenses and insurance policies. There is a fee. To make a request, write to the secretary or management committee of the body corporate.

Expenses

The body corporate can require you to **maintain your property**, even if you do not agree, or can carry out maintenance and bill you for it.

The body corporate can **require you to contribute** to the cost of upkeep of the common property, even if you do not agree. Consider what future maintenance or repairs might be needed on the property in the long term.

Guarantee

As an owner, you are a **guarantor** of the liabilities of the body corporate. If it does not pay its debts, you can be called on to do so. Make sure you know what the liabilities are before you decide to buy. Ask the body corporate for copies of the financial records.

Contracts

The body corporate can make contracts. For example, it may engage a body corporate manager to do some or all of its work. It may contract with traders for maintenance work. It might engage a caretaker to look after the property. It might make any other kind of contract to buy services or products for the body corporate. Find out **what contracts the body corporate is committed to and the cost**.

The body corporate will have to raise funds from the owners to pay the money due under these contracts. As a guarantor, you could be liable if the body corporate owes money under a contract.

Buying off the plan

If you are buying a property that has not been built yet, then you **cannot be certain** what the end product of the development process will be. If you are buying before a community plan has been deposited, then any proposed development contract, scheme description or by-laws you have been shown could change.

Mixed use developments - voting rights

You may be buying into a group that is run by several different community corporations. This is common in mixed use developments, for example, where a group of apartments is combined with a hotel or a group of shops. If there is more than 1 corporation, then you should not expect that all lot owners in the group will have equal voting rights. The corporations may be structured so that, even though there are more apartments than shops in the group, the shop owners can outvote the apartment owners on some matters. Make enquiries so that you understand how many corporations there are and what voting rights you will have.

Further information

The Real Estate Institute of South Australia provides an information service for enquiries about real estate transactions, see www.relsa.com.au.

The Australian Institute of Conveyancers (SA Division) (AICSA) provides information and operates a Public Advice Service with respect to conveyancers and the conveyancing process, see www.aicsa.com.au.

Information and a booklet about strata and community titles is available from the Legal Services Commission at www.lsc.sa.gov.au.

You can also seek advice from a legal practitioner.

ACKNOWLEDGEMENT OF RECEIPT OF FORM 1

The Purchaser hereby acknowledges receipt of the following:

FORM 1 – STATEMENT UNDER SECTION 7 (*Land and Business (Sale and Conveyancing) Act 1994*)

the above being identified by page numbered 1 to 11 inclusive, together with the following annexures and supporting documents (if any):

**CERTIFICATE OF TITLE VOLUME 5032 FOLIO 559
PROPERTY INTEREST REPORT
SA WATER, EMERGENCY SERVICES LEVY AND LAND TAX CERTIFICATES
CITY OF ADELAIDE SEARCH
STRATA PLAN 3604
STRATA CORPORATION SEARCH**

SIGNED BY THE PURCHASER:

THIS _____ DAY OF _____

(Signature)

(Signature)

(Signature)

(Signature)

The Purchaser acknowledges and consents to the Vendor and Agent or their authorised representatives signing the Form 1 by electronic and/or digital signatures under the Electronic Transactions Act (Cth) and (SA).

Land and Business (Sale and Conveyancing) Act 1994- section 13A

Land and Business (Sale and Conveyancing) Regulations 2025 - regulation 17

Buyers information notice

Prescribed notice to be given to purchaser

Before you buy a home there are a number of things that you should investigate and consider. Though it may not be obvious at the time, there could be matters that may affect your enjoyment of the property, the safety of people on the property or the value of the property.

The following questions may help you to identify if a property is appropriate to purchase. In many cases the questions relate to a variety of laws and standards. These laws and standards change over time, so it is important to seek the most up to date information. Various government agencies can provide up to date and relevant information on many of these questions. To find out more, Consumer and Business Services (CBS) recommends you check the website: www.cbs.sa.gov.au.

Consider having a professional building inspection done before proceeding with a purchase. A building inspection will help you answer some of the questions below.

The questions have been categorised under the headings **Safety**, **Enjoyment** and **Value**, but all issues are relevant to each heading.

Safety

- Is there **asbestos** in any of the buildings or elsewhere on the property e.g. sheds and fences?
- Does the property have any significant **defects** e.g. **cracking** or **salt damp**? Have the wet areas been waterproofed?
- Is the property in a **bushfire** prone area?
- Are the **electrical wiring, gas installation, plumbing and appliances** in good working order and in good condition? Is a **safety switch** (RCD) installed? Is it working?
- Are there any prohibited **gas appliances** in bedrooms or bathrooms?
- Are **smoke alarms** installed in the house? If so, are they hardwired? Are they in good working order and in good condition? Are they compliant?
- Is there a **swimming pool and/or spa pool** installed on the property? Are there any safety barriers or fences in place? Do they conform to current standards?
- Does the property have any **termite** or other pest infestations? Is there a current preventive termite treatment program in place? Was the property treated at some stage with persistent organochlorins (now banned) or other **toxic** termiticides?
- Has fill been used on the site? Is the soil contaminated by **chemical residues** or waste?
- Does the property use **cooling towers** or manufactured warm water systems? If so, what are the maintenance requirements?



Enjoyment

- Does the property have any **stormwater** problems?
- Is the property in a **flood prone** area? Is the property prone to coastal flooding?
- Does the property have an on-site **wastewater treatment facility** such as a septic tank installed? If so, what are the maintenance requirements? Is it compliant?
- Is a **sewer mains connection** available?
- Are all gutters, downpipes and stormwater systems in good working order and in good condition?
- Is the property near **power lines**? Are there any trees on the property near power lines? Are you considering planting any trees? Do all structures and trees maintain the required clearance from any power lines?
- Are there any **significant** trees on the property?
- Is this property a unit on **strata or community title**? What could this mean for you? Is this property on strata or community title? Do you understand the restrictions of use and the financial obligations of ownership? Will you have to pay a previous owner's debt or the cost of planned improvements?
- Is the property close to a hotel, restaurant or other venue with entertainment consent for live music? Is the property close to any industrial or commercial activity, a busy road or airport etc that may result in the generation of **noise** or the **emission of materials or odours** into the air?
- What appliances, equipment and fittings are included in the sale of the property?
- Is there sufficient car parking space available to the property?

Value

- Are there any **illegal or unapproved additions**, extensions or alterations to the buildings on the property?
- How **energy efficient** is the home, including appliances and lighting? What **energy sources** (e.g. electricity, gas) are available?
- Is the property connected to SA Water operated and maintained **mains water**? Is a mains water connection available? Does the property have a **recycled water** connection? What sort of water meter is located on the property (a **direct or indirect meter** - an indirect meter can be located some distance from the property)? Is the property connected to a water meter that is also serving another property?
- Are there water taps outside the building? Is there a watering system installed? Are they in good working order and in good condition?
- Does the property have **alternative sources** of water other than mains water supply (including **bore or rainwater**)? If so, are there any special maintenance requirements?

For more information on these matters visit www.cbs.sa.gov.au

Disclaimer: There may be other issues relevant to the purchase of real estate. If you are unable to ascertain enough information about the questions raised in this form and any other concerns you may have, we strongly recommend you obtain independent advice through a building inspection, a lawyer, and a financial advisor.



Product	Register Search (CT 5032/559)
Date/Time	09/07/2026 12:02PM
Customer Reference	
Order ID	20260709004447

REAL PROPERTY ACT, 1986



The Registrar-General certifies that this Title Register Search displays the records maintained in the Register Book and other notations at the time of searching.



Certificate of Title - Volume 5032 Folio 559

Parent Title(s)	CT 4122/468		
Creating Dealing(s)	CONVERTED TITLE		
Title Issued	15/07/1991	Edition 4	Edition Issued 23/02/2000

Estate Type

FEE SIMPLE (UNIT)

Registered Proprietor

TIMOTHY JAMES ZANDER
SANDRA ZANDER
OF 27 HIGH STREET GLADSTONE SA 5473
AS JOINT TENANTS

Description of Land

UNIT 11 STRATA PLAN 3604
IN THE AREA NAMED NORTH ADELAIDE
HUNDRED OF YATALA

Easements

NIL

Schedule of Dealings

Dealing Number	Description
8818084	MORTGAGE TO WESTPAC BANKING CORPORATION

Notations

Dealings Affecting Title	NIL
Priority Notices	NIL
Notations on Plan	NIL
Registrar-General's Notes	NIL
Administrative Interests	NIL

Property Interest Report

Provided by Land Services SA on behalf of the South Australian Government

Title Reference	CT 5032/559	Reference No. 2798688
Registered Proprietors	T J & S ZANDER	Prepared 09/07/2026 12:02
Address of Property	Unit 11 FL 1, 150 CHILDERS STREET, NORTH ADELAIDE, SA 5006	
Local Govt. Authority	THE CORPORATION OF THE CITY OF ADELAIDE	
Local Govt. Address	GENERAL POST OFFICE BOX 2252, ADELAIDE, SA 5001	

This report provides information that may be used to complete a Form 1 as prescribed in the *Land and Business (Sale and Conveyancing) Act 1994*

Table of Particulars

Particulars of mortgages, charges and prescribed encumbrances affecting the land as identified in Division 1 of the Schedule to Form 1 as described in the Regulations to the *Land and Business (Sale and Conveyancing) Act 1994*

All enquiries relating to the Regulations or the **Form 1** please contact Consumer & Business Services between 8:30 am and 5:00 pm on 131 882 or via their website www.cbs.sa.gov.au

Prescribed encumbrance

Particulars (Particulars in bold indicates further information will be provided)

1. General

- | | | |
|-----|--|--|
| 1.1 | Mortgage of land

<i>[Note - Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i> | Refer to the Certificate of Title |
| 1.2 | Easement
(whether over the land or annexed to the land)

Note—"Easement" includes rights of way and party wall rights

<i>[Note - Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i> | Refer to the Certificate of Title |
| 1.3 | Restrictive covenant

<i>[Note - Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i> | Refer to the Certificate of Title for details of any restrictive covenants as an encumbrance |
| 1.4 | Lease, agreement for lease, tenancy agreement or licence
(The information does not include information about any sublease or subtenancy. That information may be sought by the purchaser from the lessee or tenant or sublessee or subtenant.)

<i>[Note - Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i> | Refer to the Certificate of Title

also

Contact the vendor for these details |
| 1.5 | Caveat | Refer to the Certificate of Title |
| 1.6 | Lien or notice of a lien | Refer to the Certificate of Title |

2. Aboriginal Heritage Act 1988

- | | | |
|-----|---|---|
| 2.1 | section 9 - Registration in central archives of an Aboriginal site or object | Aboriginal Affairs and Reconciliation in AGD has no registered entries for Aboriginal sites or objects affecting this title |
| 2.2 | section 24 - Directions prohibiting or restricting access to, or activities on, a site or | Aboriginal Affairs and Reconciliation in AGD has no record of any direction affecting this title |

an area surrounding a site

- 2.3 Part 3 Division 6 - Aboriginal heritage agreement

Aboriginal Affairs and Reconciliation in AGD has no record of any agreement affecting this title

also

Refer to the Certificate of Title

3. **Burial and Cremation Act 2013**

- 3.1 section 8 - Human remains interred on land

Births, Deaths and Marriages in AGD has no record of any gravesites relating to this title

also

contact the vendor for these details

4. **Crown Rates and Taxes Recovery Act 1945**

- 4.1 section 5 - Notice requiring payment

Crown Lands Program in DEW has no record of any notice affecting this title

5. **Development Act 1993 (repealed)**

- 5.1 section 42 - Condition (that continues to apply) of a development authorisation

State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title

[Note - Do not omit this item. The item and its heading must be included in the statement even if not applicable.]

also

Contact the Local Government Authority for other details that might apply

- 5.2 section 50(1) - Requirement to vest land in a council or the Crown to be held as open space

State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title

also

Contact the Local Government Authority for other details that might apply

- 5.3 section 50(2) - Agreement to vest land in a council or the Crown to be held as open space

State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title

also

Contact the Local Government Authority for other details that might apply

- 5.4 section 55 - Order to remove or perform work

State Planning Commission in the Department for Housing and Urban Development has no record of any order or notice affecting this title

also

Contact the Local Government Authority for other details that might apply

- 5.5 section 56 - Notice to complete development

State Planning Commission in the Department for Housing and Urban Development has no record of any order or notice affecting this title

also

Contact the Local Government Authority for other details that might apply

- 5.6 section 57 - Land management agreement

Refer to the Certificate of Title

- 5.7 section 60 - Notice of intention by building owner

Contact the vendor for these details

- 5.8 section 69 - Emergency order

State Planning Commission in the Department for Housing and Urban Development has no record of any order affecting this title

also

Contact the Local Government Authority for other details that might apply

- 5.9 section 71 - Fire safety notice

Building Fire Safety Committee in the Department for Housing and Urban Development has no record of any notice affecting this title

5.10	section 84 - Enforcement notice	State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title also Contact the Local Government Authority for other details that might apply
5.11	section 85(6), 85(10) or 106 - Enforcement order	State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title also Contact the Local Government Authority for other details that might apply
5.12	Part 11 Division 2 - Proceedings	Contact the Local Government Authority for other details that might apply also Contact the vendor for these details

6. Repealed Act conditions

6.1	Condition (that continues to apply) of an approval or authorisation granted under the <i>Building Act 1971</i> (repealed), the <i>City of Adelaide Development Control Act, 1976</i> (repealed), the <i>Planning Act 1982</i> (repealed) or the <i>Planning and Development Act 1967</i> (repealed) <i>[Note - Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i>	State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title also Contact the Local Government Authority for other details that might apply
-----	--	---

7. Emergency Services Funding Act 1998

7.1	section 16 - Notice to pay levy	An Emergency Services Levy Certificate will be forwarded. If you do not receive the certificate within four (4) working days please contact the RevenueSA Customer Contact Centre on (08) 8226 3750. Clients who have misplaced or not received their certificates and are RevenueSA Online users should log into RevenueSA Online and reprint their certificates www.revenuesaonline.sa.gov.au
-----	---------------------------------	---

8. Environment Protection Act 1993

8.1	section 59 - Environment performance agreement that is registered in relation to the land	EPA (SA) does not have any current Performance Agreements registered on this title
8.2	section 93 - Environment protection order that is registered in relation to the land	EPA (SA) does not have any current Environment Protection Orders registered on this title
8.3	section 93A - Environment protection order relating to cessation of activity that is registered in relation to the land	EPA (SA) does not have any current Orders registered on this title
8.4	section 99 - Clean-up order that is registered in relation to the land	EPA (SA) does not have any current Clean-up orders registered on this title
8.5	section 100 - Clean-up authorisation that is registered in relation to the land	EPA (SA) does not have any current Clean-up authorisations registered on this title
8.6	section 103H - Site contamination assessment order that is registered in relation to the land	EPA (SA) does not have any current Orders registered on this title
8.7	section 103J - Site remediation order that is registered in relation to the land	EPA (SA) does not have any current Orders registered on this title
8.8	section 103N - Notice of declaration of special management area in relation to the land (due to possible existence of site contamination)	EPA (SA) does not have any current Orders registered on this title

8.9	section 103P - Notation of site contamination audit report in relation to the land	EPA (SA) does not have any current Orders registered on this title
8.10	section 103S - Notice of prohibition or restriction on taking water affected by site contamination in relation to the land	EPA (SA) does not have any current Orders registered on this title
9.	<i>Fences Act 1975</i>	
9.1	section 5 - Notice of intention to perform fencing work	Contact the vendor for these details
10.	<i>Fire and Emergency Services Act 2005</i>	
10.1	section 105F - (or section 56 or 83 (repealed)) - Notice to take action to prevent outbreak or spread of fire	Contact the Local Government Authority for other details that might apply Where the land is outside a council area, contact the vendor
11.	<i>Food Act 2001</i>	
11.1	section 44 - Improvement notice	Public Health in DHW has no record of any notice or direction affecting this title also Contact the Local Government Authority for other details that might apply
11.2	section 46 - Prohibition order	Public Health in DHW has no record of any notice or direction affecting this title also Contact the Local Government Authority for other details that might apply
12.	<i>Ground Water (Qualco-Sunlands) Control Act 2000</i>	
12.1	Part 6 - risk management allocation	Qualco Sunlands Ground Water Control Trust has no record of any allocation affecting this title
12.2	section 56 - Notice to pay share of Trust costs, or for unauthorised use of water, in respect of irrigated property	DEW Water Licensing has no record of any notice affecting this title
13.	<i>Heritage Places Act 1993</i>	
13.1	section 14(2)(b) - Registration of an object of heritage significance	Heritage Branch in DEW has no record of any registration affecting this title
13.2	section 17 or 18 - Provisional registration or registration	Heritage Branch in DEW has no record of any registration affecting this title
13.3	section 30 - Stop order	Heritage Branch in DEW has no record of any stop order affecting this title
13.4	Part 6 - Heritage agreement	Heritage Branch in DEW has no record of any agreement affecting this title also Refer to the Certificate of Title
13.5	section 38 - "No development" order	Heritage Branch in DEW has no record of any "No development" order affecting this title
14.	<i>Highways Act 1926</i>	
14.1	Part 2A - Establishment of control of access from any road abutting the land	Transport Assessment Section within DIT has no record of any registration affecting this title
15.	<i>Housing Improvement Act 1940 (repealed)</i>	
15.1	section 23 - Declaration that house is undesirable or unfit for human habitation	Contact the Local Government Authority for other details that might apply
15.2	Part 7 (rent control for substandard houses) - notice or declaration	Housing Safety Authority has no record of any notice or declaration affecting this title
16.	<i>Housing Improvement Act 2016</i>	

16.1	Part 3 Division 1 - Assessment, improvement or demolition orders	Housing Safety Authority has no record of any notice or declaration affecting this title
16.2	section 22 - Notice to vacate premises	Housing Safety Authority has no record of any notice or declaration affecting this title
16.3	section 25 - Rent control notice	Housing Safety Authority has no record of any notice or declaration affecting this title

17. *Land Acquisition Act 1969*

17.1	section 10 - Notice of intention to acquire	Refer to the Certificate of Title for any notice of intention to acquire also Contact the Local Government Authority for other details that might apply
------	---	--

18. *Landscape South Australia Act 2019*

18.1	section 72 - Notice to pay levy in respect of costs of regional landscape board	The regional landscape board has no record of any notice affecting this title
18.2	section 78 - Notice to pay levy in respect of right to take water or taking of water	DEW has no record of any notice affecting this title
18.3	section 99 - Notice to prepare an action plan for compliance with general statutory duty	The regional landscape board has no record of any notice affecting this title
18.4	section 107 - Notice to rectify effects of unauthorised activity	The regional landscape board has no record of any notice affecting this title
18.5	section 108 - Notice to maintain watercourse or lake in good condition	The regional landscape board has no record of any notice affecting this title
18.6	section 109 - Notice restricting the taking of water or directing action in relation to the taking of water	DEW has no record of any notice affecting this title
18.7	section 111 - Notice to remove or modify a dam, embankment, wall or other obstruction or object	The regional landscape board has no record of any notice affecting this title
18.8	section 112 - Permit (or condition of a permit) that remains in force	The regional landscape board has no record of any permit (that remains in force) affecting this title
18.9	section 120 - Notice to take remedial or other action in relation to a well	DEW has no record of any notice affecting this title
18.10	section 135 - Water resource works approval	DEW has no record of a water resource works approval affecting this title
18.11	section 142 - Site use approval	DEW has no record of a site use approval affecting this title
18.12	section 166 - Forest water licence	DEW has no record of a forest water licence affecting this title
18.13	section 191 - Notice of instruction as to keeping or management of animal or plant	The regional landscape board has no record of any notice affecting this title
18.14	section 193 - Notice to comply with action order for the destruction or control of animals or plants	The regional landscape board has no record of any notice affecting this title
18.15	section 194 - Notice to pay costs of destruction or control of animals or plants on road reserve	The regional landscape board has no record of any notice affecting this title
18.16	section 196 - Notice requiring control or quarantine of animal or plant	The regional landscape board has no record of any notice affecting this title
18.17	section 207 - Protection order to secure compliance with specified provisions of the Act	The regional landscape board has no record of any notice affecting this title
18.18	section 209 - Reparation order requiring specified action or payment to make good damage resulting from contravention of the Act	The regional landscape board has no record of any notice affecting this title

18.19	section 211 - Reparation authorisation authorising specified action to make good damage resulting from contravention of the Act	The regional landscape board has no record of any notice affecting this title
18.20	section 215 - Orders made by ERD Court	The regional landscape board has no record of any notice affecting this title
18.21	section 219 - Management agreements	The regional landscape board has no record of any notice affecting this title
18.22	section 235 - Additional orders on conviction	The regional landscape board has no record of any notice affecting this title
19. <i>Land Tax Act 1936</i>		
19.1	Notice, order or demand for payment of land tax	A Land Tax Certificate will be forwarded. If you do not receive the certificate within four (4) working days please contact the RevenueSA Customer Contact Centre on (08) 8226 3750. Clients who have misplaced or not received their certificates and are RevenueSA Online users should log into RevenueSA Online and reprint their certificates www.revenuesaonline.sa.gov.au
20. <i>Local Government Act 1934 (repealed)</i>		
20.1	Notice, order, declaration, charge, claim or demand given or made under the Act	Contact the Local Government Authority for other details that might apply
21. <i>Local Government Act 1999</i>		
21.1	Notice, order, declaration, charge, claim or demand given or made under the Act	Contact the Local Government Authority for other details that might apply
22. <i>Local Nuisance and Litter Control Act 2016</i>		
22.1	section 30 - Nuisance or litter abatement notice	Contact the Local Government Authority for other details that might apply
23. <i>Metropolitan Adelaide Road Widening Plan Act 1972</i>		
23.1	section 6 - Restriction on building work	Transport Assessment Section within DIT has no record of any restriction affecting this title
24. <i>Mining Act 1971</i>		
24.1	Mineral tenement (other than an exploration licence)	Mineral Tenements in the Department of Energy and Mining has no record of any proclamation affecting this title
24.2	section 9AA - Notice, agreement or order to waive exemption from authorised operations	Contact the vendor for these details
24.3	section 56T(1) - Consent to a change in authorised operations	Contact the vendor for these details
24.4	section 58(a) - Agreement authorising tenement holder to enter land	Contact the vendor for these details
24.5	section 58A - Notice of intention to commence authorised operations or apply for lease or licence	Contact the vendor for these details
24.6	section 61 - Agreement or order to pay compensation for authorised operations	Contact the vendor for these details
24.7	section 75(1) - Consent relating to extractive minerals	Contact the vendor for these details
24.8	section 82(1) - Deemed consent or agreement	Contact the vendor for these details
24.9	Proclamation with respect to a private mine	Mineral Tenements in the Department of Energy and Mining has no record of any proclamation affecting this title
25. <i>Native Vegetation Act 1991</i>		
25.1	Part 4 Division 1 - Heritage agreement	DEW Native Vegetation has no record of any agreement affecting this title

also

Refer to the Certificate of Title

- 25.2 section 25C - Conditions of approval regarding achievement of environmental benefit by accredited third party provider

DEW Native Vegetation has no record of any agreement affecting this title

also

Refer to the Certificate of Title

- 25.3 section 25D - Management agreement

DEW Native Vegetation has no record of any agreement affecting this title

also

Refer to the Certificate of Title

- 25.4 Part 5 Division 1 - Refusal to grant consent, or condition of a consent, to clear native vegetation

DEW Native Vegetation has no record of any refusal or condition affecting this title

26. *Natural Resources Management Act 2004 (repealed)*

- 26.1 section 97 - Notice to pay levy in respect of costs of regional NRM board

The regional landscape board has no record of any notice affecting this title

- 26.2 section 123 - Notice to prepare an action plan for compliance with general statutory duty

The regional landscape board has no record of any notice affecting this title

- 26.3 section 134 - Notice to remove or modify a dam, embankment, wall or other obstruction or object

The regional landscape board has no record of any notice affecting this title

- 26.4 section 135 - Condition (that remains in force) of a permit

The regional landscape board has no record of any notice affecting this title

- 26.5 section 181 - Notice of instruction as to keeping or management of animal or plant

The regional landscape board has no record of any notice affecting this title

- 26.6 section 183 - Notice to prepare an action plan for the destruction or control of animals or plants

The regional landscape board has no record of any notice affecting this title

- 26.7 section 185 - Notice to pay costs of destruction or control of animals or plants on road reserve

The regional landscape board has no record of any notice affecting this title

- 26.8 section 187 - Notice requiring control or quarantine of animal or plant

The regional landscape board has no record of any notice affecting this title

- 26.9 section 193 - Protection order to secure compliance with specified provisions of the Act

The regional landscape board has no record of any order affecting this title

- 26.10 section 195 - Reparation order requiring specified action or payment to make good damage resulting from contravention of the Act

The regional landscape board has no record of any order affecting this title

- 26.11 section 197 - Reparation authorisation authorising specified action to make good damage resulting from contravention of the Act

The regional landscape board has no record of any authorisation affecting this title

27. *Outback Communities (Administration and Management) Act 2009*

- 27.1 section 21 - Notice of levy or contribution payable

Outback Communities Authority has no record affecting this title

28. *Phylloxera and Grape Industry Act 1995*

- 28.1 section 23(1) - Notice of contribution payable

The Phylloxera and Grape Industry Board of South Australia has no vineyard registered against this title. However all properties with greater than 0.5 hectares of planted vines are required to be registered with the board

29. **Planning, Development and Infrastructure Act 2016**

29.1	Part 5 - Planning and Design Code <i>[Note - Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i>	Contact the Local Government Authority for the title or other brief description of the zone or subzone in which the land is situated. also Heritage Branch in DEW has no record of a State Heritage Area created prior to 15 January 1994 under the former South Australian Heritage Act 1978 affecting this title also For details of this item, including State Heritage Areas which have been authorised or put under interim effect since 15 January 1994, contact the Local Government Authority also Contact the Local Government Authority for other details that might apply to a place of local heritage value also For details of declared significant trees affecting this title, contact the Local Government Authority also The Planning and Design Code (the Code) is a statutory instrument under the <i>Planning, Development and Infrastructure Act 2016</i> for the purposes of development assessment and related matters within South Australia. The Code contains the planning rules and policies that guide what can be developed in South Australia. Planning authorities use these planning rules to assess development applications. To search and view details of proposed statewide code amendments or code amendments within a local government area, please search the code amendment register on the SA Planning Portal: https://plan.sa.gov.au/have_your_say/code-amendments/code_amendment_register or phone PlanSA on 1800 752 664.
29.2	section 127 - Condition (that continues to apply) of a development authorisation <i>[Note - Do not omit this item. The item and its heading must be included in the statement even if not applicable.]</i>	State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title also Contact the Local Government Authority for other details that might apply
29.3	section 139 - Notice of proposed work and notice may require access	Contact the vendor for these details
29.4	section 140 - Notice requesting access	Contact the vendor for these details
29.5	section 141 - Order to remove or perform work	State Planning Commission in the Department for Housing and Urban Development has no record of any order or notice affecting this title also Contact the Local Government Authority for other details that might apply
29.6	section 142 - Notice to complete development	State Planning Commission in the Department for Housing and Urban Development has no record of any order or notice affecting this title also Contact the Local Government Authority for other details that might apply
29.7	section 155 - Emergency order	State Planning Commission in the Department for Housing and Urban Development has no record of any order or notice affecting this title also Contact the Local Government Authority for other details that might apply

29.8	section 157 - Fire safety notice	Building Fire Safety Committee in the Department for Housing and Urban Development has no record of any order or notice affecting this title also Contact the Local Government Authority for other details that might apply
29.9	section 192 or 193 - Land management agreement	Refer to the Certificate of Title
29.10	section 198(1) - Requirement to vest land in a council or the Crown to be held as open space	State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title also Contact the Local Government Authority for other details that might apply
29.11	section 198(2) - Agreement to vest land in a council or the Crown to be held as open space	State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title also Contact the Local Government Authority for other details that might apply
29.12	Part 16 Division 1 - Proceedings	Contact the Local Government Authority for details relevant to this item also Contact the vendor for other details that might apply
29.13	section 213 - Enforcement notice	State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title also Contact the Local Government Authority for other details that might apply
29.14	section 214(6), 214(10) or 222 - Enforcement order	Contact the Local Government Authority for details relevant to this item also State Planning Commission in the Department for Housing and Urban Development has no record of any conditions that continue to apply, affecting this title

30. *Plant Health Act 2009*

30.1	section 8 or 9 - Notice or order concerning pests	Plant Health in PIRSA has no record of any notice or order affecting this title
------	---	---

31. *Public and Environmental Health Act 1987 (repealed)*

31.1	Part 3 - Notice	Public Health in DHW has no record of any notice or direction affecting this title also Contact the Local Government Authority for other details that might apply
31.2	<i>Public and Environmental Health (Waste Control) Regulations 2010 (or 1995) (revoked) Part 2 - Condition (that continues to apply) of an approval</i>	Public Health in DHW has no record of any condition affecting this title also Contact the Local Government Authority for other details that might apply
31.3	<i>Public and Environmental Health (Waste Control) Regulations 2010 (revoked) regulation 19 - Maintenance order (that has not been complied with)</i>	Public Health in DHW has no record of any order affecting this title also Contact the Local Government Authority for other details that might apply

32. *South Australian Public Health Act 2011*

32.1	section 66 - Direction or requirement to avert spread of disease	Public Health in DHW has no record of any direction or requirement affecting this title
32.2	section 92 - Notice	Public Health in DHW has no record of any notice affecting this title

also

Contact the Local Government Authority for other details that might apply

- 32.3 *South Australian Public Health (Wastewater) Regulations 2013* Part 4 - Condition (that continues to apply) of an approval

Public Health in DHW has no record of any condition affecting this title

also

Contact the Local Government Authority for other details that might apply

33. *Upper South East Dryland Salinity and Flood Management Act 2002 (expired)*

- 33.1 section 23 - Notice of contribution payable

DEW has no record of any notice affecting this title

34. *Water Industry Act 2012*

- 34.1 Notice or order under the Act requiring payment of charges or other amounts or making other requirement

**An SA Water Certificate will be forwarded.
If you do not receive the certificate please contact the SA Water Customer Contact Centre on 1300 650 950**

also

The Office of the Technical Regulator in DEM has no record of any notice or order affecting this title

also

Lightsview Re-Water Supply Co Pty Ltd has no record of any notice or order affecting this title.

also

Robusto Investments Pty. Ltd. trading as Compass Springs has no current record of any notice or order affecting this title.

also

Alano Utilities Pty. Ltd. has no record of any notice or order affecting this title.

35. *Water Resources Act 1997 (repealed)*

- 35.1 section 18 - Condition (that remains in force) of a permit

DEW has no record of any condition affecting this title

- 35.2 section 125 (or a corresponding previous enactment) - Notice to pay levy

DEW has no record of any notice affecting this title

36. *Other charges*

- 36.1 Charge of any kind affecting the land (not included in another item)

Refer to the Certificate of Title

also

Contact the vendor for these details

also

Contact the Local Government Authority for other details that might apply

Other Particulars

Other particulars as identified in Division 2 of the Schedule to Form 1 as described in the *Regulations to the Land and Business (Sale and Conveyancing) Act 1994*

- | | |
|--|---|
| 1. Particulars of transactions in last 12 months | Contact the vendor for these details |
| 2. Particulars relating to community lot (including strata lot) or development lot | Enquire directly to the Secretary or Manager of the Community Corporation |
| 3. Particulars relating to strata unit | Enquire directly to the Secretary or Manager of the Strata Corporation |
| 4. Particulars of building indemnity insurance | Contact the vendor for these details
also
Contact the Local Government Authority |
| 5. Particulars relating to asbestos at workplaces | Contact the vendor for these details |
| 6. Particulars relating to aluminium composite panels | Please note that the audit is limited to classes of buildings, and that this note does not confirm the presence or absence of Aluminium Composite Panelling. Contact the vendor for relevant details. |
| 7. Particulars relating to court or tribunal process | Contact the vendor for these details |
| 8. Particulars relating to land irrigated or drained under Irrigation Acts | SA Water will arrange for a response to this item where applicable |
| 9. Particulars relating to environment protection | Contact the vendor for details of item 2
also
EPA (SA) has no record of any particulars relating to items 3, 4 or 5 affecting this title
also
Contact the Local Government Authority for information relating to item 6 |
| 10. Particulars relating to <i>Livestock Act, 1997</i> | Animal Health in PIRSA has no record of any notice or order affecting this title |

Additional Information

The following additional information is provided for your information only.

These items are not prescribed encumbrances or other particulars prescribed under the Act.

- | | |
|---|--|
| 1. Pipeline Authority of S.A. Easement | Epic Energy has no record of a Pipeline Authority Easement relating to this title |
| 2. State Planning Commission refusal | No recorded State Planning Commission refusal |
| 3. SA Power Networks | SA Power Networks has no interest other than that recorded on the attached notice or registered on the Certificate of Title |
| 4. South East Australia Gas Pty Ltd | SEA Gas has no current record of a high pressure gas transmission pipeline traversing this property |
| 5. Central Irrigation Trust | Central Irrigation Trust has no current records of any infrastructure or Water Delivery Rights associated to this title. |
| 6. ElectraNet Transmission Services | ElectraNet has no current record of a high voltage transmission line traversing this property |
| 7. Outback Communities Authority | Outback Communities Authority has no record affecting this title |
| 8. Dog Fence (<i>Dog Fence Act 1946</i>) | This title falls outside the Dog Fence rateable area. Accordingly, the Dog Fence Board holds no current interest in relation to Dog Fence rates. |
| 9. Pastoral Board (<i>Pastoral Land Management and Conservation Act 1969</i>) | The Pastoral Board has no current interest in this title |
| 10. Heritage Branch DEW (<i>Heritage Places Act 1993</i>) | Heritage Branch in DEW has no record of any World, Commonwealth or National Heritage interest affecting this title |
| 11. Health Protection Programs – Department for Health and Wellbeing | Health Protection Programs in the DHW has no record of a public health issue that currently applies to this title. |

Notices

Notices are printed under arrangement with organisations having some potential interest in the subject land. You should contact the identified party for further details.

Electricity and Telecommunications Infrastructure - Building Restrictions and Statutory Easements (including those related to gas, water and sewage)

Building restrictions

It is an offence under section 86 of the *Electricity Act 1996* to erect a building or structure within a prescribed distance of aerial or underground powerlines. In some, but not all, cases approval may be obtained from the Technical Regulator. Generally, however, land owners must not build, or alter a building or structure, with the result that any part of the resulting building or structure is within the minimum clearance distance required from certain types of powerlines. These building limitations are set out in the *Electricity (General) Regulations 2012* regulations 81 and 82. Purchasers intending to redevelop the property to be purchased should therefore be aware that the restrictions under the *Electricity Act* and *Regulations* may affect how, or if, they are able to redevelop the property.

In addition, if a building or structure is erected in proximity to a powerline of an electricity entity in contravention of the *Electricity Act*, the entity may seek a court order:

- requiring the person to take specified action to remove or modify the building or structure within a specified period;
- for compensation from the person for loss or damage suffered in consequence of the contravention; and/or
- for costs reasonably incurred by the entity in relocating the powerline or carrying out other work.

Contact the Office of the Technical Regulator in DEM on 8226 5500 for further details.

Statutory easements

Statutory easements for purposes such as (and without limitation) electricity, telecommunications, gas, water and sewage, may also exist, but may not be registered or defined on the title for the land.

Separate from the above building restrictions, South Australia's electricity supply and transmission businesses have statutory easements over land where part of the electricity distribution or transmission system was on, above or under the land as at particular dates specified by legislation.

This notice does not necessarily imply that any statutory or other easement exists.

However, where in existence, statutory easements may provide these organisations and businesses (identified in the relevant legislation) with the right of entry, at any reasonable time, to operate, repair, examine, replace, modify or maintain their equipment, to bring any vehicles or equipment on the land for these purposes, and to install, operate and carry out work on any pipelines, electricity or telecommunications cables or equipment that may be incorporated in, or attached to, their equipment (For example, see Clause 2 of Schedule 1 of the *Electricity Corporations (Restructuring and Disposal) Act 1999*; section 48A of the *Electricity Act 1996*).

For further clarification on these matters, please contact the relevant organisations or businesses, such as SA Power Networks' Easements Branch on telephone 8404 5897 or 8404 5894.

If you intend to excavate, develop or subdivide land, it is suggested that you first lodge a 'Dial Before you Dig' enquiry. Dial Before You Dig is a free referral service that provides information on the location of underground infrastructure. Using the Dial Before you Dig service (<https://1100.com.au>) may mitigate the risk of injury or expense resulting from inadvertent interference with, damage to, or requirement to relocate infrastructure.

Land Tax Act 1936 and Regulations thereunder

Agents should note that the current owner will remain liable for any additional charge accruing due before the date of this certificate which may be assessed on the land and also that the purchaser is only protected in respect of the tax for the financial year for which this certificate is issued. If the change of ownership will not occur on or before the 30th June, another certificate should be sought in respect of the next financial year or requests for certificate should not be made until after 30th June.

Animal and Plant Control (Agriculture Protection and other purposes) Act 1986 and Regulations

Agents should note that this legislation imposes a responsibility on a landholder to control and keep controlled proclaimed plants and particular classes of animals on a property.

Information should be obtained from:

- The vendor about the known presence of proclaimed plants or animals on the property including details which the vendor can obtain from records held by the local animal and plant control board
- The local animal and plant control board or the Animal and Plant Control Commission on the policies and priorities relating to the control of any serious proclaimed plants or animals in the area where the property is located.

Landscape South Australia 2019

Water Resources Management - Taking of underground water

Under the provisions of the *Landscape South Australia Act 2019*, if you intend to utilise underground water on the land subject to this enquiry the following apply:

- A well construction permit accompanied by the prescribed fee is required if a well/bore exceeding 2.5 meters is to be constructed. As the prescribed fee is subject to annual review, you should visit the webpage below to confirm the current fee
- A licensed well driller is required to undertake all work on any well/bore
- Work on all wells/bores is to be undertaken in accordance with the *General specification for well drilling operations affecting water in South Australia*.

Further information may be obtained by visiting <https://www.environment.sa.gov.au/licences-and-permits/water-licence-and-permit-forms>. Alternatively, you may contact the Department for Environment and Water on (08) 8735 1134 or email DEWwaterlicensing@sa.gov.au.



Product	Title and Valuation Package
Date/Time	09/07/2026 12:02PM
Customer Reference	
Order ID	20260709004447

Certificate of Title

Title Reference	CT 5032/559
Status	CURRENT
Easement	NO
Owner Number	08726105
Address for Notices	27 HIGH ST GLADSTONE, SA 5473
Area	NOT AVAILABLE

Estate Type

Fee Simple (Unit)

Registered Proprietor

TIMOTHY JAMES ZANDER
SANDRA ZANDER
OF 27 HIGH STREET GLADSTONE SA 5473
AS JOINT TENANTS

Description of Land

UNIT 11 STRATA PLAN 3604
IN THE AREA NAMED NORTH ADELAIDE
HUNDRED OF YATALA

Last Sale Details

Dealing Reference	TRANSFER (T) 7629787
Dealing Date	16/12/1993
Sale Price	\$73,000
Sale Type	TRANSFER FOR FULL MONETARY CONSIDERATION

Constraints

Encumbrances

Dealing Type	Dealing Number	Beneficiary
MORTGAGE	8818084	WESTPAC BANKING CORPORATION

Stoppers

NIL

Valuation Numbers

Valuation Number	Status	Property Location Address
0221106829	CURRENT	Unit 11 FL 1, 150 CHILDERS STREET, NORTH ADELAIDE, SA 5006

Notations



Product
Date/Time
Customer Reference
Order ID

Title and Valuation Package
09/07/2026 12:02PM
20260709004447

Dealings Affecting Title

NIL

Notations on Plan

NIL

Registrar-General's Notes

NIL

Administrative Interests

NIL

Valuation Record

Valuation Number	0221106829
Type	Site & Capital Value
Date of Valuation	01/01/2026
Status	CURRENT
Operative From	01/07/1979
Property Location	Unit 11 FL 1, 150 CHILDERS STREET, NORTH ADELAIDE, SA 5006
Local Government	ADELAIDE
Owner Names	TIMOTHY JAMES ZANDER SANDRA ZANDER
Owner Number	08726105
Address for Notices	27 HIGH ST GLADSTONE, SA 5473
Zone / Subzone	CL - City Living \ NALI - North Adelaide Low Intensity
Water Available	Yes
Sewer Available	Yes
Land Use	1321 - First Floor Home Unit
Description	H/UNIT CPK
Local Government Description	Residential

Parcels

Plan/Parcel	Title Reference(s)
S3604 UNIT 11	CT 5032/559

Values

Financial Year	Site Value	Capital Value	Notional Site Value	Notional Capital Value	Notional Type
Current	\$175,000	\$495,000			



Product	Title and Valuation Package
Date/Time	09/07/2026 12:02PM
Customer Reference	
Order ID	20260709004447

Financial Year	Site Value	Capital Value	Notional Site Value	Notional Capital Value	Notional Type
Previous	\$166,000	\$430,000			

Building Details

Valuation Number	0221106829
Building Style	Conventional
Year Built	1970
Building Condition	Basic
Wall Construction	Brick
Roof Construction	Galvanised Iron
Equivalent Main Area	56 sqm
Number of Main Rooms	4

Note – this information is not guaranteed by the Government of South Australia



Product	Check Search
Date/Time	08/07/2026 12:02PM
Customer Reference	
Order ID	20260709004447

Certificate of Title

Title Reference: CT 5032/559

Status: CURRENT

Edition: 4

Dealings

No Unregistered Dealings and no Dealings completed in the last 90 days for this title

Priority Notices

NIL

Registrar-General's Notes

No Registrar-General's Notes exist for this title

Section 7/Elec



SA Water has no record of an Encumbrance on this property as at the date of issue of this certificate.



South Australian Water Corporation

Name:

T & S ZANDER

Water & Sewer Account

Acct. No.: 02 21106 82 9

Amount: _____

Address:

U11 150 CHILDERS ST NORTH ADELAIDE
UNIT 11 53604

Payment Options

EFT**EFT Payment**

Bank account name:	SA Water Collection Account
BSB number:	065000
Bank account number:	10622859
Payment reference:	0221106829



Bill code: 8888
Ref: 0221106829

Telephone and Internet Banking — BPAY®

Contact your bank or financial institution to make this payment from your cheque, savings, debit, credit card or transaction account. More information at bpay.com.au

**Paying online**

Pay online at www.sawater.com.au/paynow for a range of options. Have your account number and credit card details to hand.

**Paying by phone**

Call 1300 650 870 and pay by phone using your Visa/Mastercard 24/7.
SA Water account number: 0221106829



Government of
South Australia

South Australian Water Corporation
250 Victoria Square/Tarntanyangga
Adelaide SA 5000
GPO Box 1751 Adelaide SA 5001

1300 SA WATER
(1300 729 283)
ABN 69 336 525 019
sawater.com.au


RevenueSA
DEPARTMENT OF TREASURY AND FINANCE
ABN 19 040 349 865
Emergency Services Funding Act 1995

CERTIFICATE OF EMERGENCY SERVICES LEVY PAYABLE

The Emergency Services Levy working for all South Australians

The details shown are current as at the date of issue.

PIR Reference No: 2798688

 THE FORM 1 COMPANY
GPO BOX 1651
ADELAIDE SA 5001

DATE OF ISSUE

10/07/2026

ENQUIRIES:

Tel: (08) 8372 7534

 Email: contactus@revenuesa.sa.gov.au

OWNERSHIP NUMBER	OWNERSHIP NAME			
08726105	T J & S ZANDER			
PROPERTY DESCRIPTION				
11 / 150 CHILDERS ST / NORTH ADELAIDE SA 5008				
ASSESSMENT NUMBER	TITLE REF. (A "*" indicates multiple titles)	CAPITAL VALUE	AREA / FACTOR	LAND USE / FACTOR
			R4	RE
0221106829	CT 5032/559	\$495,000.00	1.000	0.400

LEVY DETAILS:
FINANCIAL YEAR

2026-2027

FIXED CHARGE	\$	50.00
+ VARIABLE CHARGE	\$	156.80
- REMISSION	\$	92.85
- CONCESSION	\$	0.00
+ ARREARS / - PAYMENTS	\$	0.00
= AMOUNT PAYABLE	\$	114.15

Please Note:

If a concession amount is shown, the validity of the concession should be checked prior to payment of any outstanding levy amount. The expiry date displayed on this Certificate is the last day an update of this Certificate will be issued free of charge. It is not the due date for payment.

EXPIRY DATE 08/10/2026

**Government of
South Australia**

See overleaf for further information

DETACH AND RETURN THE PAYMENT REMITTANCE ADVICE WITH YOUR PAYMENT


RevenueSA
DEPARTMENT OF TREASURY AND FINANCE

CERTIFICATE OF EMERGENCY SERVICES LEVY PAYABLE

PAYMENT REMITTANCE ADVICE
OWNERSHIP NUMBER

08726105

OWNERSHIP NAME

T J & S ZANDER

ASSESSMENT NUMBER

0221106829

AMOUNT PAYABLE

\$114.15

AGENT NUMBER

100019452

AGENT NAME

THE FORM 1 COMPANY

EXPIRY DATE

08/10/2026

+70205019170022> +001571+ <0550167256> <0000011415> +444+

OFFICIAL: Sensitive**Please Note:**

Please check that the property details shown on this Certificate are correct for the land being sold.

The amount payable on this Certificate is accurate as at the date of issue.

This Certificate is only valid for the financial year shown.

If the change of ownership will occur in the following financial year, you must obtain another Certificate after 30 June.

Payment should be made as part of the settlement process.

The amount payable on this Certificate must be paid in full even if only a portion of the subject land is being sold. RevenueSA cannot apportion the ESL.

If the amount payable is not paid in full, the purchaser may become liable for all of the outstanding ESL as at the date of settlement.

The owner of the land as at 12:01am on 1 July in the financial year of this Certificate will remain liable for any additional ESL accrued before the date of this Certificate, even if the amount payable on this Certificate has been paid.

Provision of this Certificate does not relieve the land owner of their responsibility to pay their Notice of ESL Assessment by the due date.

If the owner of the subject land is receiving an ESL pensioner concession but was not living in the property as their principal place of residence as at 12:01am on 1 July of the current financial year, or is now deceased, you must contact RevenueSA prior to settlement.

For more information:

Visit: www.revenuesa.sa.gov.au
 Email: contactus@revenuesa.sa.gov.au
 Phone: (08) 8372 7534

PAYMENT OPTIONS FOR THIS CERTIFICATE SHOWN BELOW

 Billers Code: 456285 Ref: 7020501917 Contact your bank or financial institution to make this payment from your cheque, savings, debit, credit card or transaction account. More info: www.bpay.com.au © Registered to bPAY Pty Ltd ABN 69 578 137 518	 To pay via the internet go to: www.revenuesaonline.sa.gov.au	 Send your cheque or money order, made payable to the Community Emergency Services Fund, along with this Payment Remittance Advice to: Please refer below. Revenue SA Locked Bag 555 ADELAIDE SA 5001
--	---	--

ACTION REQUIRED: In line with the Commonwealth Government's cheque phase-out, RevenueSA will stop accepting cheque payments after 30 June 2027. To ensure a smooth transition, we encourage you to switch to one of the other payment options listed above.


RevenueSA

DEPARTMENT OF TREASURY AND FINANCE

 ABN 19 040 349 885
 Land Tax Act 1936

CERTIFICATE OF LAND TAX PAYABLE

This form is a statement of land tax payable pursuant to Section 23 of the *Land Tax Act 1936*. The details shown are current as at the date of issue.

PIR Reference No: 2798688

THE FORM 1 COMPANY
 GPO BOX 1651
 ADELAIDE SA 5001

DATE OF ISSUE

10/07/2026

ENQUIRIES:

Tel: (08) 8372 7534

 Email: contactus@revenuesa.sa.gov.au
OWNERSHIP NAME

T J & S ZANDER

FINANCIAL YEAR

2026-2027

PROPERTY DESCRIPTION

11 / 150 CHILDERS ST / NORTH ADELAIDE SA 5006

ASSESSMENT NUMBER

0221106829

TITLE REF.

(A "*" indicates multiple titles)

CT 5032/559

TAXABLE SITE VALUE

\$175,000.00

AREA

0.0000 HA

DETAILS OF THE LAND TAX PAYABLE FOR THE ABOVE PARCEL OF LAND:

CURRENT TAX	\$	111.36	SINGLE HOLDING	\$	0.00
- DEDUCTIONS	\$	0.00			
+ ARREARS	\$	0.00			
- PAYMENTS	\$	0.00			
= AMOUNT PAYABLE	\$	111.36			

Please Note:

If the Current Tax details above indicate a Nil amount, the property may be subject to an Exemption. This exemption should be validated prior to settlement. In order to ensure indemnity for the purchaser of this land, full payment of the amount payable is required.

ON OR BEFORE
08/10/2026

**Government of
 South Australia**

See overleaf for further information

DETACH AND RETURN THE PAYMENT REMITTANCE ADVICE WITH YOUR PAYMENT


RevenueSA

DEPARTMENT OF TREASURY AND FINANCE

Land Tax Act 1936

CERTIFICATE OF LAND TAX PAYABLE

PAYMENT REMITTANCE ADVICE
OWNERSHIP NUMBER

08726105

OWNERSHIP NAME

T J & S ZANDER

ASSESSMENT NUMBER

0221106829

AMOUNT PAYABLE

\$111.36

AGENT NUMBER

100019452

AGENT NAME

THE FORM 1 COMPANY

PAYABLE ON OR BEFORE

08/10/2026

+70205018260012> +000927+ <0550167256> <0000011136> +444+

OFFICIAL: Sensitive**Please Note:**

Please check that the property details shown on this Certificate are correct for the land being sold.

This Certificate is only valid for the financial year shown.

If the change of ownership will occur in the following financial year, you must obtain another Certificate after 30 June.

Payment should be made as part of the settlement process.

The amount payable on this Certificate must be paid in full even if only a portion of the subject land is being sold. RevenueSA cannot apportion the land tax.

If the amount payable is not paid in full on or before the due date shown on this Certificate, the purchaser will not be released from liability of the whole amount of the land tax outstanding as at the date of settlement.

The owner of the land as at midnight on 30 June immediately before the financial year of this Certificate will remain liable for any additional land tax accrued before the date of this Certificate, even if the amount payable on this Certificate has been paid.

The amount payable on this Certificate is the land tax payable at the date of issue. However, land tax for a particular financial year may be reassessed at any time, changing the amount payable.

Should a reassessment occur after this Certificate has been paid in full, the purchaser will remain indemnified and will not be responsible for payment of the new land tax payable amount. The owner at the beginning of the relevant financial year will be responsible for payment of any additional land tax payable.

Should a reassessment occur after this Certificate has been issued but not paid in full, the purchaser will not be indemnified and may become responsible for payment of the new land tax payable amount.

Should a reassessment occur after this Certificate has been paid in full and the Certificate is subsequently updated, the purchaser will not be indemnified and may become responsible for payment of the new land tax payable amount.

Provision of this Certificate does not relieve the land owner of their responsibility to pay their Notice of Land Tax Assessment by the due date.

For more information:

Visit: www.revenuesa.sa.gov.au
 Email: contactus@revenuesa.sa.gov.au
 Phone: (08) 8372 7534

PAYMENT OPTIONS FOR THIS CERTIFICATE SHOWN BELOW

 Billor Code: 456293 Ref: 7020501826 Contact your bank or financial institution to make this payment from your cheque, savings, debit, credit card or transaction account. More info: www.bpay.com.au © Registered to bPAY Pty Ltd ABN 96 029 130 518	 To pay via the internet go to: www.revenuesaonline.sa.gov.au	 Send your cheque or money order, made payable to the Commissioner of State Taxation, along with this Payment Remittance Advice to: Please refer below. Revenue SA Locked Bag 555 ADELAIDE SA 5001
---	---	---

ACTION REQUIRED: In line with the Commonwealth Government's cheque phase-out, RevenueSA will stop accepting cheque payments after 30 June 2027. To ensure a smooth transition, we encourage you to switch to one of the other payment options listed above.

Date: 13 July 2026

Email: city@cityofadelaide.com.au



25 Pirie Street, Adelaide
GPO Box 2252 Adelaide
South Australia 5001

T (08) 8203 7203
F (08) 8203 7575
W cityofadelaide.com.au

ABN 20 903 762 572

Dear Sir/Madam,

Land and Business (Sale and Conveyancing) Act – Section 7 enquiries.

I have received your letter requesting information on encumbrances for the property as detailed below:

Title Reference	CT-5032/559
Owner Name	Mr T J Zander and Ms S Zander
Address of Property	Floor 1 11/150 Childers Street, NORTH ADELAIDE SA 5006

You are advised:

- If there are any encumbrances on this property, they are attached hereto.

In addition:

Please be advised that any rebates which apply to this property may not still be applicable with a change in ownership.

Yours faithfully,

A handwritten signature in black ink, appearing to read 'Michael Sedgman'.

pp
Michael Sedgman
Chief Executive Officer



**THE CORPORATION OF THE CITY OF ADELAIDE
LOCAL GOVERNMENT RATES SEARCH**

Rates & Property Enquiries: 8203 7203

Email: city@cityofadelaide.com.au

THE FORM 1 COMPANY
GPO Box 1651, ADELAIDE SA 5001

Dear Sir/Madam

Certificate in accordance with Section 187 of the Local Government Act.

I have received your request for information on the Premises below.

Date Received	9 July 2026
Receipt Number	7144512
Document Issue Date	13 July 2026
Property Address	Floor 1 11/150 Childers Street, NORTH ADELAIDE SA 5006
Property Description	Unit 11 SP 3604
Property Titles	CT-5032/559
Owner of Property	Mr T J Zander and Ms S Zander

Local Government Act 1999 [Act]

Liability for rates if land is not rateable for the whole of the financial year

Section 179

(1) If land is rateable for portion, but not for the whole, of a financial year, the land will be subject to rates imposed for the financial year but there will be a proportionate reduction in the amount of rates.

(2) A council may, for the purposes of the operation of subsection (1) in respect of land that becomes rateable after the adoption of valuations by the council for the relevant year, specifically adopt a valuation of the land

Fines for Late Payment:

If an instalment is not received on, or before, the due date (2nd September; 2nd December; 3rd March; 2nd June), a fine of 2% will be applied to the instalment amount in arrears at that time. A further interest levy of 0.76% will also be added to the amount in arrears (including the amount of any previous unpaid fine but excluding interest from any previous month) outstanding at the end of each month thereafter.

Yours faithfully,



pp
Michael Sedgman
Chief Executive Officer



25 Pirie Street, Adelaide
GPO Box 2252 Adelaide
South Australia 5001

T (08) 8203 7203
F (08) 8203 7575
W cityofadelaide.com.au

ABN 20 903 762 572





Assessment No: 8875 7

25 Pirie Street, Adelaide
GPO Box 2252 Adelaide
South Australia 5001

T (08) 8203 7203
F (08) 8203 7575
W cityofadelaide.com.au

ABN 20 903 762 572

Property Location	Floor 1 11/150 Childers Street,
Rateable Valuation	\$14,600
Arrears	\$0.00
Arrears Legal Fees	\$0.00
Gross Rates	\$1,769.75
(includes Regional Landscape Levy)	
Interest, Current	\$0.00
Interest, Arrears	\$0.00
Rebates	\$-149.10
Legal Charges, Current	\$0.00
Deferred Debts	\$0.00
	\$0.00
Paid	\$0.00
Overpayments	\$0.00
Refunds	\$0.00
Outstanding Balance	\$1,620.65



PRESCRIBED INFORMATION**Address:** Floor 1 11/150 Childers Street, NORTH ADELAIDE SA 5006 **Reference:** 2011/03199**Certificate of Title:** CT-5032/559 **Dated:** 13 July 2026

Prescribed encumbrance	Other particulars required
Part 1—Items that must be included in statement	
<i>(If an item is not applicable strike it out or write "NOT APPLICABLE" or "N/A" in column 1.)</i>	
<i>Development Act 1993 (repealed)</i>	
Section 42 – Condition (that continues to apply) of a development authorisation	Date of Authorisation: Name of relevant authority that granted authorisation: Condition(s) of authorisation: <i>Development Conditions – See Attachment</i>
<i>Repealed Act conditions</i>	
Condition (that continues to apply) of an approval or authorisation granted under the Building Act 1971 (repealed), the City of Adelaide Development Control Act 1976 (repealed), the Planning Act 1982 (repealed) or the Planning and Development Act 1966 (repealed)	Nature of Condition(s):

PRESCRIBED INFORMATION

Planning, Development and Infrastructure Act 2016	
Part 5 – Planning and Design Code	Title or other brief description of zone, subzone and overlay in which the land is situated (as shown in the Planning and Design Code): Refer to attached PlanSA Section 7 Report Is there a State heritage place on the land or is the land situated in a State heritage area? *YES/NO Is the land designated as a local heritage place? *YES/NO Is there a tree or stand of trees declared in Part 10 of the Planning and Design Code to be a significant tree or trees on the land? *YES/NO Is there a current amendment to the Planning and Design Code released for public consultation by a designated entity on which consultation is continuing or on which consultation has ended but whose proposed amendment has not yet come into operation? *YES/NO
Section 127 - Condition (that continues to apply) of a development authorisation	Date of authorisation: Name of relevant authority that granted authorisation: Condition(s) of authorisation: Refer to attached PlanSA Section 7 Report

PRESCRIBED INFORMATION

Part 2—Items to be included if land affected

[If an item is not applicable, strike it out or write "NOT APPLICABLE" or "N/A" in column 1, or else omit the items and headings that are not applicable.]

Development Act 1993

section 50(1)—Requirement to vest land in a council or the Crown to be held as open space	Date requirement given: Name of body giving requirement: Nature of requirement: Contribution payable (if any):
section 50(2)—Agreement to vest land in a council or the Crown to be held as open space	Date of agreement: Names of parties: Terms of agreement: Contribution payable (if any):
section 55—Order to remove or perform work	Date of order: Terms of order: Building work (if any) required to be carried out: Amount payable (if any):
section 56—Notice to complete development	Date of notice: Requirements of notice: Building work (if any) required to be carried out: Amount payable (if any):
Section 57—Land management agreement	Date of agreement: Names of parties: Terms of agreement:

Section 69—Emergency Order	Date of order: Name of authorised officer who made order: Name of authority that appointed authorised officer: Nature of order: Amount payable (if any):
----------------------------	--

Section 71—Fire safety notice	Date of notice: Name of authorised officer giving notice:
-------------------------------	--

PRESCRIBED INFORMATION

	Requirements of notice: Building work (if any) required to be carried out: Amount payable (if any):
Section 84—Enforcement notice	Date notice given: Name of relevant authority giving notice: Nature of directions contained in notice: Building work (if any) required to be carried out: Amount payable (if any):
section 85(6), 85(10) or 106—Enforcement order	Date order made: Name of court that made order: Action number: Names of parties: Terms of order: Building work (if any) required to be carried out:
Part 11 Division 2—Proceedings	Date of commencement of proceedings: Date of determination or order (if any): Terms of determination or order (if any):
Confirmed – Planning/Development Section	
<i>Fire and Emergency Services Act 2005</i>	
section 105F (or section 56 or 83 (repealed))—Notice of action required concerning flammable materials on land	Date of notice: Person or body who issued notice: Requirements of notice (as stated therein): Amount payable (if any):
Confirmed – Enforcement/Compliance section:	
<i>Food Act 2001</i>	
section 44—Improvement notice	Date of notice: Name of authorised officer who served notice: Name of authority that appointed officer: Requirements of notices:
section 46—Prohibition order	Date of order:

PRESCRIBED INFORMATION

	Name of authority or person who served order: Requirements of order:
Confirmed – Environmental Health section:	
<i>Housing Improvement Act 1940</i>	
section 23—declaration that house is undesirable or unfit for human habitation	Date of declaration: Those particulars required to be provided by a council under section 23:
Part 7 (rent control for substandard houses)— Notice or declaration	Date of notice or declaration Those particulars required to be provided by the housing authority under section 60:
Confirmed – Building/Development section:	
<i>Land Acquisition Act 1969</i>	
Section 10 – Notice of intention to acquire	Date of notice: Name of Authority who served notice: Description of land intended to be acquired (as described in the notice):

PRESCRIBED INFORMATION**Local Government Act 1934 (repealed)**

Notice, order, declaration, charge, claim or demand given or made under the Act

Date of notice, order etc:

Name of council by which, or person by whom, notice, order etc is given or made:

Land subject thereto:

Nature of requirements contained in notice, order etc:

Time for carrying out requirements:

Amount payable (if any):

Local Government Act 1999

Notice, order, declaration, charge, claim or demand given or made under the Act

Date of notice, order etc:

Name of council by which, or person by whom, notice, order etc is given or made:

Land subject thereto:

Nature of requirements contained in notice, order etc:

Time for carrying out requirements:

Amount payable (if any):

Confirmed – General section:

Local Nuisance and Litter Control Act 2016

Section 30 – Nuisance or litter abatement notice

Date of notice:

Notice issued by:

Nature of requirements contained in notice:

Time for carrying out requirements:

Planning, Development and Infrastructure Act 2016

section 141 – Order to remove or perform work

Date of order:

Terms of order:

Building work (if any) required to be carried out:

Amount payable (if any):

PRESCRIBED INFORMATION

Planning, Development and Infrastructure Act 2016	
section 142 — Notice to complete development	Date of notice: Requirements of notice: Building work (if any) required to be carried out: Amount payable (if any):
section 155 — Emergency order	Date of order: Name of authorised officer who made order: Name of authority that appointed the authorised officer: Nature of order: Amount payable (if any):
section 157 — Fire safety notice	Date of notice: Name of authority giving notice: Requirements of notice: Building work (if any) required to be carried out: Amount payable (if any):
section 192 or 193 — Land management agreement	Date of agreement: Names of parties: Terms of agreement:
section 198(1) — Requirement to vest land in a council or the Crown to be held as open space	Date requirement given: Name of body giving requirement: Nature of requirement: Contribution payable (if any):
section 198(2) — Agreement to vest land in a council or the Crown to be held as open space	Date of agreement: Names of parties: Terms of agreement: Contribution payable (if any):
Part 16	Date of commencement of proceedings:

PRESCRIBED INFORMATION

Planning, Development and Infrastructure Act 2016	
Division 1—Proceedings	Date of determination or order (if any): Terms of determination or order (if any):
section 213—Enforcement notice	Date notice given: Name of designated authority giving notice: Nature of directions contained in notice: Building work (if any) required to be carried out: Amount payable (if any):
Section 214(6), 214(10) or 222—Enforcement order	Date order made: Name of court that made order: Action number: Name of parties: Terms of order: Building work (if any) required to be carried out:
Confirmed – Building/development section:	

PRESCRIBED INFORMATION

Public and Environmental Health Act 1987 (repealed)	
Part 3—Notice	Date of notice: Name of council or other authority giving notice: Requirements of notice:
Public and Environmental Health (Waste Control) Regulations 2010 (or 1995) (revoked) Part 2—Condition (that continues to apply) of an approval	Date of approval: Name of relevant authority that granted the approval: Condition(s) of approval:
Public and Environmental Health (Waste Control) Regulations 2010 (revoked) regulation 19—Maintenance order (that has not been complied with)	Date of order: Name of authority giving order: Requirements of order:
Confirmed – Environmental Health section:	
South Australian Public Health Act 2011	
section 92—Notice	Date of notice: Name of Council or other relevant authority giving notice: Requirements of notice:
South Australian Public Health (Wastewater) Regulations 2013 Part 4—Condition (that continues to apply) of an approval	Date of approval: Name of person or body that granted the approval: Condition (s) of approval:
Confirmed – Health section:	

PRESCRIBED INFORMATION

Other charges	
Charge of any kind affecting the land (not included in another item)	Person or body in whose favour charge exists: Nature of charge: Amount of charge (if known):

PRESCRIBED INFORMATION

Particulars of Building Indemnity Insurance

Note—Building indemnity insurance is not required for—

- (a) domestic building work for which approval under the *Planning, Development and Infrastructure Act 2016*, the repealed *Development Act 1993* or the repealed *Building Act 1971* is or was not required; or
- (b) minor domestic building work (see section 3 of the *Building Work Contractors Act 1995*); or
- (c) domestic building work commenced before 1 May 1987; or
- (d) building work in respect of which an exemption from the application of Division 3 of Part 5 of the *Building Work Contractors Act 1995* applies under the *Building Work Contractors Regulations 2011*; or
- (e) building work in respect of which an exemption from the application of Division 3 of Part 5 of the *Building Work Contractors Act 1995* has been granted under section 45 of that Act.

Details of building indemnity insurance still in existence for building work on the land:

Building Indemnity Insurance is required...**Yes / No / Council holds no record** (refer above note):

- 1 Name(s) of person(s) insured:
- 2 Name of insurer:
- 3 Limitations on the liability of the insurer:
- 4 Name of builder:
- 5 Builder's licence number:
- 6 Date of issue of insurance:
- 7 Description of insured building work:

Exemption from holding insurance:

If particulars of insurance are not given, has an exemption been granted under section 45 of the *Building Work Contractors Act 1995* from the requirement to hold an insurance policy in accordance with Division 3 of Part 5 of that Act?

*** Yes / No / Council holds no record**

If **YES**, give details:

- (a) Date of the exemption:
- (b) Name of builder granted the exemption:
- (c) Licence number of builder granted the exemption:
- (d) Details of building work to which the exemption applies:
- (e) Details of conditions (if any) to which the exemption is subject:

Certified – Development Section **Date**

PREScribed INFORMATION

Particulars relating to Environment Protection

Further information held by councils

Does the council hold details of any development approvals relating to—

- (a) commercial or industrial activity at the land; or
- (b) a change in the use of the land or part of the land (within the meaning of the *Development Act 1993*) or the *Planning, Development and Infrastructure Act 2016*?

*YES/NO

Note—

The question relates to information that the council for the area in which the land is situated may hold. If the council answers "YES" to the question, it will provide a description of the nature of each development approved in respect of the land. The purchaser may then obtain further details from the council (on payment of any fee fixed by the council). However, it is expected that the ability to supply further details will vary considerably between councils.

A "YES" answer to paragraph (a) of the question may indicate that a ***potentially contaminating activity*** has taken place at the land (see sections 103C and 103H of the *Environment Protection Act 1993*) and that assessments or remediation of the land may be required at some future time.

It should be noted that—

- (a) the approval of development by a council does not necessarily mean that the development has taken place;
- (b) the council will not necessarily be able to provide a complete history of all such development that has taken place at the land.

ATTACHMENTS

Attachment – Development Conditions

 CITY OF ADELAIDE	DECISION NOTIFICATION FORM
---	-----------------------------------

Application Registered On: 15 November 2016	Contact Officer: Matthew Wilson 8203 7406
Application Dated: 3 November 2016	File Reference: DA/786/2016

Application:	DA/786/2016
Applicant:	Mr M. Laurena
Location:	148-154 Childers Street, NORTH ADELAIDE SA 5006
Description:	Construct fence with cement pillars and plinth, with aluminium slot fill panels.

In respect of this proposed development you are informed that:

Nature of Decision	Decision Status	Date of Decision	No. of Conditions
--------------------	-----------------	------------------	-------------------

Development Plan Consent	Granted	13 December 2017	2
Building Rules Consent	Granted	13 December 2017	0
Development Approval	Granted	13 December 2017	2

Details of the building classification and the approved number of occupants under the Building Code are attached.

representation(s) from third parties concerning your category 2 proposal were received.

If there were third party representations, any consent/approval or consent/approval with conditions does not operate until the periods specified in the Act have expired.

Reason for this decision, any conditions imposed, and the reasons for imposing those conditions are set out on the attached sheet.

No work can commence on this development unless a Development Approval has been obtained. If one or more consents have been granted on this Notification Form, you must not start any site works or building works or change the use of the land until you have also received notification of a Development Approval.

Date of Decision: 13 December 2017

Signed: 

Date: 15/12/17

- ☐ State Planning Assessment Commission or delegate
☒ Council Chief Executive Officer or delegate
☐ Private Certifier
☒ Pages

PRESCRIBED INFORMATION



Application: DA/786/2016
 Applicant: Mr M Laurena
 Location: 148-154 Childers Street, NORTH ADELAIDE SA 5006
 Description: Construct fence with cement pillars and plinth, with aluminium slat fill panels.

CONDITIONS OF DEVELOPMENT PLAN CONSENT

1. The Development shall be undertaken in accordance with the plans, drawings, specifications and other documents submitted to the Council that are relevant to the consent as listed below:
 - Drawings, as received by Council 4 April 2017 (3 pages)
 - Email from Michael Laurena to Council confirming colours, received 5 April 2017
 to the reasonable satisfaction of the Council except where varied by conditions below (if any).

Reason: To ensure that the Development is undertaken in accordance with the plans and details submitted.

2. The pillar/fence height shall not exceed 1.5 metres.

To ensure that the Development is undertaken in accordance with the plans and details submitted.

CONDITIONS OF BUILDING RULES CONSENT

Nil Conditions imposed

PREScribed INFORMATION

 CITY OF ADELAIDE	DECISION NOTIFICATION FORM
---	-----------------------------------

Application Registered On: 8 November 2018	Contact Officer: Josh Steer 8203 7300
Application Dated: 7 November 2018	File Reference: DA/937/2018

Application:	DA/937/2018
Applicant:	STRATA DATA GROUP
Location:	148-154 Childers Street, NORTH ADELAIDE SA 5006
Description:	Removal of the existing canvas awning and metal frame

In respect of this proposed development you are informed that:

~~Details of the building classification and the approved number of occupants under the Building Code are attached.~~

Development Plan Consent	Granted	12 December 2018	1
Building Rules Consent	Granted	15 January 2019	0
Development Approval	Granted	15 January 2019	1

~~Details of the building classification and the approved number of occupants under the Building Code are attached.~~

~~No representations from third parties concerning your category 3 proposal were received.~~

~~If there were third party representations, any consent/approval or consent/approval with conditions does not operate until the periods specified in the Act have expired.~~

~~Reason for this decision, any conditions imposed, and the reasons for imposing those conditions are set out on the attached sheet.~~

No work can commence on this development unless a Development Approval has been obtained. If one or more consents have been granted on this Notification Form, you must not start any site works or building works or change the use of the land until you have also received notification of a Development Approval.

Date of Decision: 15 January 2019

Signed: 

Date: 15 January 2019

☐ State Planning Assessment Commission or delegate

☒ Council Chief Executive Officer or delegate

☐ Private Certifier

☒ Pages

PREScribed INFORMATION



Application: DA/937/2018
Applicant: STRATA DATA GROUP
Location: 148-154 Childers Street, NORTH ADELAIDE SA 5006
Description: Removal of the existing canvas awning and metal frame

CONDITIONS OF DEVELOPMENT PLAN CONSENT

1. The Development shall be undertaken in accordance with the plans, drawings, specifications and other documents submitted to the Council that are relevant to the consent as listed below:

- Survey Plans – Current Awning Position
- Survey Plan – Post Removal Plan

to the reasonable satisfaction of the Council except where varied by conditions below (if any).

Reason: To ensure that the Development is undertaken in accordance with the plans and details submitted.

CONDITIONS OF BUILDING RULES CONSENT

Nil Conditions Imposed

ATTACHMENTS

Data Extract for Section 7 search purposes

Valuation ID 0221106829

Data Extract Date: 14/07/2026**Important Information**

This Data Extract contains information that has been input into the Development Application Processing (DAP) system by either the applicant or relevant authority for the development for which approval was sought under the Planning, Development and Infrastructure Act 2016. The Department for Housing and Urban Development does not make any guarantees as to the completeness, reliability or accuracy of the information contained within this Data Extract and councils should verify or confirm the accuracy of the information in the Data Extract in meeting their obligations under the Land and Business (Sale and Conveyancing) Act 1994.

Parcel ID: S3604 UN11**Certificate Title:** CT5032/559**Property Address:** UNIT 11 FL 150 CHILDERS ST NORTH ADELAIDE SA 5006**Zones**

City Living (CL)

Subzones

North Adelaide Low Intensity (NALI)

Zoning overlays**Overlays****Aircraft Noise Exposure (ANEF 20)**

The Aircraft Noise Exposure Overlay seeks to ensure development sensitive to aircraft noise is designed to minimise noise intrusion and provide appropriate interior acoustic amenity.

Airport Building Heights (Regulated) (All structures over 110 metres AHD)

The Airport Building Heights (Regulated) Overlay seeks to ensure building height does not pose a hazard to the operation and safety requirements of commercial and military airfields.

Building Near Airfields

The Building Near Airfields Overlay seeks to ensure development does not pose a hazard to the operational and safety requirements of commercial and military airfields.

PRESCRIBED INFORMATION

Design

The Design Overlay seeks to ensure significant development positively contributes to the liveability, durability and sustainability of the built environment through high-quality design.

Historic Area (Adel1)

The Historic Area Overlay aims to reinforce historic themes and characteristics through conservation, contextually responsive development, design and adaptive reuse that responds to the attributes expressed in the Historic Area Statement. The demolition of whole or part of a building within the Historic Areas Overlay requires a development application to be submitted for assessment and can only proceed if approved.

Heritage Adjacency

The Heritage Adjacency Overlay seeks to ensure development adjacent to State and Local Heritage Places maintains the heritage and cultural values of those places.

Hazards (Flooding - Evidence Required)

The Hazards (Flooding - Evidence Required) Overlay adopts a precautionary approach to mitigate potential impacts of potential flood risk through appropriate siting and design of development.

Prescribed Wells Area

The Prescribed Wells Area Overlay seeks to ensure sustainable water use in prescribed wells areas.

Regulated and Significant Tree

The Regulated and Significant Tree Overlay seeks to mitigate the loss of regulated trees through appropriate development and redevelopment.

Stormwater Management

The Stormwater Management Overlay seeks to ensure new development incorporates water sensitive urban design techniques to capture and re-use stormwater.

Urban Tree Canopy

The Urban Tree Canopy Overlay seeks to preserve and enhance urban tree canopy through the planting of new trees and retention of existing mature trees where practicable.

Is the land situated in a State Heritage Place/Area

No

Open the SA Heritage Places Database Search tool to find the locations' Heritage Place Details.

<http://maps.sa.gov.au/heritagesearch/HeritageSearchLocation.aspx>

PREScribed INFORMATION

Is the land designated as a Local Heritage Place

No

Open the SA Heritage Places Database Search tool to find the locations' Heritage Place Details.

<http://maps.sa.gov.au/heritagesearch/HeritageSearchLocation.aspx>

Is there a tree or stand of trees declared in Part 10 of the Planning and Design Code (the Code) to be a significant tree or trees on the land?

(Note: there may be regulated and/or significant trees on the land that are not listed in the Code - see below).

No

Under the Planning, Development and Infrastructure Act 2016 (the Act), a tree may be declared as a significant tree in the Code, or it may be declared as a significant or regulated tree by the Planning, Development and Infrastructure (General) Regulations 2017. Under the Act, protections exist for trees declared to be significant and/or regulated trees. Further information regarding protected trees can be found on the PlanSA website: <https://plan.sa.gov.au/>

Open the Online Planning and Design Code to browse the full Code and Part 10 - Significant Trees for more information.

<https://code.plan.sa.gov.au/>

Associated Development Authorisation Information

A Development Application cannot be enacted unless the Development Authorisation for Development Approval has been granted.

Yes – See below

Land Management Agreement (LMA)

No

ATTACHMENTS



DECISION NOTIFICATION FORM

Section 126(1) of the Planning, Development and Infrastructure Act 2018

TO THE APPLICANT(S):

Name: Andrew Lovett
Email: andrew@maintenancematters.com.au

IN REGARD TO:

Development application no.: 14016617	Lodged on: 6 Nov 2024
Nature of proposed development: Remove existing balustrades to balconies and replace with new.	

LOCATION OF PROPOSED DEVELOPMENT:

Location reference: 150 CHILDERS ST NORTH ADELAIDE SA 5006		
Title ref.: CT 5032/574	Plan Parcel: S3604 UCCP	Council: ADELAIDE CITY COUNCIL

DECISION:

Decision type	Decision (granted/refused)	Decision date	No. of conditions	No. of reserved matters	Entity responsible for decision (relevant authority)
Planning Consent	Granted	14 Nov 2024	1	0	Assessment Manager at City of Adelaide
Building Consent	Granted	9 Jan 2025	2	0	City of Adelaide
Development Approval - Planning Consent; Building Consent	Granted	9 Jan 2025	3	0	City of Adelaide

FROM THE RELEVANT AUTHORITY: City of Adelaide
Date: 9 Jan 2025

CONDITIONS

Planning Consent

The development granted Planning Consent shall be undertaken and completed in accordance with the stamped plans and documentation, except where varied by conditions below (if any).

Building Consent

Condition 1
Connecting to Existing Structure

The condition and capacity of the existing structure to withstand the additional loads imposed by the proposed structure and fixing method is to be verified prior to construction commencing. If there is any doubt as to the condition or capacity of the existing structure or the proposed fixing method, the advice of an appropriately qualified structural engineer should be sought and provided to Council prior to the commencement of works.

This form constitutes the form of a decision for Decision under section 126(1) of the Planning, Development and Infrastructure Act 2018, as determined by the Minister for Planning for the purposes of regulation 57(1) of the Planning, Development and Infrastructure (General) Regulations 2017. Substituted: 7 July 2021.



Government of South Australia
Department for Trade and Investment

PREScribed INFORMATION

Reason: To comply with the National Construction Code 2022 Building Code of Australia, Volume 1, Performance Requirement B1P1 & B1P2

Condition 2

Barriers to prevent falls

Barriers to prevent falls must be installed in accordance with Part D3017 of the NCC 2022 Volume 1.

Reason: To comply with the National Construction Code 2022 Building Code of Australia, Volume 1 Performance Requirement D1P3

ADVISORY NOTES

Planning Consent

Advisory Note 1

No work can commence on this development unless a Development Approval has been obtained. If one or more consents have been granted on this Decision Notification Form, you must not start any site works or building work or change of use of the land until you have received notification that Development Approval has been granted.

Advisory Note 2

Pursuant to the provisions of Regulation 57 of the Planning, Development and Infrastructure (General) Regulations 2017, this consent / approval will lapse at the expiration of 2 years from the operative date of the consent / approval unless the relevant development has been lawfully commenced by substantial work on the site of the development within 2 years, in which case the approval will lapse within 3 years from the operative date of the approval subject to the proviso that if the development has been substantially or fully completed within those 3 years, the approval will not lapse.

Advisory Note 3

Pursuant to Regulation 93 of the Planning, Development and Infrastructure (General) Regulations 2017, the Council must be given one business day's notice of the commencement and the completion of the building work on the site. To notify Council, contact City Planning via d.planner@cityofadelaide.com.au or phone 8203 7185.

Advisory Note 4

The applicant has a right of appeal against the conditions which have been imposed on this Planning Consent. Such an appeal must be lodged at the Environment, Resources and Development Court within two months from the day of receiving this notice or such longer time as the Court may allow. The applicant is asked to contact the Court if wishing to appeal. The Court is located in the Sir Samuel Way Building, Victoria Square, Adelaide, (telephone 8204 6289).

Building Consent

None

CONTACT DETAILS OF CONSENT AUTHORITIES

Name: City of Adelaide	Type of consent: Planning; Building
Telephone: 08 8203 7185	Email: planning@cityofadelaide.com.au
Postal address: GPO Box 2252, Adelaide SA 5001	

BUILDING CLASSIFICATION/S

Essential safety provisions apply: No

PRESCRIBED INFORMATION

Building work Remove existing balustrades to balconies and replace with new.

Building Classification	Approved number of occupants
108 - Fence, mast, Antenna, swimming pool	N/A

REQUIRED NOTIFICATIONS

You are advised that notice and/or documentation must be provided to council when the following stages of building work are reached (regulation 93):

Building work Remove existing balustrades to balconies and replace with new.

- Commencement of building work (1 business day's notice)
- Completion of building work (1 business day's notice)

Note regulation 57(7) allows the relevant authority issuing the notice to specify any additional stage of building work for which notice must be given to the council under regulation 93.

Where a building certifier is issuing the building consent the use of this regulation is to advise the relevant stages of work when a notification should be provided and an inspection may occur at the council's discretion. If applicable, notifications specified under 57(7) are therefore intended to be in addition to mandatory notifications and any notifications specified by council under 93(1)(b) or (c) when issuing the final Development Approval.

*To submit the requested notifications, log in to the SA planning portal and select **Submit mandatory building notifications**.*

STATEMENT OF COMPLIANCE

A Statement of Compliance is required at the completion of all building work, except in respect of a Class 10 building other than a swimming pool or private bushfire shelter.

Building Work Remove existing balustrades to balconies and replace with new.

The following certificates, reports or other documents must be provided to the building certifier or council (as relevant) with the completed Statement of Compliance under regulation 57(8)(c).

(None specified)

A blank copy of the Statement of Compliance is available on the SA planning portal. The Statement of Compliance and other required documents may be uploaded to the SA planning portal on completion.

BUILDING OCCUPATION/COMPLETION

Building work Remove existing balustrades to balconies and replace with new.

Building classification 108 - Fence, mast, Antenna, swimming pool

A Certificate of Occupancy issued under section 152 is required for this building before it can be occupied: No

Note section 152 of the Act and regulation 103, requires a Certificate of Occupancy to be issued before a building can be occupied. A Certificate of Occupancy is not required for a Class 10 building or for a Class 1a building where the application for building consent is lodged and verified within the SA planning portal before 1 October 2024. In the meantime, a person must not occupy a Class 1a building for which a Certificate of Occupancy is not required unless it meets the minimum standards for occupancy under regulation 103N(2). Completion of a building will be signalled by the receipt of the Statement of Compliance required for that building, or the final Statement of Compliance where multiple statements are required.

Section 152(2) of the Act states that 'A certificate of occupancy will be issued by council, noting that section 154 allows a building certifier to exercise this power should they elect to, where either: the building is owned/occupied by the Crown or an agency or instrumentality of the Crown; or if they issued the building rules consent for that building.

The authority above – either building certifier or council – will therefore be responsible for issuing this Certificate following receipt of the Statement of Compliance and other documentation as required to provide assurance that the building is suitable for occupation.

Note the default authority for issuing this Certificate remains the council, should there be no building certifier or if the certifier elects not to issue this Certificate, noting that a council may still elect not to issue a certificate, if the council is not satisfied the building is suitable for occupation under section 152(b) of the Act.

Contact details for the purposes of this notification

Name City of Adelaide
Email planning@cityofadelaide.com.au
Phone 08 82037135

Notifications may also be provided via the SA planning portal.


Strata Plan 3604

3614


SP 3604
ACCEPTED FOR DIRECT
Reference Map No. 13 7 178
COUNCIL CITY OF ADELAIDE
TH-3 & STREET 2 OF 3




Legend
The lower and upper boundaries for the unit subdivisions shown on Car Park are existing ground level and 3.00 metres above respectively.



CHILDERS STREET
Second Floor Plan



CHILDERS STREET
First Floor Plan



CHILDERS STREET
Ground Floor Plan

STRATA PLAN NUMBER

SP 3604

Authenticated with
Application No. 4132430
and Assigned for Deposit


PRINCIPAL DRAFTING OFFICER
per Registration-General
13 / 7 / 2020

THIS IS SHEET 3 OF 3 SHEETS

SCHEDULE OF UNIT ENTITLEMENT							
UNIT NO.	UNIT ENTITLEMENT	CURRENT CO of T.		UNIT ENTITLEMENT	CURRENT CO of T.		
		VOLUME	FOLIO		VOLUME	FOLIO	
1	23						
2	23						
3	23						
4	23						
5	23						
6	23						
7	23						
8	23						
9	22						
10	22						
11	22						
12	22						
13	22						
14	22						
15	22						
16	22						
17	25						
18	25						
19	25						
20	25						
21	25						
22	25						
23	25						
24	25						
25	1						
AGGREGATE	561						
ROAD or RESERVE ALLOTMENTS							

Strata Corporation Search



STRATA DATA

Date: July 9, 2026
To: The Form 1 Company
Email: form1@form1.net.au

Property Address: 11/150 CHILDERS STREET NORTH ADELAIDE, SA 5006

Please find enclosed your **\$105.60 Section Search** for the above mentioned property.

The section search is the initial search documentation that is required to be issued as a part of the sale contract and includes the following;

- 2 years of Minutes
- The previously accepted financial report
- Current policies of insurance
- Particulars of any contribution payable including any arrears
- Particulars of any expenditure that the corporation has incurred, or has resolved to incur, and to which the unit holder of the unit must contribute, or is likely to be required to contribute
- The articles in force

Payment of updated financial search is recommended prior to settlement to confirm outstanding amounts, Financial Update searches are at a cost of \$44.00 inclusive of GST.

Please note all searches are emailed to guarantee fast, efficient delivery.

Important Information: This property is part of a Strata plan, additional approval for pets may be required. This process involves seeking consent from the corporation, which may include a notice period and additional fees. Approval is not guaranteed and is subject to the rules and regulations of the Strata plan. Please consult the attached articles and resolutions for approvals currently in place.

Kind Regards,

Strata Data

For and on behalf of STRATA CORPORATION 3604 INC.

E: reception@stratadata.com.au
P: 08 8372 2777

STATEMENT PURUSANT TO SECTION 41 (Strata Titles Act 1988 (as amended))

REQUESTED BY: **Name:** The Form 1 Company
 Address: form1@form1.net.au

REGARDING: **Corporation:** STRATA CORPORATION 3604 INC.
 Unit No. & Address: 11/150 CHILDERS STREET NORTH ADELAIDE
 Owners: TJ & S ZANDER

PART 1 : FINANCIAL DETAILS**1.1 Lot Entitlement**

Lot Entitlement = 1

Total of all Entitlements = 24

1.2 Maintenance Contributions

Last Levy Paid	Amount	Paid To
Admin Fund Levy	\$676.56	30/09/2026
Current Levy	Amount	Frequency
Admin Fund Levy	\$676.56	Quarterly
Sinking Fund Levy	\$0.00	Quarterly

1.3 Arrears

Levies	Due as at 09/07/2026	Charged but due after 09/07/2026
Amount Due	\$0.00	\$0.00
** (NB: Interest accrues daily at 10 % per annum)		
Advance Payments	\$0.00	



Biller Code: 96503
Ref: 23201195700003604115

1.4 Lot Expenditure by the Strata Corporation

- (a) Incurred by the Corporation to which the unit holder must or is likely to be required to contribute :
 Refer minutes of meetings
-
- (b) Resolved by the Corporation to incur, to which the unit holder must or is likely to be required to contribute :
 Refer minutes of meetings
-

1.5 Assets and Liabilities of the Corporation

- (a) Fund Name : STRATA DATA CLIENTS TRUST ACCOUNT
- (b) Held at : Macquarie Trust Account (BCSA)
- (c) Sum standing to the credit of fund: \$131,082.70 comprising Admin: \$60,684.98 and Sinking: \$70,397.72
- (d) Amount committed to expenses : Refer to minutes of meetings is incurred for : Refer to minutes of meetings
- (e) Amount earmarked for future expenses : Refer to minutes of meetings for the purpose of : Refer to minutes of meetings
- (f) Particulars of other assets. All those defined as common property upon the land :
 Refer to minutes of meetings
-

- (g) Amount held in external account : \$0.00
- (h) Liabilities (excluding those above as described in 1.2 herein)
- Refer to minutes of meetings

Water Payment Method: Individual Owners pay

PART 2 : INSURANCE

Insurer : CHU

Type of Cover	Sum Insured	Policy Number	Expiry Date
Office Bearers	\$5,000,000.00	HU0000020779	01/11/2026
Common contents	\$84,667.00	HU0000020779	01/11/2026
Government Audit Costs	\$25,000.00	HU0000020779	01/11/2026
Voluntary workers	\$300,000.00	HU0000020779	01/11/2026
Public Liability	\$20,000,000.00	HU0000020779	01/11/2026
Fidelity Guarantee	\$250,000.00	HU0000020779	01/11/2026
Building	\$8,466,717.00	HU0000020779	01/11/2026
Lot Owners fixtures and improvements	\$250,000.00	HU0000020779	01/11/2026

Notes

PART 3 : DOCUMENTS SUPPLIED

- (a) Minutes of General & Committee Meetings of the Corporation for the last two years
- (b) Details of any special or unanimous resolutions affecting the unit or common property passed in the last five (5) years (excluding those contained in (a) above)
- (c) Statement of Accounts of the Corporation last prepared
- (d) The Articles now in force
- (e) All current policies of insurance taken out by the Corporation

PART 4 : DOCUMENT INSPECTION

The Corporation's records are available for inspection at STRATA DATA, 647 PORTRUSH ROAD GLEN OSMOND SA 5064 on any working day between 10:00am and 4:00pm. Phone 8372 2777 to make an appointment.

Statement Dated 09/07/2026

Signed for and on behalf of STRATA CORPORATION 3604 INC.



Joshua Benton

Body Corporate Manager

Please Note : Conveyancer's attention is drawn to the following :

The Strata Titles Act requires that :

- 1.1 (schedule 3 pt 12) "A unit holder must immediately notify the Strata Corporation of :
(a) any change in the ownership of the unit, or change in the address of the owner
(b) any change in the occupancy of the unit" (eg. Tenants)
i.e. Let us know ASAP the new owners name and address on the attached form.
- 1.2 (section 27(5)) "The Corporation may recover an unpaid contribution (and any interest on any such contribution) such as debt from the unit holder of the unit in respect of which the contribution is payable (whether or not that person was the unit holder when the liability arose)" i.e. : The new owner will have to pay any outstandings if you do not adjust them at settlement.
- 1.3 This statement is issued on the basis that any payment by the unit holder by cheque or other instrument will be honoured at the first presentation. i.e. : if the cheque bounces, the owner's financial details in 1.2/1.3 on page 1 will be wrong.

The information provided in this certificate confirms any levies raised on our system at the time of issue. Please check with Strata Data to see if any recent meetings have taken place and/or special levies have been agreed to but not yet raised/generated on our system.

PLEASE COMPLETE AND RETURN VIA EMAIL WHEN SETTLEMENT IS FINALISED
ANY OUTSTANDING ACCOUNTS MUST BE FINALISED AT SETTLEMENT

STRATA CORPORATION 3604 INC.
11/150 CHILDERS STREET NORTH ADELAIDE

SETTLEMENT DATE / / 20
UNIT OWNERS NAME
UNIT OWNERS ADDRESS
DATE & PLACE OF BIRTH (COMPANY TITLES ONLY)
CONTACT DETAILS HOME WORK
MOBILE EMAIL

CORRESPONDENCE TO OWNER / AGENT ACCOUNTS TO OWNER / AGENT (please circle)

Will this unit be rented Yes / No , if Yes then please complete the details below

RENTAL MANAGER/AGENTS _____
(if applicable) _____
ADDRESS _____

CONTACT PERSON		
CONTACT DETAILS	HOME	WORK
	MOBILE	EMAIL

TENANT NAMES		
CONTACT DETAILS	HOME	WORK
	MOBILE	EMAIL

CONVEYANCER ACTING ON BEHALF OF VENDOR _____
CONVEYANCER ACTING ON BEHALF OF PURCHASER _____

Should the need arise for us to make contact with the new owner, it is important for us to have a complete set of accurate and up to date contact details. Please ensure that we are provided with the new owners contact details including a contact phone number, on the form provided.

Thank you for your assistance in keeping our records up-to-date.

Minutes of the Annual General Meeting

Corporation *STRATA CORPORATION 3604 INC.*
Address *150 CHILDERS STREET NORTH ADELAIDE*
Meeting Date **28th of August, 2024 commencing at 4:00 PM**
Location **647 Portrush Road Glen Osmond, South Australia 5064**

Present in Person

Unit: 4 M R Ekappan
Unit: 5 Wan Sin Lai – Judy Lai
Unit: 9 Karen Lee Kimber
Unit: 10 Mr Frank Berton
Unit: 14 Wills Place Pty Ltd – Chrissy Fraser
Unit: 15 Guido Porcaro
Unit: 17 Mr James Thomas Hogarth
Unit: 21 Mr Graham Harrison
Unit: 22 Mr Graham Harrison

Apologies

Unit: 6 Mr Peter Kouvoussis & Ms Michelle Iliopoulos

Present by Proxy

Unit: 16 Mr Rowan James Nankivell By Proxy To Strata Data
Unit: 20 Ms Katerina Constantinides By Proxy To Strata Data

In attendance

Ashleigh Teigesser representing Strata Data

Quorum

The Body Corporate Manager declared that a quorum was not in attendance and the meeting was adjourned at 4:30 pm. General discussion took place until 6:12 pm.

Minutes of the Adjourned Annual General Meeting

Corporation **STRATA CORPORATION 3604 INC.**
Address **150 CHILDERS STREET NORTH ADELAIDE**
Meeting Date **10th of September, 2024 commencing at 10:00 AM**
Location **647 Portrush Road Glen Osmond, South Australia 5064**

Present in Person

Unit: 5 Wan Sin Lai – Judy Lai
Unit: 10 Mr Frank Berton

Apologies

Unit: 6 Mr Peter Kouvooussis & Ms Michelle Iliopoulos

Present by Proxy

Unit: 3 Mr Wee Jet Ooi, Ms Wei Ching Tan By Proxy To Strata Data
Unit: 14 Mr & Mrs O'leary By Proxy To Strata Data
Unit: 15 Guido Porcaro By Proxy To Strata Data
Unit: 16 Mr Rowan James Nankivell By Proxy To Strata Data
Unit: 19 MS Carol Knezevic By Proxy To Strata Data
Unit: 20 Ms Katerina Constantinides By Proxy To Strata Data
Unit: 21 Mr Graham Harrison By Proxy To Strata Data
Unit: 22 Mr Graham Harrison By Proxy To Strata Data

In attendance

Ashleigh Teigesser representing Strata Data

Quorum

The Body Corporate Manager declared that a quorum was in attendance and the meeting opened at 10:00 am.

Chairperson

It was resolved "that Ashleigh Teigesser of Strata Data assist the Presiding Officer by chairing the meeting". *Carried Unanimously*

Confirmation of Minutes

It was resolved "that the minutes of the previous General Meeting(s), held on 5 September 2023 be accepted as a true and correct record of that meeting." *Carried Unanimously*

Financial Report

It was resolved "that the statement of income and expenditure for the period Saturday 01 July 2023 to Sunday 30 June 2024 was reviewed, received and accepted as an accurate record of the corporation's current financial standing." *Carried Unanimously*

Public Officer

What are the responsibilities of the public officer? A public officer is the Company's representative to the Australian Tax Office and is responsible for the Company's obligations under the Income Tax Assessment Act 1936. They must be able to establish their identity and be available when contacted by the ATO regarding the company's tax obligations.

It was further resolved that Mr Paul Smith of the Strata Data Group be empowered to act as the Public Officer as defined under the Income Tax Assessment Act 1936 on behalf of the corporation.

Review of Sums Insured

General Advice Warning

Terandi Pty Ltd (ABN 20 080 960 112) acts as an Authorised Representative (AR Number: 1285659) of Honan Insurance Group (ABN 67 005 372 396, AFSL 246749). Any financial product advice that we give to you (including about a particular insurance policy) is factual and/or general advice only. This document does not take into account your objectives, needs or financial situation. You should consider whether our advice is appropriate for you and review any relevant PDS and policy wordings, Honan Important Notices and Terandi Pty Ltd's Financial Services Guide before you make any decision about an insurance product.

For a copy of the FSG, policy wordings and Honan important notices you can refer to our website: <https://www.stratadata.com.au/insurance/product-disclosure-statements/>

Strata Data cannot provide advice as to the appropriate level of building insurance. It is suggested that the Corporation arrange for an insurance valuation of the common buildings and areas to avoid a claim not being fully met due to the building being underinsured. Owners must notify Strata Data immediately of any possible claims that may be made against the policy.

The Body Corporate declined to have an insurance valuation, but resolved to accept the insurer's proposal to increase the building sum insured by 10%.

It was resolved "that the sums insured be:

Building Insurance	\$6,997,287.00
Common Area Contents Insurance	\$69,973.00
Public Liability Insurance	\$20,000,000.00
Office Bearers Liability	\$250,000.00
Catastrophe Insurance	30% of the building sum insured
Fidelity Guarantee	\$100,000.00
Machinery Breakdown	Not Selected
Excess	Refer to current Certificate of Currency
Renewal Date for these sums is	01/11/2024
Last Valuation Date	20/09/2022
Last Valuation Sum	\$6,361,170.00

Flood Cover

The policy currently includes flood cover.

Strata Data was requested to arrange quotations for the insurance, at renewal and is appointed to place this with a company as advised by the Presiding Officer on behalf of the corporation. Where instruction is not provided prior to expiry of the existing policy, the policy will be renewed with the current insurer" *Carried Unanimously*

Contents and Landlords Insurance

The corporation's insurance policy does not cover an owner's contents (such as carpets, curtains and light fittings) or legal liability within their unit. Owners must take out their own insurance to cover these risks.

If you are in a Strata or Community Strata property and require a contents or landlord insurance policy you can obtain a quote or take cover with CHU by visiting our website <https://www.stratadata.com.au/insurance/> or call the Strata Data insurance team on (08) 8372 2777 for guidance.

Use of Contractors

The Body Corporate has complete choice over which contractors they engage to perform maintenance to the common property. The options that the Body Corporate have include:

Preferred Contractors

A Preferred Contractor is a contractor that has been proven to carry up to date & relevant insurance policies, business registration & licensing and their track record of work with Strata Data has shown that they operate at a high level of quality and competence.

Non-Preferred Contractors (Approved)

A Non-Preferred (Approved) contractor is one that has passed the vetting process relating to Licencing, Insurance and up to date business registrations. Whilst these contractors may carry the correct credentials that legally allow them to conduct business, their quality of work is unknown to Strata Data.

Non Approved Contractors

A Non Approved Contractor is one that is unable to provide appropriate licences and/or insurances. Should the Body Corporate choose to engage these contractors there are many risks involved. Strata Data does not become involved in any aspect of dealing with these contractors, however, upon written instruction from an Office Bearer, Strata Data will make payment of an invoice.

Maintenance Requirements

Scheduled Cleaning of Gutters and Down Pipes

It was resolved "that the cleaning of all gutters and downpipes would be undertaken once per year by Total Top To Bottom prior to winter." *Carried Unanimously*

Grounds Maintenance – Review of Current Schedule

The members present agreed to continue to contract Urbanvirons Group to attend to grounds maintenance. That the scope of works be;

1. Weeding
2. Maintain Garden Beds Free of Leaves
3. Trimming of Shrubs / Trees
4. Remove all Waste from Site
5. Check Irrigation System

It was resolved "that the committee would review this throughout the year and provide instruction to Strata Data of any alterations." *Carried Unanimously*

Caretaking – Review of Current Schedule

The members present agreed to continue to contract CBR Cleaning to attend to grounds maintenance. That the scope of works be;

1. Bin Services - Place Bins (Garbage and Recycling Bins) out on the street on Mondays and retrieve on Tuesdays
2. Cleaning of Stairwell / Landings – Weekly
3. Remove Rubbish, Sweep and Blow – Weekly
4. General Clean of Common Laundry (Sweep and Mop Floor, Remove Rubbish, Wipe Down Machines) – Fortnightly

It was resolved "that the committee would review this throughout the year and provide instruction to Strata Data of any alterations." *Carried Unanimously*

Sewer Preventative Maintenance (Hydrojet Clean)

It was resolved "that no further action was required at this time. that the abovementioned item be placed on the agenda for the next Annual General Meeting to review." *Carried Unanimously*

Stormwater Preventative Maintenance (Hydrojet Clean)

It was resolved "that no further action was required at this time. that the abovementioned item be placed on the agenda for the next Annual General Meeting to review." *Carried Unanimously*

White Ant Inspection / Spraying of Spiders and Cockroaches

It was resolved "that a termite inspection was not required this year. That this would be reviewed every two years. That Strata Data engage Exit Pest to undertake the spraying of spiders and cockroaches in November / December. That the abovementioned item be placed on the agenda for review at the next Annual General Meeting." *Carried Unanimously*

Driveway Concrete Repair

It was resolved "that Strata Data would obtain a quotation to repair the concrete in the driveway. That the onsite contact to discuss a full scope of works would be Guido Porcaro. That once the quotation is in hand, it would be sent to the committee for review." *Carried unanimously*

Garden Bed Pebbles

It was resolved "that the committee would obtain some quotations for different scopes of works to replace the pebbles in the centre of the walkway. That once these are finalised a general meeting would be called to formally vote on these with all owners." *Carried Unanimously*

Pet Policy

The Body Corporate Manager reminded all owners that there is a no pets policy for this property.

Amendment of the Strata Titles Act

It was resolved "that Strata Data arrange a general meeting to vote on the amendment of the Strata Titles act to allow fines to be imposed where a unit is in breach. That this meeting would be called at the discretion of the Committee." *Carried Unanimously*

Other Relevant Business

Sinking Fund Analysis Review

It was resolved "that the sinking fund would be removed this year due to surplus funds in the account. That this would be reinstated at the next Annual General Meeting." *Carried Unanimously*

Presiding Officer Approval Limit

It was resolved "That the Presiding Officer have an approval limit up to \$2,000.00. That the committee have an approval limit up to \$10,000.00 and that all capital work improvements above this be sent to all owners by the way of a general meeting for approval." *Carried Unanimously*

Maintenance Condition and Safety Report

The Body Corporate has a duty of care to ensure that the Common Property is free from hazards. The Strata Titles Act places an obligation upon the Body Corporate to maintain the Common Property, in doing so many hazards can be identified and reduced.

Strata Data recommends that the Body Corporate obtain a Maintenance Condition and Safety Report to assist in identifying all areas requiring repair and maintenance, as well as any areas that may pose a risk to any person's health and safety.

It was resolved "that a Maintenance Condition and Safety Report is not required at this time." *Carried Unanimously*

General Maintenance

It was resolved "that Strata Data send a letter to all units advising the age of the units and the types of maintenance that is likely to be required over the coming years for each unit. That the letter in particular reference pipes, cables, internal plumbing etc. that the letter encourage all owners to have their units checked to mitigate damage to the building and larger costs for emergency maintenance." *Carried Unanimously*

Emergency Maintenance Plan

The Body Corporate Manager noted that this had been placed on the agenda in error.

Asbestos Survey

It was resolved "that no further action was required at this time." *Carrie Unanimously*

Approvals, Alterations & Additions

Strata Data advised that should an owner at any time other than an Annual General Meeting choose to apply to the corporation for an approval of any kind which is for the exclusive benefit of that owner the prescribed meeting fee will apply and shall be charged to that owner.

Level of Maintenance Fund Contributions

a) Administration Fund – Recurrent Expenditure

Strata Data advised that owners must make provision for day-to-day, re-current expenses through an Administration Fund and presented an estimate of budget requirements for the coming year.

b) Sinking Fund – Non-Recurrent Expenditure

Strata Data advised that owners must make provision for long term, non-recurrent maintenance expenditure through a sinking fund and presented an estimate of budget requirements for the coming year.

The Body Corporate Manager tabled a proposed budget to the committee which was not approved. That the committee amended the budget recommended by the Body Corporate Manager and tabled this at the Annual General Meeting.

That the committee tabled a budget with a total annual contribution of \$86,113.00.

After discussion it was resolved "that the Annual Contributions be as follows:

Administration Fund	\$86,113.00
Sinking Fund	\$00.00
Total Contribution	\$86,113.00

This contribution is payable quarterly and divided by entitlement on 1 January 2025.

Any major works unable to be paid from accumulated funds or any fund shortages are to be paid by way of a special levy." *Carried Unanimously*

All owners are reminded that levies are due 1st January, 1st April, 1st July & 1st October.

Election of Officers

It was resolved "that Guido Porcaro be appointed to the positions of Presiding Officer, Secretary and Treasurer for the forthcoming year. That the Presiding Officer be delegated authority to make decisions (that require ordinary resolutions only) on behalf of the Corporation, and be the main contact point between Strata Data and the corporation. That a Committee comprising of the following owners is appointed." *Carried Unanimously*

Committee Members

Guido Porcaro
Mr James Thomas Hogarth
Karen Lee Kimber
Mr Graham Harrison
M R Ekappan
Wills Place Pty Ltd – Chrissy Fraser

Appointment of Body Corporate Manager

It was resolved "That Strata Data be re-appointed as body corporate manager at the fee specified in the budget. That the Presiding Officer be authorised to sign the agreement on behalf of the Body Corporate. As it is mandatory under the Act to have a signed agreement, if the agreement has not been returned to Strata Data within 14 days, that the Body Corporate Manager sign the agreement on behalf of the Body Corporate. At the completion of the term, the appointment continues (with a 28 day notice period), unless decided otherwise at a general meeting of the Corporation." *Carried Unanimously*

The Management Agreement will be available via the Client Portal following signing of the agreement.

The agreed management fee for the coming year is \$9,600.00 including GST.

Next Annual General Meeting

The next Annual General Meeting will be held on 27 August 2025 at 4:00 pm via Zoom and by RSVP for a meeting location.

Closure

There being no further business, owners and visitors were thanked for their attendance and the meeting closed at 11:00 am.



STRATA DATA PORTAL | ACCESS YOUR INFORMATION 24/7

For access to your Corporations information 24/7 visit the Client Portal where you can:

- Download meeting minutes;
- Access financial statements and live account balances;
- Update your contact details;
- View insurance information, both past and present;
- And much more...

How can I access the Portal?

- if you have already registered for portal access, please visit portal.stratadata.com.au.
- if you have not received an invite, please email portal@stratadata.com.au to request an invitation.

Minutes of the Annual General Meeting

Corporation *STRATA CORPORATION 3604 INC.*
Address *150 CHILDERS STREET NORTH ADELAIDE*
Meeting Date *27th of August, 2025 commencing at 4:00 PM*
Location *647 Portrush Road Glen Osmond, South Australia 5064*

Present in Person

Unit: 4 M R Ekappan
Unit: 5 Wan Sin Lai
Unit: 9 Karen Lee Kimber,
Unit: 14 Will's Place Pty Ltd
Unit: 15 Guido Porcaro
Unit: 17 Mr James Thomas Hogarth
Unit: 19 Ms Carol Knezevic
Unit: 21 Mr & Mrs Graham Harrison
Unit: 22 Mr & Mrs Graham Harrison

Apologies

Nil.

Present by Proxy

Unit: 1 Mr A M Dalidowicz by Proxy to Strata Data
Unit: 3 Mr Wee Jet Ooi, Ms Wei Ching Tan by Proxy to Strata Data
Unit: 7 Mr Melvin Joel Paul, Mr Nicholas Anthony Selvaratnam Paul, Ms Premila Selvavanitha Devi Paul by Proxy to Strata Data
Unit: 8 Prem Anand Henry, Sheba Santha Kamaline Jeyapaul by Proxy to Strata Data
Unit: 10 Mr Frank Berton by Proxy to Strata Data
Unit: 11 Mr & Mrs Tj & S Zander by Proxy to Strata Data
Unit: 13 Patrick Schadel, Mrs Shona Schadel by Proxy to Strata Data
Unit: 16 Mr Rowan James Nankivell by Proxy to Strata Data
Unit: 20 Ms Katerina Constantinides by Proxy to Strata Data

In attendance

Joshua Benton representing Strata Data

Quorum

The Body Corporate Manager declared that a quorum was in attendance and the meeting opened at 4:02 pm.

Chairperson

It was resolved "that Joshua Benton of Strata Data assist the Presiding Officer by chairing the meeting".
Carried Unanimously

Confirmation of Minutes

It was resolved "that the minutes of the previous General Meeting(s), held on 10th of September 2024, 19th of February 2025 and 6th of March 2025 be accepted as a true and correct record of that meeting." *Carried Unanimously*

Financial Report

It was resolved - "that the statement of income and expenditure for the period Monday 01 July 2024 to Monday 30 June 2025 was reviewed, received and accepted as an accurate record of the corporation's current financial standing." *Carried Unanimously*

Review of Sums Insured

General Advice Warning

Terandi Pty Ltd (ABN 20 080 960 112) acts as an Authorised Representative (AR Number: 1285659) of Honan Insurance Group (ABN 67 005 372 396, AFSL 246749). Any financial product advice that we give to you (including about a particular insurance policy) is factual and/or general advice only. This document does not take into account your objectives, needs or financial situation. You should consider whether our advice is appropriate for you and review any relevant PDS and policy wordings, Honan Important Notices and Terandi Pty Ltd's Financial Services Guide before you make any decision about an insurance product.

For a copy of the FSG, policy wordings and Honan important notices you can refer to our website: <https://www.stratadata.com.au/insurance/product-disclosure-statements/>

Strata Data cannot provide advice as to the appropriate level of building insurance. It is suggested that the Corporation arrange for an insurance valuation of the common buildings and areas to avoid a claim not being fully met due to the building being underinsured. Owners must notify Strata Data immediately of any possible claims that may be made against the policy.

The Body Corporate declined to have an insurance valuation, but resolved to endorse **with immediate effect**, an increase in the building insurance from \$7,697,016 up to the following amounts.

It was resolved "that the sums insured be:

Building Insurance	\$8,466,717.60
Common Area Contents Insurance	\$84,667.17
Public Liability Insurance	\$20,000,000.00
Office Bearers Liability	\$1,000,000.00
Catastrophe Insurance	30% of the building sum insured
Fidelity Guarantee	\$100,000.00
Machinery Breakdown	Not Selected
Excess	Refer to current Certificate of Currency
Renewal Date for these sums is	01/11/2025
Last Valuation Date	20/09/2022
Last Valuation Sum	\$6,361,170.00

Excess may be subject to change at next renewal.

Flood Cover

The policy currently includes flood cover.

Strata Data was requested to arrange quotations for the insurance, at renewal and is appointed to place this with a company as advised by the Presiding Officer on behalf of the corporation. Where instruction is not provided prior to expiry of the existing policy, the policy will be renewed with the current insurer *Carried Unanimously*

Contents and Landlords Insurance

The corporation's insurance policy does not cover an owner's contents (such as carpets, curtains and light fittings) or legal liability within their unit. Owners must take out their own insurance to cover these risks.

If you are in a Strata or Community Strata property and require a contents or landlord insurance policy you can obtain a quote or take cover with CHU by visiting our website <https://www.stratadata.com.au/insurance/> or call the Strata Data insurance team on (08) 8372 2777 for guidance.

Use of Contractors

The Body Corporate has complete choice over which contractors they engage to perform maintenance to the common property. The options that the Body Corporate have include:

Preferred Contractors

A Preferred Contractor is a contractor that has been proven to carry up to date & relevant insurance policies, business registration & licensing and their track record of work with Strata Data has shown that they operate at a high level of quality and competence.

Non-Preferred Contractors (Approved)

A Non-Preferred (Approved) contractor is one that has passed the vetting process relating to Licencing, Insurance and up to date business registrations. Whilst these contractors may carry the correct credentials that legally allow them to conduct business, their quality of work is unknown to Strata Data.

Non Approved Contractors

A Non Approved Contractor is one that is unable to provide appropriate licences and/or insurances. Should the Body Corporate choose to engage these contractors there are many risks involved. Strata Data does not become involved in any aspect of dealing with these contractors, however, upon written instruction from an Office Bearer, Strata Data will make payment of an invoice.

Works Fee

The repair and maintenance of the common property is one of the most important functions of the Body Corporate. As Managers we take this aspect very seriously and take great pride in working with owners and committees to achieve their goals of not only having safe common spaces, but also creating a place that people love and that maximises the value of the property.

The Works fee covers our cost of arranging a quotation (where the works are significant), issuing the work order, paying the invoice and assisting if there is an issue with the completed works.

The Works Fee, is a flat fee of \$50 on invoices above \$1,000 or a reduced fee of 5% on invoices below \$1,000 (e.g. \$150 invoice is \$7.50 fee).

Maintenance Requirements

Scheduled Cleaning of Gutters and Down Pipes

It was resolved "that the cleaning of all gutters and downpipes would be undertaken once per year by Total Top To Bottom prior to winter." *Carried Unanimously*

Grounds Maintenance – Review of Current Schedule

The members present agreed to continue to contract Property Maintenance Plus to attend to grounds maintenance. That the scope of works be;

1. Weeding
2. Maintain Garden Beds Free of Leaves
3. Trimming of Shrubs / Trees
4. Remove all Waste from Site
5. Check Irrigation System

It was resolved "that the committee would review this throughout the year and provide instruction to Strata Data of any alterations." *Carried Unanimously*

Irrigation system,

It was resolved "that Strata Data obtain a quotation for the repairs of the irrigation system from the contractor "Property Maintenance Plus". The contractor is to be in contact with Graham Harrison prior to attending to site to discuss the scope. Once the quotation is in hand, it will be presented to the committee for further instructions." *Carried Unanimously*

Common Stairwell and Laundry Cleaning

It was resolved "That Strata Data obtain quotation from "CBR Cleaning", "Art Cleaning" and "Property Maintenance Plus" for common stairwell cleaning and laundry cleaning with the below scope. Once the quote is in hand, it will be presented to the corporation's committee for further instructions." *Carried Unanimously*

1. Cleaning of Stairwell / Landings – Fortnightly
2. Remove Rubbish, Sweep and Blow – Fortnightly
3. General Clean of Common Laundry (Sweep and Mop Floor, Remove Rubbish, Wipe Down Machines) – Fortnightly
4. Wiping Balustrades - Monthly

Stairwell Repairs

It was resolved "That no further action is required. This matter will be discussed by the committee. That the abovementioned item be placed on the agenda for review at the next Annual General Meeting." *Carried Unanimously*

Ground Floor Stairwell

It was resolved "That Strata Data send notice to all residents to advise all owners to remove any personal belongings from the underneath the stairs advising them to removal all personal belonging within 45 days. After 45 days, Strata data will organise with Adelaide City Council for hard rubbish. The corporation's committee will be advised of the attendance to assist with the moving of items on to the curb." *Carried Unanimously*

Stormwater Preventative Maintenance (Hydrojet Clean)

It was resolved "that no further action was required at this time. that the abovementioned item be placed on the agenda for the next Annual General Meeting to review." *Carried Unanimously*

Sewer Preventative Maintenance (Hydrojet Clean)

It was resolved "that no further action was required at this time. that the abovementioned item be placed on the agenda for the next Annual General Meeting to review." *Carried Unanimously*

White Ant Inspection - Spraying of Spiders and Cockroaches

It was resolved "that a termite inspection was not required this year. That this would be reviewed every two years. That Strata Data engage Exit Pest to undertake the spraying of spiders and cockroaches in November / December. That the abovementioned item be placed on the agenda for review at the next Annual General Meeting." *Carried Unanimously*

Removal of Western Trees

It was resolved "That no further action is required. This matter will be discussed by the committee. That the abovementioned item be placed on the agenda for review at the next Annual General Meeting." *Carried Unanimously*

Laundry Limit

It was resolved "A limit and threshold on yearly laundry expenditure of maintenance, running costs (gas and electricity) and any proposed capital improvements; to be capped at the year to date revenue the laundry has generated. In the event of laundry requiring maintenance over and above this, or any suggested capital improvement, an optional (non mandatory, opt in) levy is sought to be raised from owners before proceeding." *Motion Failed*

It was resolved "That the amount is to increase after \$5.00 from the current \$4.00 after a day period in 30 days. Strata Data is to send a notice to all residents to advise them of the pricing increase. Further maintenance will be discussed by the corporation committee." *Motion Carried*

External Barrier on Ground Level

It was resolved "Install railings to the outside perimeter of the front of stairwell to assist and guide foot traffic via the provided pathways and assist to avoid pedestrians short cutting over and onto driveways and close to parked cars" *Motion Failed*

Maintenance reimbursements

It was resolved "Where an owner, occupier, or agent of a lot arranges for repairs, maintenance, or works affecting common property without the prior written approval of the Corporation and/or without using a contractor from the Corporation's Management Committee or Body Corporate Managers preferred contractor list, the Corporation reserves the right to decline any request for reimbursement of costs associated with those works, regardless of whether the works relate to common property. Exceptions may be considered at the sole discretion of the Corporation's Management Committee in circumstances where the works were urgent and unavoidable, and sufficient evidence is provided that the Corporation/ Corporation's preferred contractors could not be contacted in a reasonable time." *Carried Unanimously*

Sump Issues – raised by proxy by Unit 11

Unit 11 raised issues with the stormwater sumps overflowing due to build up. Unit 11 also raised issues regarding the downpipe adjacent to the driveway next to Unit 1.

It was resolved "That Strata Data organise the contractor "MacPlumb Plumbing" to attend with a capped price of \$2,000.00 to the corporation to complete stormwater sump clean throughout the corporation. The contractor is to complete repair works on the downpipe adjacent of unit 1. If over the capped \$2,000.00, a quotation is to be provided to the committee for further instructions." *Carried Unanimously*

Meeting note Unit: 14 Will's Place Pty Ltd (Crissy) Left at 5:04pm. Proxy was left Karen Lee Kimber.

Individual Isolation of the Corporation.

It was resolved "This matter will be discussed by the committee. That the abovementioned item be placed on the agenda for review at the next Annual General Meeting." *Carried Unanimously*

Other Relevant Business

Sinking Fund Analysis

Section 33A of the Strata Title Act places an obligation on the Body Corporate to provide a statement to its members outlining the estimated expenditure (other than recurrent expenditure) for a period of up to 5 years. Strata Data recommended that a sinking fund analysis be obtained and tabled at the next Annual General Meeting for review.

It was resolved "that the Body Corporate declined to obtain a Sinking Fund Analysis at this time and resolved to discuss obtaining the report at the next Annual General Meeting". *Carried Unanimously*

Maintenance Condition and Safety Report

The Body Corporate has a duty of care to ensure that the Common Property is free from hazards. The Strata Titles Act places an obligation upon the Body Corporate to maintain the Common Property, in doing so many hazards can be identified and reduced.

Strata Data recommends that the Body Corporate obtain a Maintenance Condition and Safety Report to assist in identifying all areas requiring repair and maintenance, as well as any areas that may pose a risk to any person's health and safety.

It was resolved "that completion of a Maintenance Condition and Safety Report is not required at this time." *Carried Unanimously*

Strata Data aims to have maintenance works completed quickly and within reasonable costs. When owners/agents send maintenance requests to Strata Data, we ask that wherever possible photos, location, and a description of the works be provided. This is to ensure that when an appropriate contractor is sent to site works can be completed quickly, resulting in lower costs to the Corporation.

Pet Approval – Unit 12

"That unit 12 be permitted to keep two medical relief dog within the unit subsidiary of unit 12, aged 12yrs old and 10years, subject to the following terms and conditions being both met and adhered to; the dogs are not allowed to wander on Common Property without supervision & a leash being attached at all times, that the dogs is fully vaccinated when old enough, microchipped and registered with the local council. Should the pets prove to cause nuisance to other residents within the Strata Corporation, the approval may be rescinded. That the approval stand, only for the natural life of the pets." *Motion failed*

It was resolved "That Strata Data to investigate the medical relief dogs and if the approval can be denied and if there is requirements for approval, what conditions there are. This will be passed onto the committee and advised for further action." *Carried Unanimously*

Term Deposit

It was resolved "That no further action is required. This matter will be discussed by the committee. That the abovementioned item be placed on the agenda for review at the next Annual General Meeting." *Carried Unanimously*

Unit 19 - Insurance Excess Reimbursement

It was resolved "That the corporation voted not to provide any reimbursement to the unit holder with the insurance excess." *Motion Carried*

Resident Engagement

Strata Data believes that a sense of engagement amongst residents is important in building community. Therefore should you wish to organise a working bee, sausage sizzle or order pizzas etc. for a "Get to Know Your Neighbours" event, the costs can be re-imbursed by the Corporation. Simply forward to your Body Corporate Manager receipts approved by the Committee or an Office Bearer as applicable. The cost of the event can be funded from existing funds or by adding a specific line item in the budget.

Approvals, Alterations & Additions

Strata Data advised that should an owner at any time other than an Annual General Meeting choose to apply to the corporation for an approval of any kind which is for the exclusive benefit of that owner the prescribed meeting fee will apply and shall be charged to that owner.

Level of Maintenance Fund Contributions**a) Administration Fund – Recurrent Expenditure**

Strata Data advised that owners must make provision for day-to-day, re-curent expenses through an Administration Fund and presented an estimate of budget requirements for the coming year.

b) Sinking Fund – Non-Recurrent Expenditure

Strata Data advised that owners must make provision for long term, non-recurrent maintenance expenditure through a sinking fund and presented an estimate of budget requirements for the coming year.

The Body Corporate Manager tabled a budget with a total annual contribution of \$64,949.00. This Budget was approved:

After discussion it was resolved "that the Annual Contributions be as follows:

Administration Fund	\$64,949.00
Sinking Fund	Nil.
Total Contribution	\$64,949.00

This contribution is payable quarterly and divided by entitlement on 1st of October 2025.

Any major works unable to be paid from accumulated funds or any fund shortages are to be paid by way of a special levy." *Carried Unanimously*

All owners are reminded that levies are due 1st January, 1st April, 1st July & 1st October.

Election of Officers

It was resolved "that Guido Porcaro be appointed to the positions of Presiding Officer, Secretary and Treasurer for the forthcoming year. That the Presiding Officer be delegated authority to make decisions (that require ordinary resolutions only) on behalf of the Corporation, and be the main contact point between Strata Data and the corporation. That a Committee comprising of the following owners is appointed." *Carried Unanimously*

Committee Members

Guido Porcaro
Mr James Thomas Hogarth
Karen Lee Kimber
Mr Graham Harrison
M R Ekappan

Appointment of Body Corporate Manager

It was resolved "That Strata Data be re-appointed as body corporate manager at the fee specified in the budget. That the Presiding Officer be authorised to sign the agreement on behalf of the Body Corporate. As it is mandatory under the Act to have a signed agreement, if the agreement has not been returned to Strata Data within 14 days, that the Body Corporate Manager sign the agreement on behalf of the Body Corporate. At the completion of the term, the appointment continues (with a 28 day notice period), unless decided otherwise at a general meeting of the Corporation." *Carried Unanimously*

The Management Agreement will be available via the Client Portal following signing of the agreement.

The agreed management fee for the coming year is \$9,600.00 including GST.

Next Annual General Meeting

The next Annual General Meeting will be held on 26th of August 2026 at 4:00 pm via Zoom and by RSVP for a meeting location.

Closure

There being no further business, owners and visitors were thanked for their attendance and the meeting closed at 5:50pm.



STRATA DATA PORTAL | ACCESS YOUR INFORMATION 24/7

For access to your Corporations information 24/7 visit the Client Portal where you can:

- Download meeting minutes;
- Access financial statements and live account balances;
- Update your contact details;
- View insurance information, both past and present;
- And much more...

How can I access the Portal?

- If you have already registered for portal access, please visit portal.stratadata.com.au.
- If you have not received an invite, please email portal@stratadata.com.au to request an invitation.

1. Governance

- Protocols - Strata to PO to Committee

discussed topic

decision was for all requests to go to entire committee to each individuals email.

decision to raise and handle issues and requests to Strata in a bulk format

Action = inform StrataData

- PO decision types and approval threshold \$amt
- Sub Committee approval threshold \$amt
- Decision matrix

decision was to request of Ashleigh to propose value amounts for both PO and Committee and decision / authority models

action = email Ashleigh

- Adoption of spreadsheet management and prioritisation

decision = adopt spreadsheet, update by PO or delegate

decision = monthly meeting to discuss, other meetings as required

action = key in initial / current status

- AGM proposal for changes to current process in place

action = recommendation from Ashleigh to be put to AGM

- Proposal for now / immediate changes
- ***decision = adopt spreadsheet, initiate monthly meetings, all requests and issues to go through committee***

- Unit 4 owner request to join committee at next AGM.

Decision = all in agreeance

2. Finances

- check point / check in
- AGM prep

- Strata Fees / contracts review

discussed, no action

3. Current Maintenance issues approved / in flight

- ? James please fill out all you are aware of ?
- gutter leaking back of building
- tree pruning neighboring 21/22 / trellis
- tree pruning front of stairwell

discussed all + "brighten up eastern landscaper for front"

action = add to spreadsheet for decision and prioritisation

4. Current maintenance requests not yet approved

- HWS replacement in plant room

discussed to look at alternative quotes / new system

action add to spreadsheet for progress

- water pressure into building - need a pressure limiting problem

action = investigate applying restrictors to inbound water, add to spreadsheet for progression

- concrete fix slab carpark 13

action = add to spreadsheet for review

- James? Please fill out any others you are aware of?
- Noise control around stairs

- Signboards in common areas re decorum

discussed and agreed to be done

committee to suggest and decide on statements

5. Current Projects approved / in flight

- balustrade replacement

await council response for next steps, no action

6. Projects requested not approved

- Concreting front of stairwell

action = add to spreadsheet for review

7. Other issues

- bin tidy / bin responsibilities
- bicycle parking
- pet protocols
- laundry constant issues (repairs, door lock, cash)
- landscaping general
- damages between units

all of 7) above adjourned to be discussed at next committee meeting

Minutes

1. Items not covered during previous meeting

- bin tidy / bin responsibilities

James to advise on cost of caretaking,

Guido to ensure 1 bin per 2 units, confirm if we need more bins

- bicycle parking

Item not discussed

- pet protocols

item not discussed

- laundry constant issues (repairs, door lock, cash)

James to request quote from richard jay via Strata Data for upgrading dryer to electronic payment

- landscaping general

item not discussed

- damages between units

James to confirm the strata laws around disputes between units with Strata Data.

1. Governance

- PO and other roles, decision prior to AGM

James advised that he does not intend to continue in the PO role beyond the next AGM.

Guido to advise on whether he is willing to take on PO role

- Discuss need for committee meeting with Strata Data ahead of AGM, to review budget, and any motions to be added to AGM agenda

James to organise meeting with Strata Data and Guido to review finances prior to AGM

- PO decision types and approval threshold \$amt - review and agree amounts provided based on Strata Data guidance. Formulate motion to be added to AGM.

Strata Data to draft up a motion for 2k and 10k limits on PO decisions, all other decisions to go to committee or general meeting

- Decision matrix? Guido to update?

decision was to request of Ashleigh to propose value amounts for both PO and Committee and decision / authority models action = email Ashleigh

2. Finances

- check point / check in - AGM prep

- Strata Fees / contracts review discussed, no action

Discussed under governance above.

3. Review of all Spreadsheet Items - Projects, maintenance issues and approvals

- New items to be added

4. Other issues

5 year plan for strata and how we address ageing building issues

James to circulate existing sinking fund plan - see attached

James to confirm with Ashleigh agenda for AGM.

Next meeting to setup post-budget meeting

Minutes 10/10/2024 150 Childers St North Adelaide

All committee members in attendance (GP,ME,CF,JH,GH,KK)

Item 1 (Governance)

- no action

Item 2 (Strategy)

- no action

Item 3 (Fines)

- General agreeance by committee was that it is all a little vague.
- Suggestion and agreed to by committee to allow Strata Manager to issue reminder letters with warnings, then issue fine after x warnings
- action = request of Ashleigh of warning letters for topics - pets, noise pollution

Item 4 (SD Disclosures)

- no action

Item 5 (Balustrades)

- agreed to forge ahead with MM providing existing quote is per previous quote and quality concerns are assured
- actions of:
 - request re-quote from MM and circulate to committee (GP/AT)
 - request of MM for new sub contractor (GP/AT)
 - request of MM a statement of new sub contractor and ability of quality (GP/AT)

- request of MM for a separate quote for railing for bottom level near stairwell path. to be kept separate from main works. information gathering exercise (GP/AT)

Item 6 (Bins + Caretaker)

- discussed and all in agreeance to move to council service
- agreed to remove clean of balustrades from caretaker
- agreed to move caretaker to fortnightly
- action = request requote for caretaker to move to fortnightly stairwell clean and laundry clean (GP/AT)
- action = organise council a start date (GP/AT)

Item 7 (Grounds Maintenance)

- committee preferred Property Maintenance quote
- clarification of PM quote if this includes western leave clean
- non-agreeance on western leaves required or not
- action = reconfirm details of PM quote per above, circulate to committee (GP/AT)

Item 8 (HWS)

- committee agreed to Option "4" of APGM
- discussed approval of individual unit holder entitlement to switch to own instantaneous system. to be researched further
- action = issue work order / approval for option 4 (GP/AT)

Item 9 (Laundry)

- committee discussed and individual disclosures clear
- committee agreed to turn laundry profitable + invest
- need clarity on current maintenance costs and to be removed
- dryer upgrade

- action :
- cancel laundry maintenance contract **(GP/AT)**
- circulate previous quote for dryer upgrade **(GP/AT)**

Other

- remove filing cabinet bottom of stairwell for scrap metal **(GP)**
- works for front of stairwell. action:
- Graham to organise quote for prettifying the front stairwell (pavers, pot plants, etc) **(GH)**
- to be circulated in advance prior to next meeting **(GP)**
- spreadsheet to be updated and circulated prior to next meeting **(GP)**
- next meeting scheduled for Thursday 28th Nov 2024

1) Actions from previous -> **No Action**

2) Strategy -> Discussed strategy plan. **Action (all)** -> Each committee member to input over next 2 to 3 months to pot of ideas to input to a wider 3 to 5 year plan.

Noted to be mindful of AGM - timing and need to put forward major projects.

Preliminary ideas discussed and included at bottom of this email

3) Capital Fund Forecast -> Clarification sought by committee on commitments, discussion around surplus funds. Discussed balances planning. **No Action**

4) Balustrades -> Discussed importance and priority of project. Discussed poor efforts of MM to progress applications. Aim to get approval and works scheduled and commenced prior to xmas.

Action (GP) -> PO to formalise a letter to MM to state safety issues and risks, concerns about timing. PO to speak to Council about approval.

5) Trees -> Discussed all trees within property. Decided to look at pruning of front 2 trees and stairwell tree in first quarter of 2025. Leave western side trees and look at them after. **Action (GP)** -> PO to organise quotes Q1 2025

6) Leak Procedure - Committee discussed vagueness of proposed policy and limitations. Suggestions to enhance. Discussion around "proof", "evidence", "liability" as a concern. **Action (all)** -> Committee to propose words to cater for, resubmit to committee at next meeting.

7) By laws fines - Committee discussed notionally as agreed, no formal votes taken. **Action (GP)** -> PO to circulate a formal written vote. Include whether EGM or AGM and any modifications to wording.

8) Paving and Railings. Discussed quotes and unanimous agreement to forge ahead with Jakes quote. Option 1. Agreed no action on railings, to be discussed and planned at further meetings. **Action (GH/GP/AT)** -> Initiate work order with Jake

9) Laundry and Dryer. Discussed (debated) laundry. Committee agreed to increase cost of washing machine and dryer to \$4. Upgrade dryer per Total Commercial solutions quote 28/11/24. **Action (GP/AT)** Initiate work order for both with Total commercial.

Other actions:

CF - Pass on concrete grinding contacts. Aim to quote and include for discussion at next meeting

GP - Speak to Ashleigh about compliance registers required (eg Asbestos register), bring to next meeting.

GH/AT - Initiate up to \$1500 of spend on signs around property -> noise, bins, car park etc (GH to decree)

Next meeting set for Thursday 23rd January 530pm to 630pm acst.

Other items / longer strategy discussed -> old bin area, carparking, carpark shelter, garden bed near gate, western side, cameras, camera access, concreting, bike area, fence near bikes, laundry

Minutes of the Extraordinary General Meeting

Corporation *STRATA CORPORATION 3604 INC.*
Address *150 CHILDERS STREET, NORTH ADELAIDE*
Meeting Date **19th of February, 2025 commencing at 1:00 PM**
Location **Postal Vote Only, South Australia 5064**

Present in Person

Unit: 5 Wan Sin Lai By Proxy Vote
Unit: 8 Prem Anand Henry, Sheba Santha Kamaline Jeyapaul By Proxy Vote
Unit: 9 Karen Lee Kimber, Stephen James Mount By Proxy Vote
Unit: 11 Mr & Mrs TJ & S Zander by Proxy Vote
Unit 14 Will's Place Pty Ltd
Unit: 15 Guido Porcaro by Proxy Vote
Unit: 17 Mr James Thomas Hogarth by Proxy Vote
Unit: 19 Ms Carol Knezevic by Proxy Vote

Apologies

Nil.

Present by Proxy

Unit 3 Wee Jet Ooi by Proxy to Strata Data

In attendance

Joshua Benton representing Strata Data

Quorum

The Body Corporate Manager declared that a quorum was not in attendance and the meeting was adjourned at 11:00am.

Minutes of the Adjourned Extraordinary General Meeting

Corporation **STRATA CORPORATION 3604 INC.**
 Address **150 CHILDERS STREET, NORTH ADELAIDE**
 Meeting Date **6th of March, 2025 commencing at 11:00 AM**
 Location **Postal Vote Only, South Australia 5064**

Present in Person

Unit: 5 Wan Sin Lai By Proxy Vote
 Unit: 8 Prem Anand Henry, Sheba Santha Kamaline Jeyapaul By Proxy Vote
 Unit: 9 Karen Lee Kimber, Stephen James Mount By Proxy Vote
 Unit: 11 Mr & Mrs TJ & S Zander by Proxy Vote
 Unit: 14 Will's Place Pty Ltd
 Unit: 15 Guido Porcaro by Proxy Vote
 Unit: 17 Mr James Thomas Hogarth by Proxy Vote
 Unit: 19 Ms Carol Knezevic by Proxy Vote

Apologies

Nil.

Present by Proxy

Unit 3 Wee Jet Ooi by Proxy to Strata Data

In attendance

Joshua Benton representing Strata Data

Quorum

The Body Corporate Manager declared that a quorum was in attendance and the meeting opened at 11:00 am.

Chairperson

It was resolved "that Joshua Benton of Strata Data assist the Presiding Officer by chairing the meeting". *Carried Unanimously*

Paving Work to Corporation (Quotes Attached)

Strata Data tabled the quotations obtained from Reshape Landscaping for the paving works amounting to \$6,314.00 incl GST, Adelaide General Property Maintenance for adding post and balustrade to the two garden beds amounting to \$2,980.00 Plus GST and from Maintenance Matters for the proposed fencing works and Paving along the front of staircase amounting to \$1,607.00 incl GST and 11,133.00 incl GST respectively. The members present were provided two options of works as proposed by Reshape Landscaping with the additional works of retaining the large rocks and paving around them, if included would amount to \$6,644.00 incl GST.

It was resolved "that the members present advised Strata Data to proceed with the works of Paving Works to Corporation from the contractor Reshape Landscaping – Option 1 for a cost of \$6,314.00. That the Corporation provisions for 10% contingency and hence a total of \$6,945.40 is being provisioned for these works. That the Corporation's existing sinking funds balance would be used to cover the cost of this project. That Strata Data would co-ordinate to pay the deposit amount to the contractor once they receive the deposit invoice.

That the contractor is to contact Guido Porcero for scheduling these works and for other co-ordination at site. That Strata Data would assist in co-ordinating communication with the contractor and will assist in communication with the owners and residents." *Motion Carried with 6 votes for 3 against*

Other Relevant Business

Breach of Articles (Special Resolution)

"Under the instruction of the Corporation's Office Bearers, the Body Corporate Manager may impose on any Unit holder a penalty for any ongoing breaches of the articles of up to, and inclusive of, \$500.00 for Residential Strata Corporations or, up to and inclusive of, \$2,000.00 for Commercial Strata Corporations (payable to the Strata Corporation). Subject to there being at least two letters, one of which includes a warning of a penalty being imposed, having been forwarded to the unit owner and or agent concerning the occupants." *Motion Carried with 7 votes for 2 against*

Closure

There being no further business, owners and visitors were thanked for their attendance and the meeting closed at 11:30 am.

Minutes of the Committee Meeting

Corporation **STRATA CORPORATION 3604 INC.**
Address **150 CHILDERS STREET, NORTH ADELAIDE**
Meeting Date **6th of November, 2025 commencing at 5:30 PM**
Location **647 Portrush Road Glen Osmond, South Australia 5064**

Present in Person

Unit: 9 Karen Lee Kimber
Unit: 15 Guido Porcaro
Unit: 17 Mr James Thomas Hogarth
Unit: 22 Mr Graham Harrison

Apologies

Unit: 4 M R Ekappan

Present by Proxy

Nil.

In attendance

Joshua Benton representing Strata Data

Quorum

The Chairperson declared that a quorum was in attendance and the meeting was opened at 5:39 pm.

Chairperson

It was resolved "that Joshua Benton of Strata Data assist the Presiding Officer by chairing the meeting". *Carried Unanimously*

Stairwell Maintenance

At the 2025 Annual General Meeting, It was resolved "That no further action is required. This matter will be discussed by the committee. That the abovementioned item be placed on the agenda for review at the next Annual General Meeting." *Carried Unanimously*

After discussion, it was resolved "Graham Harrison will schedule Meerkat Maintenance to attend to site and provide a quotation for these works. Guido Porcaro is to be the site contact for the contractor. This quote will be passed onto the committee for further instructions if required, Strata Data will be instructed to have the current cleaning contractor to provide a quotation. Guido Porcaro is to be contact to discuss the works and quote can be provided to the committee." *Carried Unanimously*

Laundry Limit

At the 2025 Annual General Meeting, It was resolved "A limit and threshold on yearly laundry expenditure of maintenance, running costs (gas and electricity) and any proposed capital improvements; to be capped at the year to date revenue the laundry has generated. In the event of laundry requiring maintenance over and above this, or any suggested capital improvement, an optional (non mandatory, opt in) levy is sought to be raised from owners before proceeding." *Motion Failed*

At the 2025 Annual General Meeting, It was resolved "That the amount is to increase after \$5.00 from the current \$4.00 after a day period in 30 days. Strata Data is to send a notice to all residents to advise them of the pricing increase. Further maintenance will be discussed by the corporation committee." *Motion Carried*

Strata Data obtained a quotation from the contractor "Total Commercial Equipment" for the updated pricing programming on both machines for a total of \$270 + GST.

It was resolved "That Strata Data issue a proceed with works order as per the above quoted amount. This invoice will be paid from the corporation admin fund." *Carried Unanimously*

Removal of Western Trees

At the 2025 Annual General Meeting, It was resolved "That no further action is required. This matter will be discussed by the committee. That the abovementioned item be placed on the agenda for review at the next Annual General Meeting." *Carried Unanimously*

General discussion took place and it was resolved that "No action is to be taken. "Tree Trimming of Western Trees" is to be added to the next committee meeting agenda." *Carried Unanimously*

Individual Isolation of the Corporation

At the 2025 Annual General Meeting, It was resolved "This matter will be discussed by the committee. That the abovementioned item be placed on the agenda for review at the next Annual General Meeting." *Carried Unanimously*

After General Discussion, it was resolved "That Graham Harrison will make contact with a recommend plumber to seek recommendations regarding the works. Once in hand, this information will be passed onto the corporations committee for further discussion. Based on the recommendation from this plumber, a quotation is to be obtained in July of 2026. Guido Porcaro to be the site contact for the contractors to discuss the scope / schedule attendance. In addition, a separate quote for installation of Individual Hot Water System is to be obtained from the same contractor. It is noted that all individual unit isolation are at the base of the units. "Individual Isolation of the Corporation" is to be placed on the next committee meeting agenda." *Carried Unanimously*

Review of Unit 12 dogs and Affirmation of Rejection Reasons

The corporation's committee reaffirmed the rejection of the pet approval.

Information reviewed and decision process of insurance options

Strata Data provided the corporation with insurance quotation provided by Honan. Upon review by the committee, it was instructed to be renewed with CHU.

Corporation Fund Level

Strata Data provided the committee an update regarding the current fund levels of the corporation. The corporation has a working balance of \$96,345.98.

Admin Fund - \$25,636.41

Sinking Fund - \$70,709.57

Capital works for discussion, agreement and feasibility analysis

General Discussion took place amongst the committee regarding future capital works projects. The main items of discussion were Eastern Carport Installation, Carpark Update and Storage Shed.

It was resolved "Karen Kimber is to obtain a qualified contractor's details who could provide a quotation. The Corporation's Presiding can instruct for Strata Data to assist with quotation obtaining. "Eastern Carport Installation" to be added to the next committee meeting agenda and Annual General Meeting agenda 2026." *Carried Unanimously*

It was resolved "That the corporations committee will discuss this matter internally. Once a final scope has been agreed upon, quotations will be obtained by the committee. The Corporation's Presiding can instruct for Strata Data to assist with quotation obtaining. "Carpark Upgrade" to be added to the next committee meeting agenda and Annual General Meeting agenda 2026.

It was resolved that The corporation's committee will discuss this matter internally. Guido Porcaro is to provide a scope for the shed installation. Once in hand, This will be sent to the committee for further instructions. On request from the Presiding Officer, Strata Data will obtain a quotation. "'Storage Sheds installation" is to be added to the next committee meeting 2026 Annual General Meeting.

Upcoming Committee Meeting

It was resolved "That the next committee meeting will take place on the 12th of February 2026 at 6:00pm, via Zoom or RSVP. The corporations committee will advise Strata Data if their attendance is required at least 14 days prior to the meeting." *Carried Unanimously*

Closure

There being no further business, owners and visitors were thanked for their attendance and the meeting closed at 6:50 pm.

Minutes of the Extraordinary General Meeting

Corporation **STRATA CORPORATION 3604 INC.**
 Address **150 CHILDERS STREET, NORTH ADELAIDE**
 Meeting Date **5th of May, 2026 commencing at 4:00 PM**
 Location **Postal Vote, South Australia .**

Present in Person

Unit: 9 Karen Lee Kimber

Apologies

Nil.

Present By Proxy

Unit: 3 Mr Wee Jet Ooi, Ms Wei Ching Tan By Proxy To Strata Data
 Unit: 4 M R Ekappan By Proxy To Strata Data
 Unit: 5 Wan Sin Lai By Proxy To Strata Data
 Unit: 8 Prem Anand Henry, Sheba Santha Kamaline Jeyapaul By Proxy To Strata Data
 Unit: 10 Memona Dost, Sana Dost By Proxy To Strata Data
 Unit: 12 Miss Suzanne Theresa Delahunty By Proxy To Strata Data
 Unit: 14 Will's Place Pty Ltd By Proxy To Strata Data
 Unit: 15 Guido Porcaro By Proxy To Strata Data
 Unit: 17 Mr James Thomas Hogarth By Proxy To Strata Data
 Unit: 19 Ms Carol Knezevic By Proxy To Strata Data
 Unit: 20 Ms Katerina Constantinides By Proxy To Strata Data
 Unit: 21 Mr Graham Harrison By Proxy To Strata Data
 Unit: 22 Mr Graham Harrison By Proxy To Strata Data

In attendance

Joshua Benton representing Strata Data

Quorum

The Body Corporate Manager declared that a quorum was in attendance and the meeting opened at 4:00 pm.

Chairperson

It was resolved "that Joshua Benton of Strata Data assist the Presiding Officer by chairing the meeting". *Carried Unanimously*

Carpark Upgrade.

It was resolved that "The corporation accept the proposed upgrades, as per attached scope of works and diagrams provided, for increasing of the corporation carparking." *Carried Unanimously*

It was resolved "That Strata Data will organise Maintenance Matters to proceed with the quotation provided with the agenda for a total of \$10,060.03. Maintenance Matter is to contact the Presiding Officer prior to scheduling to discuss dates of works. Once confirmed, a notice to all owners and residents will be issued providing a minimum of 3 weeks' notice allowing for all affected residents to find alternative parking during works being completed. On completion, Strata Data will pay the invoice from the corporation's existing sinking fund, on confirmation from the committee being satisfied with the quality of works." *Carried Unanimously*

Meeting Note - It was noted via proxy that ongoing monitoring of noise towards the rear units is to take place as well as to ensure ongoing safety of residents. This will be referred to the committee to monitor and provide any instructions required to Strata Data.

Closure

There being no further business, owners and visitors were thanked for their attendance and the meeting closed at 4:30 pm.



Summary Financial Statement

Version: 03.10.01

Date Printed 03/07/2024

STRATA CORPORATION 3604 INC.

Address: 150 CHILDERS STREET NORTH ADELAIDE, South Australia 5006

ABN: 12991783244

Page 1

STRATA DATA

INCOME & EXPENDITURE STATEMENT BETWEEN 01/07/2023 AND 30/06/2024

	ADMIN	SINKING	TOTAL
INCOME			
Admin Fund Levy	\$49,527.17	-	\$49,527.17
Insurance Claim Recovery	\$350.00	-	\$350.00
Interest on Overdue Levies	\$123.63	-	\$123.63
Interest Received	\$5,590.52	-	\$5,590.52
Laundry Income	\$2,929.50	-	\$2,929.50
Sinking Fund Levy	-	\$24,276.56	\$24,276.56
Special Levy (Admin Fund)	(\$62,000.00)	-	(\$62,000.00)
Special Levy (Sinking Fund)	-	\$75,000.00	\$75,000.00
TOTAL INCOME	(\$3,479.18)	\$99,276.56	\$95,797.38
OUTGOINGS			
Audit	\$430.00	-	\$430.00
Body Corporate Management	\$9,018.75	-	\$9,018.75
Building Repairs & Maintenance	\$243.21	-	\$243.21
Caretaking	\$8,857.20	-	\$8,857.20
Debt Recovery Fees	\$742.02	-	\$742.02
Disbursements	\$1,813.94	-	\$1,813.94
Electrical Works	\$315.54	-	\$315.54
Electricity	\$1,628.86	-	\$1,628.86
Final Fee Notice	\$66.00	-	\$66.00
Gas	\$981.81	-	\$981.81
Gate Repairs & Maintenance	\$1,833.93	-	\$1,833.93
Grounds Maintenance	\$6,901.43	-	\$6,901.43
Gutter Cleaning	\$1,485.00	-	\$1,485.00
Income Tax Instalment	\$778.00	-	\$778.00
Income Tax Payment / Refund	\$1,337.98	-	\$1,337.98
Insurance Claim	\$350.00	-	\$350.00
Insurance Premium	\$23,368.80	-	\$23,368.80
Laundry Expenses	\$2,534.54	-	\$2,534.54
Legal Fees	\$1,163.65	-	\$1,163.65
Meeting Fees	\$472.50	-	\$472.50
Owner Overdue Account Fee	\$44.00	-	\$44.00
Painting	-	\$929.50	\$929.50
Pest Control	\$2,728.00	-	\$2,728.00
Plumbing Repairs & Maintenance	\$238.99	-	\$238.99
Public Officer	\$125.00	-	\$125.00



Summary Financial Statement

STRATA CORPORATION 3604 INC.
Address: 150 CHILDERS STREET NORTH ADELAIDE, South Australia 5006
ABN: 12991783244

Version: 03.10.01
Date Printed 03/07/2024
Page 2

STRATA DATA

Tax Return	\$206.00	-	\$206.00
Telephone & Line Rental	\$201.60	-	\$201.60
Tree Removal & Pruning	\$984.50	-	\$984.50
WHS Compliance	\$129.00	-	\$129.00
TOTAL OUTGOINGS	\$68,980.25	\$929.50	\$69,909.75

SUMMARY

OPENING BALANCE AS AT 01/07/2023	\$92,975.22	\$68,931.15	\$161,906.37
TOTAL INCOME	(\$3,479.18)	\$99,276.56	\$95,797.38
TOTAL OUTGOINGS	\$68,980.25	\$929.50	\$69,909.75
CLOSING BALANCE AS AT 30/06/2024	\$20,515.79	\$167,278.21	\$187,794.00
NET SURPLUS	(\$72,459.43)	\$98,347.06	\$25,887.63



Summary Financial Statement

STRATA CORPORATION3604 INC.
Address: 150 CHILDERS STREET NORTH ADELAIDE, South Australia 5006
ABN: 12991783244

Version: 03.10.01

Date Printed 03/07/2025

Page 1

STRATA DATA

INCOME & EXPENDITURE STATEMENT BETWEEN 01/07/2024 AND 30/06/2025

	ADMIN	SINKING	TOTAL
INCOME			
Admin Fund Levy	\$75,859.15	-	\$75,859.15
Insurance Claim Recovery	\$6,243.75	-	\$6,243.75
Interest on Overdue Levies	\$36.93	-	\$36.93
Interest Received	\$5,634.59	-	\$5,634.59
Laundry Income	\$2,189.65	\$38.85	\$2,228.50
Sinking Fund Levy	-	\$9,382.12	\$9,382.12
Special Levy (Admin Fund)	\$163.45	-	\$163.45
TOTAL INCOME	\$90,127.52	\$9,420.97	\$99,548.49
OUTGOINGS			
Audit	\$447.50	-	\$447.50
Body Corporate Management	\$9,600.44	-	\$9,600.44
Building Repairs & Maintenance	\$50.00	-	\$50.00
Caretaking	\$3,164.70	-	\$3,164.70
Ceiling Repairs & Maintenance	\$1,650.00	\$1,187.08	\$2,837.08
Concrete, Bitumen, Paving Repairs & Maintenance	\$745.50	\$6,864.00	\$7,609.50
Debt Recovery Fees	\$306.51	-	\$306.51
Disbursements	\$1,889.98	-	\$1,889.98
Electricity	\$1,663.67	-	\$1,663.67
Gas	\$833.59	-	\$833.59
Gate Repairs & Maintenance	\$827.05	\$513.98	\$1,341.03
Grounds Maintenance	\$6,003.08	-	\$6,003.08
Gutter Cleaning	\$1,485.00	-	\$1,485.00
Gutter Repairs & Maintenance	\$1,650.00	-	\$1,650.00
Hot Water Service Repairs & Maintenance	\$198.00	-	\$198.00
Income Tax Instalment	\$5,538.00	-	\$5,538.00
Income Tax Payment / Refund	(\$2,460.12)	-	(\$2,460.12)
Insurance Claim	\$5,100.30	-	\$5,100.30
Insurance Premium	\$26,160.80	-	\$26,160.80
Laundry Expenses	\$200.63	-	\$200.63
Legal Fees	\$44.00	-	\$44.00
Meeting Fees	\$995.65	-	\$995.65
Miscellaneous Expenses	-	\$4,622.71	\$4,622.71
Plumbing Repairs & Maintenance	\$3,720.88	\$26,290.00	\$30,010.88
Public Officer	\$130.00	-	\$130.00
Roof Repairs & Maintenance	\$1,112.87	-	\$1,112.87



Summary Financial Statement

Version: 03.10.01

Date Printed 03/07/2025

STRATA CORPORATION3604 INC.

Address: 150 CHILDERS STREET NORTH ADELAIDE, South Australia 5006

ABN: 12991783244

Page 2

STRATA DATA

Tax Return	\$215.00	-	\$215.00
Telephone & Line Rental	\$294.65	-	\$294.65
Transfer Between Funds	(\$7,230.00)	\$7,230.00	-
Tree Removal & Pruning	-	\$2,250.00	\$2,250.00
WHS Compliance	\$135.00	-	\$135.00
TOTAL OUTGOINGS	\$64,472.68	\$48,957.77	\$113,430.45

SUMMARY

OPENING BALANCE AS AT 01/07/2024	\$20,515.79	\$167,278.21	\$187,794.00
TOTAL INCOME	\$90,127.52	\$9,420.97	\$99,548.49
TOTAL OUTGOINGS	\$64,472.68	\$48,957.77	\$113,430.45
CLOSING BALANCE AS AT 30/06/2025	\$46,170.63	\$127,741.41	\$173,912.04
NET SURPLUS	\$25,654.84	(\$39,536.80)	(\$13,881.96)

**STRATA DATA****Summary Financial Statement**

STRATA CORPORATION3604 INC.

Address: 150 CHILDERS STREET NORTH ADELAIDE, South Australia 5006

ABN: 12991783244

Version: 03.10.01

Date Printed 06/07/2026

Page 1

INCOME & EXPENDITURE STATEMENT
BETWEEN 01/07/2025 AND 30/06/2026

	ADMIN	SINKING	TOTAL
INCOME			
Admin Fund Levy	\$65,010.21	-	\$65,010.21
Interest on Overdue Levies	\$70.85	-	\$70.85
Interest Received	\$3,607.12	-	\$3,607.12
Laundry Income	\$3,849.15	-	\$3,849.15
Special Levy (Admin Fund)	\$5,000.00	-	\$5,000.00
Sundry Income	\$409.65	-	\$409.65
TOTAL INCOME	\$77,946.98		\$77,946.98
OUTGOINGS			
Audit	\$460.00	-	\$460.00
Body Corporate Management	\$9,652.75	-	\$9,652.75
Building Repairs & Maintenance	-	\$56,814.40	\$56,814.40
Caretaking	\$937.20	-	\$937.20
Cleaning Common Areas	\$2,999.65	-	\$2,999.65
Concrete, Bitumen, Paving Repairs & Maintenance	-	\$50.00	\$50.00
Debt Recovery Fees	(\$306.51)	-	(\$306.51)
Disbursements	\$1,960.71	-	\$1,960.71
Electricity	\$1,706.82	-	\$1,706.82
Gas	\$1,143.13	-	\$1,143.13
Gate Repairs & Maintenance	\$641.61	-	\$641.61
General Repairs & Maintenance	\$2,313.25	\$311.85	\$2,625.10
Grounds Maintenance	\$3,522.00	-	\$3,522.00
Gutter Cleaning	\$1,540.00	\$50.00	\$1,590.00
Income Tax Instalment	\$2,160.00	-	\$2,160.00
Income Tax Payment / Refund	(\$334.63)	-	(\$334.63)
Insurance Claim Excess	\$5,000.00	-	\$5,000.00
Insurance Premium	\$27,709.85	-	\$27,709.85
Meeting Fees	\$662.00	-	\$662.00
Miscellaneous Expenses	\$142.96	-	\$142.96
Pest Control	\$1,700.00	-	\$1,700.00
Plumbing Repairs & Maintenance	\$1,866.32	\$68.67	\$1,934.99
Public Officer	\$134.00	-	\$134.00
Roof Repairs & Maintenance	-	\$48.77	\$48.77
Security Contracts	\$256.99	-	\$256.99
Tax Return	\$221.00	-	\$221.00
Telephone & Line Rental	\$290.27	-	\$290.27



Summary Financial Statement

Version: 03.10.01

Date Printed 06/07/2026

STRATA CORPORATION3604 INC.

Address: 150 CHILDERS STREET NORTH ADELAIDE, South Australia 5006

ABN: 12991783244

Page 2

STRATA DATA

WHS Compliance	\$140.00	-	\$140.00
TOTAL OUTGOINGS	\$66,519.37	\$57,343.69	\$123,863.06

SUMMARY

OPENING BALANCE AS AT 01/07/2025	\$46,170.63	\$127,741.41	\$173,912.04
TOTAL INCOME	\$77,946.98	\$0.00	\$77,946.98
TOTAL OUTGOINGS	\$66,519.37	\$57,343.69	\$123,863.06
CLOSING BALANCE AS AT 30/06/2026	\$57,598.24	\$70,397.72	\$127,995.96
NET SURPLUS	\$11,427.61	(\$57,343.69)	(\$45,916.08)



Sinking Fund Forecast

SC 3604 Inc



Scheme Number: SC 3604

COMPILED BY Sydney Lue

On September 23 2015

15 Years Starting at : Jan 07 2015

Reference Number V11: 85998

Independent Inspections
ABN 91 239 548 041
T 1300 857 149
F 1300 857 150
M 0402 259 479
E admin@iigi.com.au
W www.iigi.com.au

Professional Indemnity Insurance Policy Number LPP 010907680

SC 3604 Inc

Independent Inspections

FORECAST REPORT CONTENTS

INTRODUCTION	2
LOCATION OF PROPERTY.....	2
PROPOSED LEVIES	2
METHODOLOGY	3
ANNUAL BALANCE FORECAST, EXPENDITURE AND CONTRIBUTIONS	4
FORECAST OF SINKING FUND COSTS,INCOME AND BANK BALANCE	5
YEARLY TABLE OF EXPENDITURE	6
FORECAST EXPENDITURE BY BUILDING AREA.....	9
REPORT NOTES	10

INTRODUCTION

In accordance with your instructions we have carried out an inspection of the property in order to determine a Forecast to assist the managers and owners in setting the appropriate fees to cover the building maintenance costs.

LOCATION OF PROPERTY

150 Childers Street, North Adelaide, SA 5006

PROPOSED LEVIES

We have estimated that the proposed levies in this report will be adequate to meet projected costs, not traditionally in the administration fund.

We recommend that the forecast be regularly updated to ensure that an accurate assessment of the building and facilities management and to incorporate into the forecast any major changes brought about by legislation, or pricing.

The Sinking Fund Levy per entitlement per annum already set is :	\$625.00
Number of Lot/Unit Entitlements:	24
Opening Balance	\$8,099
The Proposed Sinking Fund levy per entitlement per annum is :	\$625.00

METHODOLOGY

We have adopted a forecast period of this report for 15 Years. However, the items that have an effective life beyond the forecast period are taken into consideration in the calculation of the yearly estimated Sinking Fund Levy, as well as those items less than 15 Years. Sinking Fund Items that are identified in the report have been given a materially effective life at the time of inspection, that relates to it's current condition compared to being replaced or painted. We also suggest that the committee review the forecast on an annual basis to take into account changes to the configuration of the building as the building ages.

The levy income has been determined by forecasting the expected expenditure to maintain the building and the effective life and making an allowance for those items that do not have a set lifespan. The levy income is initially adjusted to smooth the effects of major cost fluctuations given the initial fund balance and income depending on the financial position of the building. Levy income is then generally increased at a rate of 4% per annum over the remaining years of the forecast.

Interest receivable on the Sinking Fund Account has been allowed for in the calculation of funds available at a rate of 2.5%. The Interest receivable amount has been determined by using a net rate of 2.5% on the fund balance at the end of the preceding financial year and makes an allowance for charges that may arise. Where the rate is set to 0% it is not anticipated that sufficient interest will be accrued in the forecast period.

Replacement costs have been calculated by the current cost for each item to a standard, the same or better than the original at the time of inspection. These forecast costs are increased each year at a rate of 4% per annum, this rate is reflective of building price indices which are historically higher than the general inflation rate. A contingency of 10% per annum has been applied to the forecast costs, it is applied to each item cost in the year the cost that is forecast to occur for allowance of variations from quotations obtained in advance.

The effective life for each item identified is based on its materially effective life at the time of inspection, therefore no consideration has been made for the economic life of plant, equipment, finishes or upgrades.

This report assumes that all plant and equipment will be maintained under comprehensive maintenance agreements. Expenditure incurred for maintenance agreements is taken to be covered within the Administrative Fund Budget.

GST has been incorporated to the financials

SC 3604 Inc

Independent Inspections

SC 3604 Inc

ANNUAL BALANCE FORECAST, EXPENDITURE AND CONTRIBUTION


Year		Costs	Income		Annual Fund Balance		Per
Life Years	Financial Year Starting	Estimated Expenditure (Inc GST)	Contribution Total P.A. incl 4.00% Inflation	Bank Interest at 2.50%	Opening Balance (Beginning of Year)	Closing Balance (End of Year)	Entitlement Levy
1	Jan 15	\$0	\$15,000	202	\$8,099	\$23,301	\$625.00
2	Jan 16	\$0	\$15,600	583	\$23,301	\$39,484	\$650.00
3	Jan 17	\$38,382	\$16,224	987	\$39,484	\$18,313	\$676.00
4	Jan 18	\$19,605	\$16,873	458	\$18,313	\$16,039	\$703.04
5	Jan 19	\$11,895	\$17,548	401	\$16,039	\$22,093	\$731.17
6	Jan 20	\$0	\$11,500	552	\$22,093	\$34,145	\$479.17
7	Jan 21	\$0	\$11,960	854	\$34,145	\$46,959	\$498.33
8	Jan 22	\$18,713	\$12,438	1174	\$46,959	\$41,858	\$518.25
9	Jan 23	\$0	\$12,936	1046	\$41,858	\$55,840	\$539.00
10	Jan 24	\$8,508	\$13,453	1396	\$55,840	\$62,181	\$560.54
11	Jan 25	\$23,843	\$13,991	1555	\$62,181	\$53,884	\$582.96
12	Jan 26	\$8,485	\$14,551	1347	\$53,884	\$61,297	\$606.29
13	Jan 27	\$56,817	\$15,133	1532	\$61,297	\$21,145	\$630.54
14	Jan 28	\$0	\$15,738	529	\$21,145	\$37,412	\$655.75
15	Jan 29	\$8,063	\$16,368	935	\$37,412	\$46,652	\$682.00

SC 3604 Inc

Independent Inspections

SC 3604 Inc

FORECAST OF COSTS, INCOME AND BANK BALANCE



The Expected Costs (Expenditure) are a summary of the Yearly Expenses expected in the Forecast Year.

The Income represents the Proposed Levies (Contributions) for Each Financial Year.
The Closing Bank Balance is at the end of the Year, After Costs have been taken Out.

SC 3604 Inc

Independent Inspections

SC 3604 Inc

YEARLY PROJECTED FORECAST SUMMARY

Year Starting	January 2017	Expense
EXTERNAL FACADE		
- Repaint Soffits		\$14,291
- Repaint Door Face		\$2,450
- Maintain/Repaint Balustrade		\$6,805
- Repaint Fascia and Gutter		\$7,622
LANDSCAPING		
- Remove trees/roots		\$2,042
- Maintain underground pipework		\$4,083
- Maintain Pathway / Paved Areas		\$1,089
Total Forecast Expenditure for year commencing:	January 2017	\$38,382

Year Starting	January 2018	Expense
DRIVEWAY / CAR PARK & PAVING		
- Repaint lines/ kerbing		\$1,496
ROOF		
- Maintain Roof		\$15,288
- Maintain Common Roofing/Guttering		\$2,831
Total Forecast Expenditure for year commencing:	January 2018	\$19,605

SC 3604 Inc

Independent Inspections

Year Starting **January 2019**

Expense

DRIVEWAY / CAR PARK & PAVING	
- Maintain Concrete Driveways	\$1,472
EXTERNAL FACADE	
- Maintain sails/awnings	\$2,208
FENCING	
- Maintain Fencing	\$2,208
FIXTURES/FITTINGS	
- Maintain Switchboard/ Electrical	\$1,767
- Maintain/Repair Mail Boxes	\$4,240
Total Forecast Expenditure for year commencing:	
January 2019	\$11,895

Year Starting **January 2022**

Expense

EXTERNAL FACADE	
- Replace balustrades over 20 years	\$9,936
LANDSCAPING	
- Remove trees/roots	\$2,484
- Maintain underground pipework	\$4,968
- Maintain Pathway / Paved Areas	\$1,325
Total Forecast Expenditure for year commencing:	
January 2022	\$18,713

SC 3604 Inc

Independent Inspections

Year Starting	January 2024	Expense
DRIVEWAY / CAR PARK & PAVING		
- Repaint lines/ kerbing		\$1,881
- Maintain Concrete Driveways		\$1,791
EXTERNAL FACADE		
- Maintain sails/awnings		\$2,687
FIXTURES/FITTINGS		
- Maintain Switchboard/ Electrical		\$2,149
Total Forecast Expenditure for year commencing:	January 2024	\$8,508

Year Starting	January 2025	Expense
ROOF		
- Maintain Roof		\$20,118
- Maintain Common Roofing/Guttering		\$3,725
Total Forecast Expenditure for year commencing:	January 2025	\$23,843

Year Starting	January 2026	Expense
FENCING		
- Maintain Fencing		\$2,906
FIXTURES/FITTINGS		
- Maintain/Repair Mail Boxes		\$5,579
Total Forecast Expenditure for year commencing:	January 2026	\$8,485

SC 3604 Inc

Independent Inspections

Year Starting **January 2027**

Expense

EXTERNAL FACADE

- Repaint Soffits	\$21,155
- Repaint Door Face	\$3,627
- Maintain/Repaint Balustrade	\$10,074
- Repaint Fascia and Gutter	\$11,283

LANDSCAPING

- Remove trees/roots	\$3,022
- Maintain underground pipework	\$6,044
- Maintain Pathway / Paved Areas	\$1,612

Total Forecast Expenditure for year commencing:	January 2027	\$56,817
---	--------------	----------

Year Starting **January 2029**

Expense

DRIVEWAY / CAR PARK & PAVING

- Maintain Concrete Driveways	\$2,179
-------------------------------	---------

EXTERNAL FACADE

- Maintain sails/awnings	\$3,269
--------------------------	---------

FIXTURES/FITTINGS

- Maintain Switchboard/ Electrical	\$2,615
------------------------------------	---------

Total Forecast Expenditure for year commencing:	January 2029	\$8,063
---	--------------	---------

SC 3604 Inc

FORECAST EXPENDITURE BY BUILDING AREAS

SUPERSTRUCTURE

Independent Inspections

Item	Cost ** (Ex GST)	Replace In	Remain Life/Int Years	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2025	2027	2028	2029
EXTERNAL FACADE																		
- Repaint Soffits	\$10,500	2017	10			14291										21155		
- Repaint Door Face	\$1,800	2017	10			2450										3627		
- Maintain/Repaint Balustrade	\$5,000	2017	10			6805										10074		
- Replace balustrades over 20 years	\$6,000	2022	15								9836							
- Repaint Fascia and Gutter	\$5,600	2017	10			7622										11283		
- Maintain sails/awnings	\$1,500	2019	5					2208					2687					3269
ROOF																		
- Maintain Roof	\$10,800	2018	7				15288								20118			
- Maintain Common Roofing/Guttering	\$2,000	2018	7				2831								3725			
DRIVEWAY /CAR PARK & PAVING																		
- Repaint lines/ kerbing	\$1,050	2018	6				1486						1881					
- Maintain Concrete Driveways	\$1,000	2019	5					1472					1791					2179
FENCING																		
- Maintain Fencing	\$1,500	2019	7					2208							2906			
LANDSCAPING																		
- Remove trees/rods	\$1,500	2017	5			2042					2484					3022		
- Maintain underground pipework	\$3,000	2017	5			4083					4968					8044		
- Maintain Pathway / Paved Areas	\$800	2017	5			1089					1325					1612		
FIXTURES/FITTINGS																		
- Maintain Switchboard/ Electrical	\$1,200	2019	5					1767					2149			5579		2615
- Maintain/Repair Mail Boxes	\$2,880	2019	7					4240										
	\$56,130					38382	19605	11895			18713		8508	23843	8485	56817		8063

SC 3604 Inc

Independent Inspections

REPORT NOTES -

The replacement costs included in the report are for budgeting purposes and have been obtained from a number of sources including building cost information guides, painting contractors, plant and equipment suppliers, manufactures and installers and working knowledge of each buildings configuration at the time of inspection.

Every effort has been made to accurately estimate the costs of the items identified in this report, however if there items were put to tender, it would be expected that the quotations would vary and it is recommended that quotations are sourced as in advance of any anticipated sinking fund maintenance costs as possible.

The estimated life of each item is made at the time of the site inspection and the life cycles of each of the items having regard to where the building is located, as buildings in a salt environment tend to have a lesser life cycle and a higher maintenance requirement.

This sinking fund is not a building condition survey. We recommend that a periodic survey be carried out by qualified building contractors to assess the building condition, if required. The inspection of the common property of the scheme is a visual inspection only limited to those areas of the common property that are fully accessible and visible to the inspector from floor or ground level at the time of inspection.

COMPILED BY: Peter Greenham

Peter Greenham's Qualifications include:

Associate Diploma (Laboratory Operations), Diploma (Civil Engineering), Diploma (Quality Management), Diploma (Business), Diploma (Training and Assessment), Diploma (Laboratory Technology), Lead Environmental Auditor, National Association of Testing Authorities Technical Assessor for Construction Materials. Member of the Australian Organisation for Quality.

READILY ACCESSIBLE AREA INSPECTED

The inspection covered the Readily Accessible Areas of the property including:

Building Interior, Building Exterior, Roof Exterior, Driveway Areas, The grounds including, landscaping, retaining walls, fences within the property boundaries.

The inspection did not include areas which were inaccessible, not readily accessible or obstructed at the time of inspection. Obstructions are defined as any condition or physical limitation which inhibits or prevents inspection of the property.

Other Comments

SC 3604 Inc

Independent Inspections

GENERAL CONDITIONS OF ENGAGEMENT**1 CONSULTANT'S RESPONSIBILITIES AND OBLIGATIONS**

1.2 Independent Inspections Pty Ltd ("Consultant") will:

- (a) perform the services ("Services") which it has agreed to perform for its client ("Client") including any variations with due care, skill and diligence;
- (b) comply with the requirements of all legislation, statutory instruments, codes and mandatory standards applicable to the performance of the Services; and
- (c) perform the Services in a timely manner or within an agreed program for the commencement and completion of the Services to the extent that it is within the Consultant's reasonable control to do so

2 PAYMENT

2.1 The Client will pay to the Consultant the agreed fee for the performance of the Services plus related disbursements. If no fee or basis for calculating the fee has been agreed, then the Consultant is entitled to be paid a reasonable fee taking into consideration the Consultant's Schedule of Hourly Rates, By Category, For Fees on a Time Basis, current at the time the Services are performed, a copy of which shall be provided by the Consultant to the Client upon request.

2.2 Tax invoices issued by the Consultant for payment for the Services performed must be paid by the Client within 14 days of receipt, unless otherwise agreed.

2.3 If the Consultant's fees exclude any goods and services tax or the like tax ("GST"), the Client shall also pay to the Consultant the GST applicable to those fees.

2.4 Late payment of fees shall constitute a default and the client shall be a default interest on overdue amounts from the date of payment at a rate of 10% of the amount due each 7 days overdue.

3 VARIATIONS/DOCUMENTS

3.1 The Consultant shall be entitled to be paid a reasonable fee or compensation (including related costs, expenses, loss or damage) for any change required

or performed to the Services, unless it is due to a default of the Consultant, as well as a reasonable extension of time to complete the Services as a consequence of the change

4 CLIENT'S RESPONSIBILITIES AND OBLIGATIONS

4.1 The Client agrees prior to placing the order that they have read and agreed to the conditions of engagement and by the placement of the order by phone, fax or email is liable for charges incurred.

4.2 The Client will provide the Consultant with all relevant information and documents relating to the Client's requirements;

4.3 promptly and satisfactorily answer all reasonable enquiries and furnish information requested by the Consultant;

4.4 take all reasonable steps to avoid doing or omitting anything which may delay the Consultant in performing the Services;

4.5 bear the costs of all fees and charges in connection with the performance of the Services including those associated with complying with statutory and

regulatory requirements such as permit or approval fees; and

4.6 discharge its obligations reasonably and in good faith.

4.7 An instruction by the Client to vary anything in drawings, specifications or other documents issued previously by the Consultant and complying with this Agreement or where amendments to such documents become necessary or desirable because of circumstances beyond the reasonable control of the Consultant, such instructions or amendments shall be considered to be a change to the Services.

4.8 The Client accepts the risk of using drawings, specifications, reports or any other documents issued by the Consultant in electronic form without requesting and checking them for accuracy against an original hard copy version.

5 DELAY AND EXTENSION OF TIME

5.1 The Consultant will be entitled to a reasonable extension of time for the performance of the Services if the Consultant is delayed in performing the Services

by an act, omission or event beyond the reasonable control of the Consultant.

5.2 If the Consultant is delayed in performing the Services by the Client or its contractors or agents, the Client will pay to the Consultant such costs, expenses,

loss or damage incurred by the Consultant or for which the Consultant is liable due to the delay

6 TERMINATION AND SUSPENSION OF SERVICES

6.1 Where either party commits a breach of this Agreement, the other party may give the defaulting party written notice specifying the breach and the period for its rectification, which shall not be less than 14 days from the date of service of the notice. If the defaulting party fails to rectify the breach within the period specified

in the notice, the other party may, without further notice, suspend or terminate this Agreement.

6.2 Either party may suspend or terminate this Agreement by written notice to the other party:

(a) Where a party, in the reasonable opinion of the other party suffers or may potentially suffer an adverse or potentially adverse alteration in its financial capacity to function as a solvent business or entity

(b) In the event of any occurrence or threat made by anyone in that is connected with Terrorism or War and in connection with this Agreement.

SC 3604 Inc

Independent Inspections

7 LIABILITY

7.1 The Consultant accepts responsibility for the performance or non-performance of the Services to the extent provided in this Agreement.

7.2 Consultant shall have no liability to the Client for or in connection with any indirect, economic, special or consequential loss or damage including without limitation: loss of actual or anticipated profit or revenue, business interruption or shutdown, loss of production, delay costs, loss of opportunity, income or rent, financing and holding costs in connection with the Services.

7.3 Notwithstanding any other provision of this Agreement,

(a) to the extent permissible by law, the Consultant will only be liable to the Client whether under contract, in tort, under statute or otherwise for any loss, damage or injury to the extent and in the proportion to which such loss, damage or injury is caused by the fault of the Consultant; and

(b) unless the Consultant's liability is limited under subclause 7.4, the Consultant's aggregate liability to the Client arising out of the performance or nonperformance of the Services, whether under the law of contract, tort (including negligence), statute or otherwise, shall be limited to the extent permissible by law to the fee payable to the Consultant under this Agreement (excluding GST and reimbursable expenses) or \$100,000, whichever is the lesser.

7.4 This subclause 7.4 only applies if the law governing this Agreement is that of an Australian State or Territory and/or the Commonwealth of Australia. The liability of the Consultant for breach of any term, condition or warranty under or implied by the Trade Practices Act 1974 ("Act") shall be limited, at the option of the Consultant, and to the extent permitted by the Act, to:

(i) the supplying of the Services again; or

(ii) the payment of the cost of having the Services supplied again.

7.5 Any liability which the Consultant may have in connection with the Services, whether under the law of contract, tort (including negligence), statute or otherwise, shall be deemed to have been discharged at the expiration of 2 years from the completion of the Services and the Client is thereafter barred from commencing any action or making any claims against the Consultant in connection with the Services, unless legal proceedings are issued and the associated formal documentation served upon the Consultant within that period.

8 ASBESTOS, MOULD TERRORISM

8.1 Notwithstanding anything else in this Agreement or any document or representations made by anyone and to the extent permitted by law, the Consultant shall not be liable or held responsible whether under the law of contract, tort (including negligence), statute or otherwise for any loss, damage, cost or expense of whatsoever nature (including personal injury and death) directly or indirectly caused by, resulting from, based upon, attributable to, in consequence of or in connection with asbestos or Mould or any act of Terrorism or War regardless of any other cause or event contributing concurrently or in any other sequence.

8.2 The Client releases the Consultant from all causes of action, proceedings, claims, demands, liabilities or rights which the Client has or may have had but for subclause 8.1 above and this subclause 8.2 and is barred from commencing any proceedings against the Consultant for any loss or damage caused by anything in connection with asbestos, Mould, Terrorism or War.

8.3 For the purposes of this clause:

(a) "Mould" means fungi, moulds, spores or mycotoxins of any kind;

(b) "Terrorism" means an act, including but not limited to the use of force or violence and/or the threat thereof, of any person or group of persons, whether acting alone or on behalf of or in connection with any organisation or government, committed for political, religious, ideological or similar purposes including the intention to influence any government and/or to put the public, or any section of the public in fear; and

(c) "War" means war, invasion, acts of foreign enemies, hostilities (whether war be declared or not), civil war, rebellion, revolution, insurrection, military or usurped power or confiscation or nationalisation or requisition of, or damage to, property by or under the order of any government or public local authority.

9 MISCELLANEOUS

9.1 If the Consultant began to perform the Services before this Agreement was agreed to by all the parties, the terms of this Agreement shall apply retrospectively from when the Services began to be performed.

9.2 If the whole or any part of a clause in this Agreement is unenforceable for any reason, it shall be severed from this Agreement so that the remaining part of the clause or Agreement continues to operate as if the severed part had never been included in this Agreement.

9.3 Any conditions identified as Special Conditions shall take precedence over any other clause in this Agreement.

9.4 The Agreement shall be governed and construed in accordance with the laws of the Country, State or Territory where the majority of the Services are performed.

9.5 The Consultant shall retain copyright of all the intellectual property prepared by the Consultant. The Client shall be entitled to use them or copy them only for the works and the purpose for which they were intended. The ownership of data and factual information collected by the Consultant and paid for by the client shall, after payment by the Client, lie with the Client. The Client may reproduce drawings, specifications and other documents in which the Consultant has copyright, as reasonably required in connection with the project but not otherwise. The Client shall have no right to use any of these documents where any or all of the fees and expenses payable to the Consultant have not been paid in accordance with this agreement.

FORECAST EXPENDITURE BY BUILDING AREAS

Tuesday, 29 September 2015

Area	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029
DRIVEWAY /CAR PARK & PAVING	0	0	0	0	1466	1472	0	0	0	0	3672	0	0	0	2179
EXTERNAL FACADE	0	0	31168	0	0	2208	0	0	9936	0	2687	0	0	46139	3259
FENCING	0	0	0	0	0	2208	0	0	0	0	0	0	2908	0	0
FIXTURES/FITTINGS	0	0	0	0	0	5007	0	0	0	2149	0	0	5579	0	2615
LANDSCAPING	0	0	7214	0	0	0	0	8777	0	0	0	0	0	10678	0
ROOF	0	0	0	0	18119	0	0	0	0	0	0	23843	0	0	0
			38382	19605	11895			18713		8508	23843	8495	56817		8063



S1

Signature Asbestos Site Survey
for
150 Childers Street, North Adelaide
Strata Corp # 3604



Inspection Details

Date of inspection: 20 September 2013

Inspector name: Rowan Gabb



150 Childers Street, North Adelaide

Rowan Gabb

S1

F5309086

150 Childers Street, North Adelaide

Dear Sir or Madam:

Our auditor has nominated this site as having Asbestos present in accordance with OHS regulations and guidelines. Assessment is based on the auditor's competency training and ongoing experience and current practices to ensure all OHS jurisdictions are captured.

Actions required are indicated on your Asbestos Hazard Assessment Summary Table. It is critical that all actions are planned immediately and should you require any assistance whatsoever, call our office on (03) 9854 7333.

You will receive an emailed file of the site specific "Asbestos Register" S2.1 in addition to this audit.

Further documents – the S2.2 Asbestos Hazard Site Pack and S3 Asbestos Management Plan, based on AS4801 OHS Management Systems – are vital documents where asbestos has been identified in a building.

The Asbestos Register and Asbestos Hazard Site Pack have been specifically designed to provide you and all persons involved with a simple, easy to use, yet **vigorous safety plan** to prevent an incident.

This report contains;

An Inspection Summary	Including the date and details of the person conducting this inspection, the location and condition of the Asbestos or ACM identified on site and a hazard assessment summary table.
Safety Information	Potential health risks to occupants of the building because of the presence of asbestos or ACM identified on site and an asbestos audit assessment table. While asbestos types or conditions etc. may be identified, all types will be assessed as a 'moderate risk' as per our risk assessment method.
Exclusions	General OHS and risk assessment is not included unless specifically chosen. Sampling and analysis. Inaccessible private lots Inaccessible areas (E.g. service shafts, equipment)
Assumptions	Where the material is suspect and cannot be tested for practical reasons, the material will be treated in all aspects as Asbestos.

This survey aims to prevent any person's unknowingly uncovering or causing damage to asbestos that may release airborne fibres, which would cause harm to themselves and others during such an incident. To meet your obligations there are four things that **MUST** be done:

1. Audit site to identify Asbestos
2. Install an asbestos hazard register accessible for each occupant and anyone entering the building to perform work
3. Warning labels and signage identifying the location of the asbestos need to be installed on site (by a competent person).



150 Childers Street, North Adelaide

Rowan Gabb

\$1

F5309086

4. Apply Asbestos Management Plan; to be made accessible on site for workers and others. The AMP details who is responsible to implement asbestos related safety controls and the control processes

Use this Asbestos Site Survey and the Asbestos Management Plan to properly and professionally ensure controls are implemented both at the site and when engaging contractors, thus capturing any activity that will be undertaken on-site. Furthermore, the asbestos management plan and comprehensive site controls will assist in the future identification of unforeseen asbestos in a work area (See regulation 422 of the Safe Work Australia).

150 Childers Street, North Adelaide

Rowan Gabb

FS309086

INSPECTION SUMMARY REPORT

Assessed by: Rowan Gabb

Assessment date: 20 September 2013

Review date: 1 year from assessment date

Reassess risk regularly, particularly when

- There is evidence that the risk assessment is no longer valid;
- A significant change is proposed in the work area (in place or in work practice);
- There is a change in the condition of the ACM;
- The ACM has been removed, enclosed or sealed.

ALL CONTRACTORS MUST SIGHT THIS ASBESTOS REGISTER PRIOR TO COMMENCEMENT OF WORKS

IMPORTANT – NATA testing records are to be kept with the Asbestos Hazard Register (where applicable)									
No	Photo	Location	Description/Type	Condition Good/Ave/poor	Friable/ Non- Friable?	Current Controls What controls are currently in place (including labelling)?	Risk Level High Med Low	Control Measure - Elimination - Substitution - Engineering/Isolation - Administrative - PPE	Sample No
All work on or near currently identified ACM must have Safe Work Practices applied (Refer to Safe Work Practices contained in S2.2 [Asbestos Site Hazard Pack] or S3 [Asbestos Management Plan])									
1.		Roof eaves throughout building.	External bonded cement sheeting suspected to contain asbestos	Good	NF	None	Mod	Administration/ PPE	N
2.		Staircase ceiling	External bonded cement sheeting suspected to contain asbestos	Good	NF	None	Mod	Administration/ PPE	N

150 Childers Street, North Adelaide

Rowan Gabb

FS309086

3.		Windows	Mastic used between bricks and window frame suspected to contain asbestos	Good	NF	None	Mod	Administration/ PPE	N
4.		Elec. Meter box	ACM backing and/or components such as Zelenite switchboard panel and/or electrical fuse housing.	Good	NF	None	Mod	Administration/ PPE	N
5.		Roof cavity	Suspected hazard from friable ACM such as ACM flues, fire-proofing or ACM cement sheeting and/or other unknown harmful fibres/dust.	Unknown	F	None	Mod (Min)	Administration/ PPE	N

Notes:

Friable ACM examples include: pipe lagging, boiler insulation, fire retardant material on steel work, sprayed insulation.

Non Friable ACM (usually bonded or mixed with cement or similar material and cannot be crumbled, pulverised or reduced to powder by hand pressure) examples include: asbestos cement sheet, asbestos cement moulded products, bitumen-based water proofing, vinyl floor tiles in good condition.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S1

MANAGEMENT OF ASBESTOS ON SITE

Priority Levels

The ultimate goal of the asbestos management and control regime is for all workplaces to be free from ACM. This goal will not be achieved overnight however, so it is important that all ACM be managed and controlled depending on the risk it poses. As such, in the Asbestos Site Survey, each item of presumed or confirmed ACM is given a ranking between 'critical' for a high risk incident, through to 'low risk', for a low risk of exposure. This illustrates how risk should be managed and controlled.

A site with ACM **must** have controls in place i.e. "Site Safety Register and Folder, Asbestos Register and Asbestos Hazard Site Pack"

Priority Ranking Level	Meaning & Recommended Control Measures
Critical Risk Immediate Removal Action Required	Based on the condition of the ACM there is an indication of an immediate or elevated health risk to workers. The ACM has been identified as High Risk, and cannot be controlled through enclosure, encapsulation or sealing. Access to the area containing the ACM should be restricted and the ACM should be safely removed immediately.
High Risk Plan for removal	Based on the condition of the ACM, the likelihood that it will be disturbed and the likelihood of a person being exposed to respirable asbestos fibres, the ACM poses a potential health risk to workers in their current state. This risk is determined as requiring immediate action of the preferred control measure - elimination. Immediate removal of the asbestos containing materials is recommended. Failing removal - control measures to stabilise and isolate the material from access by any non-essential workers with regular monitoring of the condition of the material is the minimum that would be acceptable, until asbestos removal can be arranged.
Moderate Risk Planned monitoring	Based on the condition of the ACM, the likelihood that it will be disturbed, and the likelihood of a person being exposed to respirable asbestos fibres, the ACM does not present an immediate health risk unless further disturbed. <u>Control measures must be implemented</u> to undertake any necessary repairs and maintenance and protect these materials from further damage, including installation of warning signs. Reassessment of this priority ranking should be undertaken when any change to the work environment or the work activity within the environment is planned.
Low Risk	Products or bonded ACM that pose low health risk to workers. This material is currently undamaged, stable, non-friable, within a low assessable area. Control measures to protect these materials from damage would include identifying materials with warning signs and providing asbestos awareness instruction to workers by way of workplace training. Reassessment of this priority rating should be undertaken when any change to the work environment or the work activity within the environment is planned. E.g. low probability of disruption e.g. a well secured eave boards.



150 Childers Street, North Adelaide

Rowan Gabb

S1

FS309086

REPORT NOTES

Asbestos is more vulnerable to damage and more likely to release airborne asbestos fibres than others, however in general, the materials which contain a high percentage of asbestos with less bonding agent are more easily damaged. For example, asbestos insulation and lagging can contain up to 85% asbestos and are likely to release fibres. In comparison, AC contains only 10-15% asbestos and as it is tightly bound, the material will only give off fibres if it is badly damaged, broken or is worked on.

No matter which priority level the asbestos has been indicated in your risk assessment, should any renovation, maintenance or demolition work involving asbestos or asbestos related materials (ACM) be planned, please ensure the persons involved can confirm their ability and intention to comply with the requirements for how to safely remove asbestos from relevant state or Territory authority or Safety Australia – see Safe Work Practices in S2.2 Asbestos Hazard Site Pack and S3 Asbestos Management Plan.

Report Limitations

This is a 'Common Areas Workplace Survey' and is designed to meet the specific needs of Strata Plan and associated Owners Corporation management. Areas inspected do not include private property, e.g. balconies and inside individual units as the owner of a private dwelling is not required to comply with the regulation.

It is not always possible to view all areas of the building as access is not physically possible and/or would involve a demolition or partial demolition, or work from ladders. As Audit inspectors perform all on-site inspections alone, working at heights cannot be achieved. As a general guide, Asbestos Containing Materials (ACM) if stable and inaccessible should be left in situ until demolition, partial demolition or renovation. Where in situ asbestos materials are in a stable condition, but accessible, they should be controlled appropriately through encapsulation, sealing, enclosure or removal. However, ACM that is friable, poorly bonded or in an unstable condition, must be removed. Please note that if ACM is to be removed, removal must be done in accordance with the Safe Removal of Asbestos Code of Practice.

Where access was unavailable to the roof, the survey inspector uses aerial photos, information from the on-site inspection and experience to assess the age of the building to establish the materials used. Thus, the presence of Asbestos Containing Material on the roof and out buildings etc. may not be applicable.

Access Limitations

- In some instances, ACM may be present in areas that cannot be accessed without implementing destructive sampling techniques. As such, it may not be possible to positively identify the presence of all ACM on the property. Where there is reason to suspect ACM in areas which cannot be inspected, we will presume it to be present and recommend that appropriate measures be taken.

Sampling

- Only laboratory analysis of samples of the particular material can conclusively establish the presence, type, and proportion of asbestos. Samples of paint, insulation material and



150 Childers Street, North Adelaide

Rowan Gabb

S1

F5309086

other building materials are taken and subjected to tests by an independent testing company's such as Identifibre.

The audit company cannot conclusively assess the presence or absence of Asbestos and will rely on the results of these independent tests (where conducted). Focus Fire and Safety will forward to the manager a copy of the Asbestos Site Survey and any report or findings of the independent testing agency gathered.

If it is unreasonable to collect sample material due to inaccessibility or the potential to cause damage to the area making the release of airborne asbestos fibres more likely, our safety protocol demands (as does mandatory regulations) that the audit inspector, as a competent person, presumes the presence of asbestos, or asbestos containing materials based on their observations and experience, and that their presumption requires the steps for asbestos safety compliance to be met by all person(s) in control of the work space.

Such areas that may require the audit inspector to make informed presumptions about the likelihood of the presence of asbestos or ACM include:

- Wall cavities
- Beneath floor coverings
- Penetrations in solid wall cavities and concrete floor slabs
- Pipework in wall cavities
- Heater banks in air conditioning ductwork
- Fire doors
- Inaccessible service ducts/risers
- Lift shafts
- Underground piping
- Roofing

NEW LAWS: January 2013 as per **Safe Work Australia** bulletin

HARMONISED HEALTH AND SAFETY LAWS apply to Asbestos

The Commonwealth and each state and territory government have agreed to harmonise their work health and safety laws, including Regulations and Codes of Practice.

The Commonwealth and each state and territory will be required to enact laws that reflect the model work health and safety laws by the end of December 2012. The laws will be adopted by QLD and NSW to commence on 1 January 2012 and SA no later than January 2013, VIC has delayed adoption of harmonised WHS legislation for 12 months.

Model Codes of Practice are being developed and implemented at the same time as the model WHS Regulations. This survey meets the standards for compliance as detailed in the model Code of Practice for 'How to Manage and Control Asbestos in the Workplace' and more importantly applies Risk Assessment principles based on AS 4801.

INFORMATION FOR TENANTS, OWNERS AND TRADESPERSONS

Asbestos is a fibrous mineral which was used extensively in buildings, primarily for its heat-resistant and bonding qualities. The inhalation of airborne asbestos fibres has been linked to a number of respiratory diseases, including asbestosis, mesothelioma and lung cancer.



150 Childers Street, North Adelaide

Rowan Gabb

S1

F5309086

These fibres are released and become airborne from loose ("friable") asbestos and from bonded asbestos in ACM when it is damaged or disturbed.

Materials containing asbestos were used extensively in many buildings until the late 1980s and less frequently thereafter until the 31st December, 2003, when they were banned from use in Victoria due to the health risks their use poses. Since the ban on asbestos in 2003, workers are now most likely to be exposed to airborne asbestos fibres during removal, demolition and maintenance work involving ACM.

As buildings containing asbestos age and are maintained, remodelled or demolished, the potential for exposure to asbestos fibres increases for workers and members of the public. For this reason, requirements for managing and removing asbestos and ACM have been introduced.

As a basic guide, tenants and owners can manage the risks of asbestos by:

- Being aware of what asbestos is and where it can be found;
- Having suspicious materials sampled and tested by a competent person and by treating suspicious materials as though they are asbestos;
- Being aware of the responsibilities of clients (Which can include householders and renovators) and the responsibilities of asbestos removalists under relevant legislation (see below);
- Ensuring that work involving the removal of 10 or more square metres of bonded asbestos is carried out by a licensed asbestos removalist;
- Ensuring the work involving the removal of any amount of friable asbestos is carried out by a licensed asbestos removalist;
- Ensuring that any work carried out on asbestos is carried out in accordance with the relevant legislation (see below).

Asbestos is typically found:

Asbestos was typically used in fibro roofs, walls and soffits as well as in 'wet' areas such as kitchens, bathrooms and laundries. Asbestos cement can also be found in flat, profiled, corrugated and compressed sheets, shingles, weatherboards, rigid board insulation and many building products including flue pipes and guttering. An extensive list of examples of ACM is available and can be found on all state and safe work Australia websites.

Second hand materials, or products containing asbestos, can also have been installed or used after asbestos was banned and may still be found in newer buildings.

How is asbestos identified?

In the majority of ACM, asbestos is mixed with other substances on a microscopic level (such as with cement in asbestos cement sheeting) and is indistinguishable from non-ACM. As such, it is often difficult to conclusively determine whether or not a material contains asbestos by sight. Experienced and competent inspectors will be able to identify suspect materials based on their age, location, purpose, use and a range of other indicative factors.

The way to be certain that a material contains asbestos is to have a sample analysed by a laboratory. Unfortunately, taking samples of suspect material is both a hazardous and expensive process. Due to the cost and risk involved in sampling suspect material, the *Managing Asbestos in Workplaces Compliance Code 2008* recommends that, in most



150 Childers Street, North Adelaide

Rowan Gabb

S1

F5309086

cases, suspect materials be 'assumed' to contain asbestos. Once a material is assumed to contain asbestos, it must be treated exactly like all other ACM.

What law applies?

Occupational health and safety legislation throughout Australia provides specific guidelines for the regulation of asbestos related risks in places where people may work. The legislation places legal obligations on certain people and details the requirements that must be complied with. To discharge your occupational health and safety obligations with regard to asbestos, you must comply with the relevant OHS act in each State and Territory in line with the *Australian Work Health and Safety Strategy 2012-2022*

- During Harmonisation transition, reference to state and territory Acts and regulations including licenses and codes of practice is required

What you must do

If the Regulations or a compliance code describe how to prevent or minimise an asbestos related risk at your workplace, you must comply with that regulation or compliance code. If there is no regulation or compliance code relevant to a risk at your workplace, you must choose an appropriate way to manage exposure to the risk. Obligation holders must, where there is no regulation or compliance code about a risk, take reasonable precautions and exercise proper diligence to manage the risk.

Register of ACM

An asbestos register is required in all jurisdictions.

The person who has management or control of a workplace must record in an asbestos register the results of the asbestos identification for materials which they have management or control over. Any employer at the workplace must also record in an asbestos register the results of the asbestos identification for materials they have management or control over. This may include an item such as a machine they brought to the workplace that has an asbestos-containing brake.

Therefore, in some circumstances, there will be two separate asbestos registers relating to the same workplace. The employer's asbestos register should include the register created by the person who has management or control of the workplace. Where the person who has management or control of the workplace and the employer in the workplace is the same person, one asbestos register covering both duties would be sufficient.

There is no mandatory format for the asbestos register. However, it must be current and should include the following information:



150 Childers Street, North Adelaide

Rowan Gabb

S1

F5309086

- Location of the asbestos;
- Likely source of unfixed or uninstalled asbestos;
- Type of ACM;
- Whether the asbestos is friable or non-friable;
- Condition of the ACM;
- Whether the ACM is likely to be damaged or disturbed;
- Details of all inaccessible areas likely to contain asbestos;
- Detailed information about activities carried out in the workplace that are likely to disturb the asbestos;
- Dates when the identification and risk assessments were done.
- It is suggested the register also contain a copy of all reports of analysed samples conducted by NATA-approved laboratories.
- The asbestos register must be kept current by including:
 - Any change in the condition of ACM, such as damage or deterioration from exposure to weather, substances or impacts.
 - Details of ACM that has been removed, enclosed or sealed (and preferably by whom and when).
 - Details of recent identification of asbestos that was previously not identified.

The person with management or control must keep the current asbestos register for the workplace, but the old versions do not legally need to be kept. However, keeping old versions of asbestos registers and clearance certificates will ensure that a record is kept of the asbestos that has been identified in the workplace. When relinquishing management or control of a workplace, employers must provide a copy of the current asbestos register to the person who is taking over management or control (if there is such a person).

Annual Re-assessment

It is necessary to check the condition of the asbestos and ACM on the property, on a regular basis to ensure that any deterioration and/or alteration of such material or the environment in which it is located, is identified and addressed. Changes to the asbestos and ACM on the property will require an update to the Asbestos Register and changes to the Asbestos Management Plan to ensure that the property remains free of associated risks to health and safety.



S2

A handwritten signature consisting of three stylized, overlapping 'S' characters, positioned above a solid black rectangular box.

Signature Asbestos Register S2.1

for

150 Childers Street, North Adelaide

Strata Corp # 3604



Inspection Details

Date of inspection: 20 September 2013

Inspector name: Rowan Gabb

**This Site Specific Asbestos Register should be referenced in conjunction
with the Asbestos Management Plan**

TABLE OF CONTENTS

THIS REGISTER CONTAINS	3
HOW TO USE THE REGISTER	3
ASBESTOS HAZARD ASSESSMENT SUMMARY TABLE	4
MANAGEMENT OF ASBESTOS ON SITE	6
Priority Levels.....	6
Register Limitations	7
Access Limitations.....	7
Sampling.....	7
NEW LAWS January 2013 as per Safe Work Australia bulletin.....	8
HARMONISED HEALTH AND SAFETY LAWS apply to Asbestos	8
Information for Tenants, Owners and Tradespersons.....	8
Asbestos is typically found:.....	9
How is asbestos identified?	9
Photographic examples of asbestos:	10
What law applies?.....	12
What you must do:	13
Register of ACM	13
Insurance and litigation	14
Annual Re-assessment	14



150 Childers Street, North Adelaide

Rowan Gabb

FS309086 2.1

S2

THIS REGISTER CONTAINS

1. The table of the survey indicating the location and condition of the Asbestos or ACM identified on site including:
 - a. a Hazard Assessment conducted on the date this register was prepared;
 - b. an Asbestos Hazard Register;
 - c. background information on the identification of Asbestos and where it can be found
 - d. photographic examples of Asbestos Containing Materials
 - e. information on the law, insurance and other legal matters
2. An Asbestos Hazard Site Pack including:
 - a. Site Entry Permit,
 - b. Safe Method Work Statement / Job Safety Analysis Worksheet
 - c. Recommended safe working practices for:
 - Drilling for asbestos containing material
 - Sealing, painting, coating and cleaning of asbestos cement products
 - Cleaning leaf litter from gutters of asbestos cement roofs
 - Replace cabling in asbestos cement conduits or boxes
 - Working on electrical mounting boards (switchboards) containing asbestos

AND information on

- Where you are likely to find asbestos
- Photos of asbestos containing materials

HOW TO USE THE REGISTER

All persons **MUST** use the register and controls by completing the work safe permit thus demonstrating their safety skill set and understand where the location of the asbestos containing materials are on site.

Each person must conduct a risk assessment to determine if his or her work can be undertaken without disturbing the asbestos identified on site.

- If work can be safely undertaken, all asbestos related work should be recorded, in the Asbestos Hazard Site Pack provided,
- If it is unsafe to continue work, due to the potential release of asbestos fibre, the persons conducting the work **MUST STOP** and immediately contact the manager in control,

Should any renovation, maintenance or demolition work involving asbestos or asbestos related materials (ACM) be planned, persons involved must comply with all mandatory and site management protocols.

ASBESTOS HAZARD ASSESSMENT SUMMARY TABLE

Assessed by: Rowan Gabb
Assessment date: 20 September 2013
Review date: 1 year from assessment date

Reassess risk regularly, particularly when

- There is evidence that the risk assessment is no longer valid;
- A significant change is proposed in the work area (in place or in work practice);
- There is a change in the condition of the ACM;
- The ACM has been removed, enclosed or sealed.

ALL CONTRACTORS MUST SIGHT THIS ASBESTOS REGISTER PRIOR TO COMMENCEMENT OF WORKS

IMPORTANT – NATA testing records are to be kept with the Asbestos Hazard Register (where applicable)									
No	Photo	Location	Description/Type	Condition Good/Ave/poor	Friable/ Non- Friable?	Current Controls What controls are currently in place (including labelling)?	Risk Level High Med Low	Control Measure - Elimination - Substitution - Engineering/Isolation - Administrative - PPE	Sample No
All work on or near currently identified ACM must have Safe Work Practices applied (Refer to Safe Work Practices contained in S2.2 [Asbestos Site Hazard Pack] or S3 [Asbestos Management Plan])									
1.		Roof eaves throughout building.	External bonded cement sheeting suspected to contain asbestos	Good	NF	None	Mod	Administration/ PPE	N
2.		Staircase ceiling	External bonded cement sheeting suspected to contain asbestos	Good	NF	None	Mod	Administration/ PPE	N

3.		Windows	Mastic used between bricks and window frame suspected to contain asbestos	Good	NF	None	Mod	Administration/ PPE	N
4.		Elec. Meter box	ACM backing and/or components such as Zelemite switchboard panel and/or electrical fuse housing.	Good	NF	None	Mod	Administration/ PPE	N
5.		Roof cavity	Suspected hazard from friable ACM such as ACM flues, fire-proofing or ACM cement sheeting and/or other unknown harmful fibres/dust.	Unknown	F	None	Mod (Min)	Administration/ PPE	N

Notes:

Friable ACM examples include: pipe lagging, boiler insulation, fire retardant material on steel work, sprayed insulation.

Non Friable ACM (usually bonded or mixed with cement or similar material and cannot be crumbled, pulverised or reduced to powder by hand pressure) examples include: asbestos cement sheet, asbestos cement moulded products, bitumen-based water proofing, vinyl floor tiles in good condition.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086 2.1

S2

MANAGEMENT OF ASBESTOS ON SITE

Priority Levels

The ultimate goal of the asbestos management and control regime is for all workplaces to be free from ACM. This goal will not be achieved overnight, however, so it is important that all ACM be managed and controlled depending on the risk it poses. As such, in the Asbestos Site Survey, each item of presumed or confirmed ACM is given a priority ranking between "critical" for a high risk incidence through to "low risk" ranking for a low risk of exposure. This indicates how it should be managed. The different Priority Levels are explained below.

A site with ACM **must** have controls in place i.e. "Site Safety register and Folder, Asbestos Register and Asbestos Hazard Site Pack"

Priority Ranking Level	Meaning & Recommended Control Measures
Critical Risk Immediate Removal Action Required	Based on the condition of the ACM there is an indication of an immediate or elevated health risk to workers. The ACM has been identified as High Risk, and cannot be controlled through enclosure, encapsulation or sealing. Access to the area containing the ACM should be restricted and the ACM should be safely removed immediately.
High Risk Plan for removal	Based on the condition of the ACM, the likelihood that it will be disturbed and the likelihood of a person being exposed to respirable asbestos fibres, the ACM poses a potential health risk to workers in their current state. This risk is determined as requiring immediate action of the preferred control measure - elimination. Immediate removal of the asbestos containing materials is recommended. Failing removal - control measures to stabilise and isolate the material from access by any non-essential workers with regular monitoring of the condition of the material is the minimum that would be acceptable, until asbestos removal can be arranged.
Moderate Risk, Planned monitoring	Based on the condition of the ACM, the likelihood that it will be disturbed, and the likelihood of a person being exposed to respirable asbestos fibres, the ACM does not present an immediate health risk unless further disturbed. <u>Control measures must be implemented</u> to undertake any necessary repairs and maintenance and protect these materials from further damage, including installation of warning signs. Reassessment of this priority ranking should be undertaken when any change to the work environment or the work activity within the environment is planned.
Low Risk	Products or bonded ACM that pose low health risk to workers. This material is currently undamaged, stable, non-friable, within a low assessable area. Control measures to protect these materials from damage would include identifying materials with warning signs and providing asbestos awareness instruction to workers by way of workplace training. Reassessment of this priority rating should be undertaken when any change to the work environment or the work activity within the environment is planned. E.g. low probability of disruption e.g. a well secured eave boards.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086 2.1

S2

Register Limitations

The Asbestos Site Survey is designed to meet the specific needs of Strata Plan and associated Owners Corporations and areas inspected do not include private property, e.g. balconies and inside individual units as the Owner of a private dwelling is not required to comply with the regulation.

It is not always possible to view all areas of the building as access is not physically possible and or would involve the demolition or partial demolition, or work off ladders. As Focus Fire and Safety inspectors perform all on site inspections alone, they are unable to meet the legislative obligations for OH & S with regard to these activities.

As a general guide, Asbestos Containing Materials (ACM), if stable and inaccessible, should be left in situ until demolition, partial demolition or renovation. Where in situ asbestos materials are in a stable condition, but accessible, they should be controlled appropriately through encapsulation, sealing, enclosure or removal. However, ACM that is friable, poorly bonded or in an unstable condition, must be removed. Please note that if ACM is to be removed, removal must be done in accordance with the Safe Removal of Asbestos Code Of Practice.

Where access was unavailable to the roof we have used the latest available aerial photos, coupled with information from the on-site inspection and additional information we have obtained regarding the materials used, in order to make the determinations within this report. If the roof has been changed since the date of the aerial photo then the recommendations regarding the presence of Asbestos Containing Material on the roof may not be applicable.

Access Limitations

In some instances, ACM may be present in areas that cannot be accessed without implementing destructive sampling techniques. As such, it may not be possible to positively identify the presence of all ACM on the property. Where there is reason to suspect ACM in areas that cannot be inspected, we will presume it to be present and recommend that appropriate measures be taken.

Sampling

Only laboratory analysis of samples of the particular material can conclusively identify the presence, type, and proportion of asbestos. Samples of paint, insulation material and other building materials are taken and subjected to tests by an independent testing agency.

Focus Fire and Safety cannot conclusively assess the presence or absence of Asbestos and rely on the results of these independent tests (where conducted). Focus Fire and Safety will forward to the recipient of the Asbestos Site Survey any report or findings of the independent testing agency, in the form provided by the independent testing agency, when they become available.

If it is unreasonable to collect sample material, due to accessibility or potential to cause damage to the area, making the release of airborne asbestos fibres more likely, the law specifies that our inspector, as a competent person, can presume the presence of asbestos, or asbestos containing materials based on their observations and experience, and that their presumption requires the steps for asbestos safety compliance to be met by the person in control of that workplace.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086 2.1

S2

Such areas that may require our inspector to make informed presumptions about the likelihood of the presence of asbestos or ACM include:

- Roof cavities
- Wall cavities
- Sub floor
- Plant and equipment inner linings/gaskets
- Painted and coated fencing
- Electrical installations
- Beneath floor coverings
- Penetrations in solid wall cavities and concrete floor slabs
- Pipework in wall cavities
- Heater banks in air conditioning ductwork
- Fire doors
- Inaccessible service ducts/risers
- Lift shafts
- Underground piping etc.

NEW LAWS January 2013 as per Safe Work Australia bulletin

HARMONISED HEALTH AND SAFETY LAWS apply to Asbestos

The Commonwealth and each state and territory government have agreed to harmonise their work health and safety laws, including Regulations and Codes of Practice.

The Commonwealth and each state and territory will be required to enact laws that reflect the model work health and safety laws by the end of December 2012. The laws will be adopted by QLD and NSW to commence on 1 January 2012 and SA no later than January 2013, VIC has delayed adoption of harmonised WHS legislation for 12 months.

Model Codes of Practice are being developed and implemented at the same time as the model WHS Regulations. This survey meets the standards for compliance as detailed in the model Code of Practice for 'How to Manage and Control Asbestos in the Workplace' and more importantly applies Risk Assessment principles based on AS 4801.

Information for Tenants, Owners and Tradespersons

Asbestos is a fibrous mineral, which was used extensively in buildings, primarily for its heat-resistant and bonding qualities. The inhalation of airborne asbestos fibres has been linked to a number of respiratory diseases, including asbestosis, mesothelioma and lung cancer. These fibres are released and become airborne from loose ('friable') asbestos and from bonded asbestos in ACM when it is damaged or disturbed.

Materials containing asbestos were used extensively in many buildings until the late 1980s and less frequently thereafter until the 31st December, 2003, when they were banned from use in Victoria due to the health risks their use poses. Since the ban on asbestos in 2003, workers are now most likely to be exposed to airborne asbestos fibres during removal, demolition and maintenance work involving ACM.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086 2.1

S2

Materials containing asbestos were used extensively in many buildings until the late 1980s and less frequently thereafter until the 31st December, 2003, when they were banned from use in Victoria due to the health risks their use poses. Since the ban on asbestos in 2003, workers are now most likely to be exposed to airborne asbestos fibres during removal, demolition and maintenance work involving ACM.

As buildings containing asbestos age and are maintained, remodelled or demolished, the potential for exposure to asbestos fibres increases for workers and members of the public. For this reason, requirements for managing and removing asbestos and ACM have been introduced.

As a basic guide, tenants and owners can manage the risks of asbestos by:

- Being aware of what asbestos is and where it can be found;
- Having suspicious materials sampled and tested by a competent person and by treating suspicious materials as though they are asbestos;
- Being aware of the responsibilities of clients (Which can include householders and renovators) and the responsibilities of asbestos removalists under relevant legislation (see below);
- Ensuring that work involving the removal of 10 or more square metres of bonded asbestos is carried out by a licensed asbestos removalist;
- Ensuring the work involving the removal of any amount of friable asbestos is carried out by a licensed asbestos removalist;
- Ensuring that any work carried out on asbestos is carried out in accordance with the relevant legislation (see below).

Asbestos is typically found:

Asbestos was typically used in fibro roofs, walls and soffits as well as in 'wet' areas such as kitchens, bathrooms and laundries. Asbestos cement can also be found in flat, profiled, corrugated and compressed sheets, shingles, weatherboards, rigid board insulation and many building products including flue pipes and guttering. An extensive list of examples of ACM is available and can be found on all state and safe work Australia websites.

Second hand materials, or products containing asbestos, can also have been installed or used after asbestos was banned and may still be found in newer buildings.

How is asbestos identified?

In the majority of ACM, asbestos is mixed with other substances on a microscopic level (such as with cement in asbestos cement sheeting) and is indistinguishable from non-ACM. As such, it is often difficult to conclusively determine whether or not a material contains asbestos by sight. Experienced and competent inspectors will be able to identify suspect materials based on their age, location, purpose, use and a range of other indicative factors.

The way to be certain that a material contains asbestos is to have a sample analysed by a laboratory. Unfortunately, taking samples of suspect material is both a hazardous and expensive process. Due to the cost and risk involved in sampling suspect material, the *Managing Asbestos in Workplaces Compliance Code 2008* recommends that, in most cases, suspect materials be 'assumed' to contain asbestos. Once a material is assumed to contain asbestos, it must be treated exactly like all other ACM.

Photographic examples of asbestos¹:



Figure 2: Saw-tooth design roof with corrugated asbestos cement roof sheets.




Figure 3: Corrugated asbestos cement roof sheets.



Figure 4: Corrugated asbestos cement roof sheets.



Figure 5: Underside of an asbestos cement sheet roof.



Figure 6: Vinyl tiles containing asbestos.



Figure 7: Asbestos-containing gasket.

¹ Asbestos - A Handbook for Workplaces, WorkSafe Victoria




Figure 8: Damaged and exposed pipe wrapped with asbestos lagging.




Figure 9: Labelled pipe wrapped in asbestos lagging.



Figure 10: Exposed asbestos lagging on pipe.




Figure 11: Sprayed asbestos.



Figure 12: Deteriorated asbestos-containing mastic between window frame and bricks.



Figure 13: Fire-rated door containing asbestos.



Figure 14: Asbestos rope seal in duct join with close-up inset.




Figure 15: Detached asbestos rope seal and remnant debris on duct.



Figure 16: Asbestos-containing zirconite electrical switchboard panel.




Figure 17: Friable asbestos insulation in an electrical fuse housing.



Figure 18: Unfixed asbestos lagging from a pipe.




Figure 19: These pieces of broken asbestos cement sheet are not fixed or installed.

What law applies?

Occupational health and safety legislation throughout Australia provides specific guidelines for the regulation of asbestos related risks in places where people may work. The legislation places legal obligations on certain people and details the requirements that must be complied with. To discharge your occupational health and safety obligations with regard to



150 Childers Street, North Adelaide

Rowan Gabb

FS309086 2.1

S2

asbestos, you must comply with the relevant OHS act in each State and Territory in line with the *Australian Work Health and Safety Strategy 2012-2022*

- During Harmonisation transition, reference to state and territory Acts and regulations including licenses and codes of practice is required

What you must do:

If the Regulations or a compliance code describe how to prevent or minimise an asbestos related risk at your workplace, you must comply with that regulation or compliance code. If there is no regulation or compliance code relevant to a risk at your workplace, you must choose an appropriate way to manage exposure to the risk. Obligation holders must, where there is no regulation or compliance code about a risk, take reasonable precautions and exercise proper diligence to manage the risk.

Register of ACM

An asbestos register is required in all jurisdictions.

The person who has management or control of a workplace must record in an asbestos register the results of the asbestos identification for materials, which they have management or control over. Any employer at the workplace must also record in an asbestos register the results of the asbestos identification for materials they have management or control over. This may include an item such as a machine they brought to the workplace that has an asbestos-containing brake.

Therefore, in some circumstances, there will be two separate asbestos registers relating to the same workplace. The employer's asbestos register should include the register created by the person who has management or control of the workplace. Where the person who has management or control of the workplace and the employer in the workplace is the same person, one asbestos register covering both duties would be sufficient.

There is no mandatory format for the asbestos register. However, it must be current and should include the following information:

- Location of the asbestos;
- Likely source of unfixed or uninstalled asbestos;
- Type of ACM;
- Whether the asbestos is friable or non-friable;
- Condition of the ACM;
- Whether the ACM is likely to be damaged or disturbed;
- Details of all inaccessible areas likely to contain asbestos;
- Detailed information about activities carried out in the workplace that are likely to disturb the asbestos;
- Dates when the identification and risk assessments were done.
- It is suggested the register also contain a copy of all reports of analysed samples conducted by NATA-approved laboratories.
- The asbestos register must be kept current by including:
 - Any change in the condition of ACM, such as damage or deterioration from exposure to weather, substances or impacts.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086 2.1

S2

- Details of ACM that has been removed enclosed or sealed (and preferably by whom and when).
- Details of recent identification of asbestos that was previously not identified.

Insurance and litigation

The person with management or control must keep the current asbestos register for the workplace, but the old versions do not legally need to be kept. However, keeping old versions of asbestos registers and clearance certificates will ensure that a record is kept of the asbestos that has been identified in the workplace. When relinquishing management or control of a workplace, employers must provide a copy of the current asbestos register to the person who is taking over management or control (if there is such a person).

Annual Re-assessment

It is necessary to check the condition of the asbestos and ACM on the property, on a regular basis to ensure that any deterioration and/or alteration of such material or the environment in which it is located is identified and addressed. Changes to the asbestos and ACM on the property will require an update to the Asbestos Register and changes to the Asbestos Management Plan to ensure that the property remains free of associated risks to health and safety.



S3

SSS

Signature Asbestos Management Plan (AMP)

for

150 Childers Street, North Adelaide

Strata Corp # 3604



Inspection Details

Date of inspection: 20 September 2013

Inspector name: Rowan Gabb



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

SAFETY ACTION PLAN (ASBESTOS)

THIS PLAN IS TO BE ENDORSED AND ACCEPTED BY OWNERS AND MANAGERS IN CONTROL OF THE SPACE AS DESCRIBED IN REPORTS

To this end the responsible persons namely, managers and owners giving managers authority to act, is to sign this Safety Action Plan (SAP) as is, or an edited version. Signing accepts that not only is plan acceptable, but all processes and protocols will be actively adopted, periodically checked and measured to ensure contents meets highest controls for managing the **HAZARDS**.

STRATEGIC SAFETY POLICY TO BE ADOPTED IS – “STOP WORK”

It is to be communicated through all instructions that any persons unsure about work safety processes MUST immediately “STOP WORK” and call management for instructions on whether to proceed or not.

Site Safety Protocols

The Safety Management Plan and Asbestos Hazard Register MUST be displayed at the property to ensure it is clearly available for all persons including employees, contractors or visitors.

Critical statement

It is imperative that all persons associated with this site understand without exception they have full responsibility, regardless of commercial agreements or chain of authority.

Mandatory Management tasks under this Plan

Step 1 - Site Set up

- Identify asbestos on site
- Prepare an asbestos register
- Display register on site – clearly available
- Ensure Attendance Register is available to record site activity and used as a control for contractor management
- Provide a Contractor Management process
- Review and continuance

Step 2 - Communication

- The content of this SAP needs to be communicated to contractors and others so that they are fully aware of hazards and do not disturb any asbestos on site. Work order requests MUST provide alerts to all contractors re access to the SAP and Asbestos Hazard Register on site.



150 Childers Street, North Adelaide

Rowan Gabb

F5309086

S3

Step 3 - Responsible Persons

- The SAP includes a table to record contact details for responsible people, ie "Duty of Care Stakeholders".
- It is important that there is at least one, preferably two, names on the Duty of Care Stakeholders table in the SAP - the manager in control with full details, and a committee representative nominated as a secondary contact.
- The contact person needs to instruct the caller to follow the control measures in place within the SAP and record same.
- Should no contact be available the "STOP WORK " policy applies

Step 4 - Implementation of Control Measures identified in the Asbestos Site Survey by contractors

- Refer to the Asbestos Hazard Assessment Summary Table within this AMP.
- Review the risk and control measures that have been recommended.
- Follow the advice within the SAP / AMP and ensure that the control measures are adequately implemented.
- Sign in the Attendance Register noting full understanding of protocols and read and sign the Site Entry Permit acknowledging safety methods will be followed.

Step 5 - Review and update the Asbestos Register and the SAP as necessary

An annual reassessment may be required (including a review of both documents and the condition of the asbestos on site) as it is necessary to check the condition of the asbestos and ACM on the property, on a regular basis. This is to ensure that any deterioration and / or alteration of such material or the environment in which it is located is identified and addressed.

Changes to the asbestos and ACM on the property will require an update to the Asbestos Hazard Register and changes to the Asbestos Management Plan to ensure that the property remains free of associated risks to health and safety.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

DATE 20 September 2013

The Owners Corporation

Dear Sir/Madam,

Re: Positive identification of asbestos

This plan has been developed following the positive identification of asbestos or asbestos containing materials at your common area/workplace and is to be referenced in conjunction with the common area/workplace Asbestos Hazard Register.

This plan must be implemented, reviewed and maintained to ensure the information and guidance it provides is up to date and it must be readily assessable for workers and contractors on site. We recommend a copy of this plan is kept at the common area/workplace for this purpose.

Throughout the plan the word 'should' is used to indicate a recommended course of action, while 'may' is used to indicate an optional course of action.

This plan includes various references to the provisions of OHS nationally and includes the OHS Act 2004 and OHS Regulations 2007, which set out the legal requirements applicable in Victoria. The words 'must', 'requires' or 'mandatory' indicate that a legal requirement exists and must be complied with.

To meet duty of care it should be recognized that the courts may apply standards and practices commonly used that could well be above existing state legislation. In this light, our safety philosophy and subsequent policies always address this eventuality. To this end our company applies current professional Risk Management practices.

Sincerely,

A handwritten signature in black ink, appearing to read "Nicola F. Lina".



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

TABLE OF CONTENTS

SECTION 1	7
1. Introduction	7
<i>Health risks of asbestos</i>	7
<i>Asbestos is typically found</i>	7
<i>How is asbestos identified?</i>	8
<i>Legislative Requirements</i>	8
<i>Definitions</i>	9
<i>The Scope of an Action / Management Plan</i>	11
<i>Objectives of The Safety Action Plan</i>	11
2. Responsibilities	11
<i>Owners Corporations</i>	11
3. What needs to be done to implement this Plan? Consultation & Communication	11
<i>Who needs to be consulted?</i>	11
<i>What does consultation include?</i>	11
<i>To meet these obligations;</i>	12
<i>Indicating the Presence of Asbestos in the Common Area / Workplace</i>	12
<i>Location</i>	12
<i>Labelling</i>	13
<i>Managing Risk and Deciding on Control Measures</i>	13
<i>Risk and Hazard Ranking</i>	13
<i>Priority Levels</i>	13
4. Control Measures	17
<i>Implementing the control measures</i>	17
<i>Removing the asbestos</i>	17
<i>Leaving asbestos in situ</i>	17
<i>Checklist</i>	18
5. Plan Review	18
<i>Asbestos Management Plan process audit</i>	18
<i>Why review this plan annually?</i>	18
5. How we Manage Incidents	19
6. What do we do in an Emergency?	19
7. Non-Conformance and Corrective Action	19
8. Contractor Compliance	19
SECTION 2	20
Practical Guidelines Removing Asbestos	20
<i>Friable asbestos</i>	20
<i>Non-friable asbestos</i>	20
<i>Asbestos removal work that does not require a licence</i>	20
<i>Enclosing Asbestos (encapsulation)</i>	21
<i>What is encapsulation?</i>	21



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

<i>Encapsulating asbestos as a control measure – an example</i>	21
<i>Sealing Asbestos</i>	22
<i>What is sealing?</i>	22
<i>Sealing asbestos as a control measure – an example</i>	23
<i>Safe Work Practices</i>	23
<i>Tools and Equipment</i>	23
<i>Asbestos vacuum cleaners</i>	24
<i>Personal Protective Equipment</i>	24
<i>Coveralls</i>	25
<i>Footwear and gloves</i>	25
<i>Respiratory protective equipment (RPE)</i>	25
<i>Cleaning up</i>	26
<i>Managing naturally occurring asbestos</i>	26
<i>Maintenance and service work</i>	26
SAFE WORK PRACTICES	28
Safe Work Practice – Drilling Of Asbestos Containing Materials.....	28
Safe Work Practice 2 – Sealing, Painting, Coating And Cleaning Of Asbestos-Cement Products.....	30
Safe Work Practice 3 – Cement Roofs – Cleaning Leaf Litter From Gutters Of Asbestos.....	31
Safe Work Practice 4 – Replace Cabling In Asbestos Cement Conduits.....	32
Safe Work Practices 5 – Working on Electrical Mounting Boards Containing Asbestos.....	33
INCIDENT REPORT FORM	35
DUTY OF CARE STAKEHOLDER DETAILS	36
REPORT LIMITATIONS	37
MATERIAL SAMPLING AND ANALYSIS	37
ACCESS LIMITATIONS FOR SAMPLING	37
ABBREVIATIONS	38
PRIORITY LEVELS	38



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

SECTION 1

1. Introduction

The Owners Corporation is committed to the preparation and maintenance of a Safety Management Plan - Asbestos - to manage and control the asbestos and asbestos containing materials (ACM) identified in the workplace. This SAP shall be reviewed at least annually, and if necessary revised. Revisions need to be recorded in the associated asbestos document management control register and necessary updates made to the Asbestos Hazard Register.

Health risks of asbestos

Asbestos is a fibrous mineral, which was used extensively in buildings, primarily for its heat-resistant and bonding qualities. The inhalation of airborne asbestos fibres has been linked to a number of respiratory diseases, including asbestosis, mesothelioma and lung cancer. These fibres are released and become airborne from loose (Friable) asbestos and from bonded asbestos in ACM when it is damaged or disturbed.

Materials containing asbestos were used extensively in many buildings until the late 1980s and less frequently thereafter until 31st December, 2003, when they were banned from use in Victoria due to the health risks their use poses. Since the ban on asbestos in 2003, workers are now most likely to be exposed to airborne asbestos fibres during removal, demolition and maintenance work involving ACM.

As buildings containing asbestos age and are maintained, remodelled or demolished, the potential for exposure to asbestos fibres increases for workers and members of the public. For this reason, requirements for managing and removing asbestos and ACM have been introduced.

As a basic guide, tenants and owners can manage the risks of asbestos by:

- being aware of what asbestos is and where it can be found;
- having suspicious materials sampled and tested by a competent person and by treating suspicious materials as though they are asbestos;
- being aware of the responsibilities of clients (which can include householders and renovators) and the responsibilities of asbestos removalists under relevant legislation (see below);
- ensuring that work involving the removal of 10 or more square metres of bonded asbestos is carried out by a licensed asbestos removalist;
- ensuring the work involving the removal of any amount of friable asbestos is carried out by a licensed asbestos removalist;
- Ensuring that any work carried out on asbestos is carried out in accordance with the relevant legislation (see below).

Asbestos is typically found

Asbestos was typically used in fibro roofs, walls and soffits as well as in 'wet' areas such as kitchens, bathrooms and laundries. Asbestos cement can also be found in flat, profiled, corrugated and compressed sheets, shingles, weatherboards, rigid board insulation and many building products including flue pipes and guttering. An extensive list of examples of ACM is available and can be found on all state and safe work Australia websites.

Second hand materials, or products containing asbestos, can also have been installed or used after asbestos was banned and may still be found in newer buildings.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

It is very important to understand that ACM that is in stable condition and unlikely to be damaged or deteriorate generally, will not pose a significant health risk and can be left in place, provided that it is properly maintained. It will generally only be necessary to remove ACM when it actually poses a risk to health and safety which cannot be controlled, such as when it is friable or in an unstable condition, or where it is likely to be damaged or deteriorate if left in its current location.

How is asbestos identified?

In the vast majority of ACM, asbestos is mixed with other substances on a microscopic level (such as with cement in asbestos cement sheeting) and is indistinguishable from non-ACM. As such, it is often difficult to conclusively determine whether or not a material contains asbestos by sight. Experienced and competent inspectors will be able to identify suspect materials based on their age, location, purpose, use and a range of other indicative factors.

The only way to be certain that a material contains asbestos is to have a sample analysed by a laboratory. Unfortunately, taking samples of suspect material is both a hazardous and expensive process. Due to the cost and risk involved in sampling suspect material, the Managing Asbestos in Workplaces Compliance Code 2008 recommends that, in most cases, suspect materials be 'assumed' to contain asbestos. Once a material is assumed to contain asbestos, it must be treated exactly like all other ACM.

Where asbestos is present the risk to owners and managers is significant both in terms of health and legal liability, particularly if measures to manage this risk are not in place.

Legislative Requirements

National and Victorian occupational health and safety legislation provides specific guidelines for the regulation of asbestos related risks in places where people may work. The legislation places legal obligations on certain people and details the requirements that must be complied with.

To discharge your occupational health and safety obligations with regard to asbestos, you must comply with the:

- Occupational Health and Safety Act 2004 ('the Act')— Is the cornerstone of legislative and administrative measures to improve occupational health and safety in Victoria and establishes general duties for all stakeholders;
- Occupational Health and Safety Regulations 2007 ('the Regulations') — The asbestos part of the Regulations imposes strict requirements on how people with management or control, employers and self-employed persons identify and control exposure to airborne asbestos fibres in workplaces;
- Managing Asbestos in Workplaces Compliance Code 2008 — This compliance code provides practical guidance to those who have duties under the Act and/or the Regulations relating to situations (except asbestos removal) where a risk to health could arise from exposure to asbestos;
- Removing Asbestos in Workplaces Compliance Code 2008 — This compliance code provides practical guidance to those who have duties under the Act and/or the Regulations relating to the safe removal of ACM from workplaces.

This Asbestos Management Plan should be kept at the common area/workplace to ensure it is accessible for employees and for contractors visiting the site to work.



150 Childers Street, North Adelaide

Rowan Gabb

S3

FS309086

Definitions

Asbestos	The fibrous form of those mineral silicates belonging to the serpentine or amphibole groups of rock-forming minerals, including actinolite, amosite (brown asbestos), anthophyllite, chrysotile (white asbestos), crocidolite (blue asbestos) and, tremolite or any mixture containing one or more of the mineral silicates belonging to the serpentine and amphibole groups.
Asbestos-containing material (ACM)	Any material, object, product or debris that contains asbestos.
Asbestos Register	A register recording the type, condition and location of all asbestos and asbestos containing materials
Asbestos related work	Work involving asbestos in some manner.
Asbestos removal work	Asbestos removal work (in a workplace) refers to removal of asbestos that is fixed or installed in a building, structure, ship or plant so it is no longer fixed or installed up to the point of containment. 'Division 7 — Removal of asbestos' in Part 4.3 of the Regulations specifically covers asbestos removal work.
Competent person	A person who has acquired the qualification, experience, knowledge or skill to carry out the task through training and or/research.
A person	The maximum allowable airborne concentration of a particular substance, which, if exceeded indicates a need to implement a control, action or other requirement. Control levels are generally set at no more than half the NES for the substance. Control levels are occupational hygiene 'best practice', and are not health-based standards Control Monitoring means air monitoring, using static or positional to measure the level of airborne asbestos fibres in an area during work on ACM. Control monitoring is designed to assist in assessing the effectiveness of control measures. Its results are not representative of actual occupational exposures, and should not be used for that purpose.
Dust and debris	Visible particles, fragments or chunks of material, large and heavy enough to have settled in the work area, that are (or assumed to be) contaminated with asbestos.
Primary duty of care	A person conducting a business or undertaking must ensure, so far as is reasonably practicable, the health and safety of all workers, including responsibilities with regard to the provision and maintenance of a work environment without risks to health and safety. If the workplace is occupied by a



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

	self-employed person, that person is obligated under the OHS Act to a duty of care to themself.
Friable (Asbestos)	ACM which, when dry, is or may become crumbled, pulverised or reduced to powder by hand pressure NOTE: This may include ACM that have been subjected to conditions that leave them in a state where they meet the definition, such as weathering, physical damage, water damage etc.
NATA-accredited laboratory	A testing laboratory accredited by the National Association of Testing Authorities, Australia (NATA), or recognized by NATA either solely or with someone else.
Naturally Occurring Asbestos (NOA)	The natural geological occurrence of asbestos Minerals found in association with geological deposits including rock, sediment or soil.
Non Friable asbestos	Material containing asbestos that is not friable Asbestos, including material containing asbestos fibres reinforced with a bonding compound.
Person with management or control of a premise used as a work place may be:	i. The owner of the premises; ii. A person, who has, under any contract or lease, an obligation to maintain or repair the premises; iii. A person who is occupying the premises; iv. A person who is able to make decisions and changes to the structure and use of the workplace. v. An employer at the premises. vi. A person with managerial control over the workplace, for example, a property management group or agent. NOTE: In some cases there may be more than one person with management or control of a workplace.
Workplace	A place where work is carried out for a business or undertaking and includes any place where a worker goes, or is likely to be, while at work. Common area in strata qualifies as a workplace when work is being undertaken on site.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

The Scope of an Action / Management Plan

This plan is intended to cover all areas where hazards, asbestos or ACM is identified or assumed present that are owned and managed by The Owners Corporation.

Objectives of The Safety Action Plan

To provide and maintain, so far as practicable, safe and healthy work environment and practices generally, and have written policies on the control of asbestos on site ensuring day to day implementation of policies comply with legislative provisions.

2. Responsibilities

Responsibility of managing asbestos in the common area/workplace lies with "persons in control of a workplace". This applies to all persons whether they are the owner, manager or trades contractor. Directors of a party attract the same responsibilities.

Owners Corporations

The OHS Regulations include specific obligations for the person(s) with management or control of a workplace. These include;

- Identifying or assuming asbestos or ACM indicating presence and location
- Ensure an Asbestos Register is prepared, maintained, reviewed and kept at the workplace
- Ensure an Asbestos Management Plan is prepared, maintained and reviewed.
- Ensure Demolition and Refurbishment works meet 'Removing Asbestos in Workplaces Compliance Code 2008' guidelines

All OHS Regulations across Australia list specific obligations to manage and control asbestos and ACM at the workplace.

3. What needs to be done to implement this Plan? Consultation & Communication

Who needs to be consulted?

The OHS Act requires the person conducting a business or undertaking to consult, so far as is reasonably practicable, with

- Workers (including contractors) who carry out work who are (or are likely to be) directly affected by a work health and safety matter. If workers are represented by a Health and Safety representative, the consultation must involve that representative.
- With other duty holders.
- When businesses share a common area/workplace, they must talk to each other about risks of their work and any precautions that should be taken.
- If the presence or removal of asbestos or asbestos containing materials will impact a neighbouring business or property, the owners and occupiers of that property also need to be consulted.

What does consultation include?

- Identifying asbestos in the common area/workplace,



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

- Access to the Asbestos Register.
- Making decisions about the Asbestos Management Plan, including potential control planning for removing asbestos.
- Information on the safe work practices and policies for asbestos related work on site.

To meet the obligations of consulting and providing necessary safety information to those who may come in contact with asbestos materials whilst undertaking work at this workplace, Focus Fire & Safety has provided an Asbestos Hazard Site Pack to be kept on site with the Asbestos Hazard Register and a copy of the Asbestos Management Plan.

The Pack includes recommended safe working practices for:

1. Drilling for asbestos containing material
2. Sealing, painting, coating and cleaning of asbestos cement products
3. Cleaning leaf litter from gutters of asbestos cement roofs
4. Replace cabling in asbestos cement conduits or boxes
5. Working on electrical mounting boards (switchboards) containing asbestos

AND information on:

- Where you are likely to find asbestos
- Photos of asbestos containing materials
- A list of common asbestos containing materials

AND the following forms:

- Site Attendance Register
- Asbestos Hazard Register
- Site Entry Permit
- Emergency Contact Details

To meet these obligations:

Ensure all workers, including contractors, know where this information is located on site and encourage them to make themselves familiar with the contents.

Indicating the Presence of Asbestos in the Common Area / Workplace

Where a competent person is not able to determine whether asbestos is present, the person conducting a business or undertaking must presume asbestos is present. Similarly, if there are inaccessible areas that are likely to contain asbestos, it must be presumed that asbestos is present in those areas.

Once the presence and location of asbestos has been presumed, it must be treated as if it has been identified to be asbestos.

OHS Regulations require that all identified or assumed asbestos including where the asbestos is inaccessible must be clearly indicated. If it is reasonably practicable, labels must be used to identify the material as containing asbestos. However, signs may be more appropriate to use.

Location

The location of asbestos and ACM that has been identified or assumed present in the common area/workplace is identified in both the initial Asbestos Site Survey and recorded in the Asbestos Hazard Register.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

Labelling

Focus Fire & Safety has determined the number of labels and signs required to practically identify the areas asbestos is located, and the positioning of those labels and signs that need to be displayed.

The details of these locations are also recorded in the Asbestos Hazard Register.

Managing Risk and Deciding on Control Measures

Focus Fire & Safety has conducted an Asbestos Site Survey, which has already determined that asbestos or ACM is presumed to be on site. In conjunction with this document a series of decisions regarding the management of the asbestos at the common area/workplace, including implementation of safe work practices and control measures have been made.

The ultimate goal of the asbestos management and control regime is for all workplaces to be free from ACM. This goal will not be achieved overnight, however, it is important that all ACM be managed and controlled depending on the risk it poses.

Risk and Hazard Ranking

The Asbestos Hazard Assessment Summary Table below is extracted from the Asbestos Site Survey. It shows the identified or assumed asbestos within the common area/workplace, its risk and hazard ranking for the likelihood of possible exposure and the control measure recommended. The risk assessment methodology used in our assessment is based on AS/NZS ISO 31000 Risk Management.

Priority Levels

Each item of presumed or confirmed ACM has been given a priority ranking which indicates how it will be managed. Priority levels have been ascertained by calculating the likelihood of exposure against the type of asbestos identified, determining the control measure necessary to most appropriately address the risk.

The 'Hierarchy of Control' method has been used to identify appropriate control measures. A combination of techniques may be required in order to adequately manage the ACM on site.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

A site with ACM **must** have controls in place i.e. "Site Safety register and Folder, Asbestos Register and Asbestos Hazard Site Pack"

Priority Ranking Level	Meaning & Recommended Control Measures
Critical Risk Immediate Removal Action Required	Based on the condition of the ACM there is an indication of an immediate or elevated health risk to workers. The ACM has been identified as High Risk, and cannot be controlled through enclosure, encapsulation or sealing. Access to the area containing the ACM should be restricted and the ACM should be safely removed immediately.
High Risk Plan for removal	Based on the condition of the ACM, the likelihood that it will be disturbed and the likelihood of a person being exposed to respirable asbestos fibres, the ACM poses a potential health risk to workers in their current state. This risk is determined as requiring immediate action of the preferred control measure - elimination. Immediate removal of the asbestos containing materials is recommended. Failing removal - control measures to stabilise and isolate the material from access by any non-essential workers with regular monitoring of the condition of the material is the minimum that would be acceptable, until asbestos removal can be arranged.
Moderate Risk, Planned monitoring	Based on the condition of the ACM, the likelihood that it will be disturbed, and the likelihood of a person being exposed to respirable asbestos fibres, the ACM does not present an immediate health risk unless further disturbed. <u>Control measures must be implemented</u> to undertake any necessary repairs and maintenance and protect these materials from further damage, including installation of warning signs. Reassessment of this priority ranking should be undertaken when any change to the work environment or the work activity within the environment is planned.
Low Risk	Products or bonded ACM that pose low health risk to workers. This material is currently undamaged, stable, non-friable, within a low assessable area. Control measures to protect these materials from damage would include identifying materials with warning signs and providing asbestos awareness instruction to workers by way of workplace training. Reassessment of this priority rating should be undertaken when any change to the work environment or the work activity within the environment is planned. E.g. low probability of disruption e.g. a well secured eave boards.


Assessed by: **Rowan Gabb**
 Assessment date: **20 September 2013**
 Review date: **1 year from assessment date**

Reassess risk regularly, particularly when

- There is evidence that the risk assessment is no longer valid;
- A significant change is proposed in the work area (in place or in work practice);
- There is a change in the condition of the ACM;
- The ACM has been removed, enclosed or sealed.
-

ALL CONTRACTORS MUST SIGHT THIS ASBESTOS REGISTER PRIOR TO COMMENCEMENT OF WORKS

IMPORTANT – NATA testing records are to be kept with the Asbestos Hazard Register (where applicable)							
No	Photo	Location	Description/Type	Condition Good/Ave/poor	Friable/ Non- Friable?	Current Controls What controls are currently in place (including labelling)?	Risk Level High Med Low Control Measure - Elimination - Substitution - Engineering/Isolation - Administrative - PPE Sample No
All work on or near currently identified ACM must have Safe Work Practices applied (Refer to Safe Work Practices contained in S2.2 [Asbestos Site Hazard Pack] or S3 [Asbestos Management Plan])							
1.		Roof eaves throughout building.	External bonded cement sheeting suspected to contain asbestos	Good	NF	None	Mod Administration/ PPE N
2.		Staircase ceiling	External bonded cement sheeting suspected to contain asbestos	Good	NF	None	Mod Administration/ PPE N

3.		Windows	Mastic used between bricks and window frame suspected to contain asbestos	Good	NF	None	Mod	Administration/ PPE	N
4.		Elec. Meter box	ACM backing and/or components such as Zelermile switchboard panel and/or electrical fuse housing.	Good	NF	None	Mod	Administration/ PPE	N
5.		Roof cavity	Suspected hazard from friable ACM such as ACM flues, fire-proofing or ACM cement sheeting and/or other unknown harmful fibres/dust.	Unknown	F	None	Mod (Min)	Administration/ PPE	N

Notes:

Friable ACM examples include: pipe lagging, boiler insulation, fire retardant material on steel work, sprayed insulation.

Non Friable ACM (usually bonded or mixed with cement or similar material and cannot be crumbled, pulverised or reduced to powder by hand pressure) examples include: asbestos cement sheet, asbestos cement moulded products, bitumen-based water proofing, vinyl floor tiles in good condition.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

4. Control Measures

Implementing the control measures

As part of the SAP, the control measures recommended in the Asbestos Site Survey must be reviewed, and implemented.

Removing the asbestos.

If elimination is the control recommended by Focus Fire & Safety, this would involve the removal of the asbestos identified as high risk and requiring removal.

All asbestos removal works are to be performed by a licensed contractor in accordance with the following documents:

- Occupational Health and Safety Act 2004;
- Occupational Health and Safety Regulations 2007;
- Managing Asbestos in Workplaces Compliance Code 2008
- Removing Asbestos in Workplaces Compliance Code 2008 — This compliance code provides practical guidance to those who have duties under the Act and/or the Regulations relating to the safe removal of ACM from workplaces.

Visit <http://www.worksafe.vic.gov.au/> for more information regarding Work Control Plans and also consult (for Victoria) WorkSafe Alert dated June 2013 "Management and disposal of asbestos":

http://www.worksafe.vic.gov.au/data/print_to_pdf.php?url=http://www.worksafe.vic.gov.au/forms-and-publications/forms-and-publications/management-and-disposal-of-asbestos/nocache%3FSQ%20DESIGN%20NAME=blank%26SQ%20PAINT%20LAYOUT%20NAME=pdf

In the case of conflict between these procedures and any Regulation or Act, then the more stringent requirement shall apply.

Contractors carrying out asbestos work shall prepare an asbestos removal control plan detailing steps they will take to comply with the requirements of this Asbestos Management Plan. The procedures will include an overview of the methodology to be used, containment procedures, Job Safety Analysis and health protection methods and must be in accordance with but not limited to Practical Guidelines, Removing Asbestos as noted in this Asbestos Management Plan.

During and after asbestos related work there is a risk of airborne asbestos fibres. There is a duty of care for the person responsible for the management and control of the workplace to conduct air monitoring. The need for air monitoring will depend on the particular circumstances; however, the results may assist in assessing risks associated with asbestos. For further information see *Removing Asbestos in Workplaces Compliance Code 2008*.

Leaving asbestos in situ

Leaving the asbestos in situ may involve as little action as updating the Asbestos Hazard Register and installing warning labels or signs in the area and conducting regular asbestos surveys to confirm the asbestos in situ remains in good condition. It may require the area containing or assumed to contain asbestos being isolated, restricting access to reduce the number of people potentially exposed to the asbestos.

IF THE DECISION IS FOR THE IDENTIFIED ASBESTOS TO REMAIN IN SITU - ALL ITEMS ON THE CHECKLIST BELOW MUST BE TICKED OFF, TO BE COMPLIANT.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

Checklist

Are the following documents available and easily accessible for workers on site?

- ✓ Up-to-date Asbestos Hazard Register
- ✓ Copy of this AMP
- ✓ Asbestos Hazard Site Pack
- ✓ Are all necessary warning signs and labels in place? (initially installed by Focus Fire & Safety)
- ✓ Have all recommended control measures been actioned and maintained?

Has this SAP and associated documentation, including the Asbestos Hazard Register, been reviewed regularly and kept up-to-date?

5. Plan Review

Asbestos Management Plan process audit

To ensure this plan is up to date, Focus Fire & Safety recommends it is reviewed annually. This can be done by the Person Conducting a Business or Undertaking (PCBU) alone, or in consultation with other duty of care stakeholders.

See Duty of Care Stakeholders form (within this document), if required.

Why review this plan annually?

Because the risk assessment and associated control measures will change over time, for reasons including;

- The deterioration of the ACM due to weather
- The likelihood of the ACM being damaged (eg has any work been done on site?)

During an SAP audit the following duties must be executed;

1. Review the implementation of the AMP, including a debrief of any property, equipment or work practice changes that would affect the employees or workplace where asbestos has been identified.
2. Review the condition of the asbestos on site and confirm all labels and signs are in place.
3. Review the list of persons with duty of care and ensure their contact details are current.
4. Review the training and communication procedures and effectiveness.
5. Review any incidents or corrective action requests and determine if modification to the SAP is required.
6. Nominate a person responsible to:
 - a. Update the plan.
 - b. Update the Asbestos Hazard Register.
 - c. Update the Record of Distribution and Document Control.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

5. How we Manage Incidents

When an incident is identified, it will be recorded on the Incident Report Form, as part of the Asbestos Hazard Site Pack S2.2 accompanying this AMP.

6. What do we do in an Emergency?

A site-specific emergency plan, reflecting the risks involved, should be developed before any asbestos removal work commences. Workers should be trained for emergency situations.

Decontamination procedures can be temporarily waived in the event of an emergency. Emergency planning should include provisions for emergency and fire evacuation, including exit arrangements and emergency communications such as audible alarms. These alarms should be used for emergencies only.

Emergency exit arrangements need to be adequate for the risks involved. Barriers and signs or other warning devices can be used to communicate emergency arrangements.

A first aid kit and first aid officer should be readily available at all times, and sufficient suitable fire extinguishers and hoses should be available at strategic locations. The locations of fire extinguishers and hoses should be displayed in written and / or graphic format.

7. Non-Conformance and Corrective Action

It is the responsibility of each employee including contractors to report any event that does not comply with this AMP.

Non-Conformance / Corrective Action Request (Use the Incident Report Form in this AMP (S3) and the Asbestos Hazard Site Pack (S2.2) to be completed by the witness to the event and forwarded to the PCBU.

Non-conformance by employees and contractors will be managed in accordance with the workplace/employee guidelines for serious breach of conduct.

Corrective action will involve:

1. Immediate notification to the PCBU.
2. Immediate halt of the work until the non-conformance is investigated.
3. Longer term corrective action to prevent recurrence of the problem.

8. Contractor Compliance

If it is reasonable to believe that a contractor's work on site may be asbestos related work, they will be:

1. Provided with instruction within each work order to reference the onsite asbestos related safety information, Asbestos Hazard Register and AMP.
 - ✓ Focus Fire & Safety has provided an Asbestos Hazard Site Pack, which is to be kept on site with the Asbestos Hazard Register and AMP.
2. Procedures to be used by contractors for work that may be asbestos related work must at the minimum include: the safety elements contained in the safe work practices found in the Practical Guidelines section of this AMP.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

SECTION 2

Practical Guidelines Removing Asbestos

The ultimate goal is to have a common area / workplace free of asbestos. Removal may be the most appropriate way to achieve this but this should be determined by the risk assessment. For example:

Friable asbestos

Asbestos removal work involving friable ACM must always be performed by a class A-licensed person or employees of a class A-licensed person.

Non-friable asbestos

Asbestos removal work involving non-friable ACM must be performed by a class A or B-licensed person if:

- the area of ACM to be removed exceeds 10 square metres in total, or
- the total time over which asbestos removal work is performed in any period of seven days exceeds one hour (this period is the cumulative total time the asbestos removal work is carried out by all employees over a period of seven days).

Depending on the outcome of the risk assessment, specific instances where removal may be the best control measure include:

- Asbestos in plant and pipes
- Asbestos-contaminated dust (ACD)
- Asbestos-contaminated soil and debris
- Small-scale, low risk site contamination
- Large scale and/or high risk site contamination
- NOA (where reasonably practicable), and
- Loose fibre insulation.

Asbestos removal work that does not require a licence

The law permits an employer or self-employed person to conduct a limited amount of asbestos removal work without a licence if:

- the ACM is non-friable
- the area of ACM to be removed does not exceed 10 square metres in total
- the total time asbestos removal work is performed in any period of seven days does not exceed one hour (this period is the cumulative total time the asbestos removal work is carried out by all employees over a period of seven days).

Where an employer or self-employed person who does not have a licence regularly performs small amounts of non-friable ACM removal work, it is recommended a log be kept of time spent performing these tasks. This log will assist in ensuring the duration of time spent performing this work does not exceed one hour in any period of seven days. If this time will be exceeded, a licensed removalist is required to perform the removal work. The employer or self-employed person may also consider applying for a licence to remove ACM.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

Limited asbestos removal work without a licence must be carried out in accordance with the Regulations (refer to 'General requirements for all asbestos removal' on page 21 of the Removing Asbestos in Workplaces Compliance Code 2008, visit <http://www.worksafe.vic.gov.au>)

If removing asbestos is not the most practical option, other control measures should be implemented to ensure people are not exposed to airborne asbestos fibres, including enclosing or sealing the asbestos.

Enclosing Asbestos (encapsulation)

Where it is not reasonably practicable to remove asbestos, an alternative control measure that can be implemented is encapsulation.

Although encapsulation has limited application and can create a health risk for workers undertaking the activity, it is used when it would create a greater risk to remove the asbestos. This may be determined during the risk assessment by reviewing a range of issues including cost, productivity, the condition of the asbestos and the low risk it poses to health.

This is an interim control measure and should be supported through regular inspections by a competent person to identify if the asbestos requires removal due to damage or deterioration.

If encapsulation is recommended, the person carrying out the work should:

- Be trained and experienced in working with asbestos
- Isolate the area
- Use suitable RPE that complies with *AS/NZS 1716:2003 Respiratory protective devices*
- Wear suitable protective clothing such as disposable overalls
- Follow a safe system of work that reduces the risk of creating airborne asbestos fibres, and
- Follow a decontamination procedure upon completion of the task.

What is encapsulation?

Encapsulation is the enclosing of asbestos within a protective shell, creating a structure built around the asbestos so that it is completely covered to prevent exposure of the asbestos to air and other substances. This encapsulation will seal any loose fibres into place and should be used only when the original asbestos bond is still intact.

Encapsulation helps protect the asbestos from mechanical damage, increases the length of serviceability of the product and prevents the release of respirable asbestos fibres during the removal process.

Asbestos that is encapsulated in a resilient matrix such as in reinforced plastics, vinyls, resins, rubber, mastics, bitumen, paints, flexible plasters and cements have little opportunity to release fibres unless the matrix is damaged.

Encapsulating asbestos as a control measure – an example

A large dockside warehouse used for temporarily storing quantities of grain and stockfeed has walls made from a variety of materials including AC sheet. Apart from the driver of a large front-end loader that is briefly driven into the warehouse to load or unload the feed, there are no other workers who work in the warehouse. An inspection of the AC



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

sheet identifies that it is in good condition and noted that areas of previous minor damage (broken sheets) have been repaired appropriately and that no risk to health exists currently. However, it is decided there is a chance that the sheets may be damaged again and if so, a risk to health may occur if fibres become respirable. A solid false wall is constructed to enclose the AC sheet and bollards are erected in front of the new wall to prevent collisions that may occur when the front loader is operating inside the warehouse. These changes are included in the asbestos register and also the condition of the AC sheet is monitored as well as the newly installed control measure.

Sealing Asbestos

If the asbestos cannot be removed and enclosed, sealing the asbestos is the third control measure that should be implemented. Sealing asbestos is the least effective method for controlling the release of airborne asbestos fibres, therefore, it should only be considered as an interim control while a more effective control such as removing or encapsulation can be implemented, for example, if the asbestos is weathered, damaged or broken, you should organise for it be removed.

What is sealing?

Sealing is the process of covering the surface of the material with a protective coating over the asbestos to prevent exposure to airborne fibres. It is commonly used for pipe, furnace, and boiler insulation. The process either coats the material, reducing fibre release, or binds the fibres together. Asbestos should be sealed, coated, painted to protect it. Sealing is inappropriate where the sealed material is likely to suffer mechanical damage (for example, drilling or sanding).

It is important to select coating that is appropriate to the material to be sealed and has the required fire resistance, thermal insulation and ultraviolet (UV) properties necessary for it to be an effective control. The coating will deteriorate if it is exposed to chemicals, extreme heat or cold, wet or dry conditions or physical impacts. For example, epoxy-based paints offer better durability and strength than other paints.

Under no circumstances should asbestos be water blasted or dry sanded in preparation for painting, coating or sealing as there is no system of use that can effectively capture or suppress asbestos fibres in such circumstances. To treat asbestos, you should use a method that does not disturb the matrix of the asbestos.

An airless sprayer at low pressure is preferred to rollers or brushes on exposed (or unsealed) asbestos as rollers and brushes may cause abrasion/damage and result in fibres being released from the surface of the material. When using a spray brush never use a high-pressure spray to apply the paint. You should apply it with a dry airless spray using a low pressure to avoid generating high levels of asbestos dust. Several coatings may be needed for full protection.

The surface on which the sealant is to be applied should be cleaned with an asbestos vacuum cleaner fitted with a high efficiency particulate air (HEPA) filter. This will help capture any loose dust or debris from the surface and ensure good adhesion of the sealant. The surface during application should not be disturbed as this releases asbestos dust.

The use of sealants of a different colour to the asbestos being sprayed is helpful in identifying its condition over time and when conducting reviews of the asbestos register. A date-stamped photograph of the sealed surface is also a good way of assisting in the recording of condition.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

Sealing asbestos as a control measure – an example

The extensive water pipe system in a large industrial workplace consists of AC piping and conduits. Some of the pipes are located underground, some within inaccessible areas such as walls and others run above ground throughout the workplace and are exposed. Connected to some of these pipes in the workplace are control valves that need to be accessed occasionally. Over time, as some of the AC pipes have deteriorated or been damaged and where practicable to do so, sections of pipe have been removed to reduce the risk. Where a risk still remained, the pipes are enclosed so far as is reasonably practicable to reduce the risk further. Where control valves were connected and the AC pipe was in good condition, it was determined that it was not practicable to remove the asbestos due to lack of available replacement parts, nor was it practicable to enclose the asbestos because access was occasionally required. In this case, sealing the surface of the AC pipes near control valves with an epoxy-based paint to protect the material from deterioration and reduce the risk of airborne asbestos fibres was an appropriate option.

Safe Work Practices

It is important that safe work practices are in place when carrying out asbestos work. Wherever possible, dry asbestos should not be worked on. Techniques that prevent or minimise the generation of airborne asbestos fibres include:

- The wetting of asbestos using surfactants or wetting agents, such as detergent water
- The use of thickened substances, pastes and gels including hair gel and shaving cream, to cover the surfaces of asbestos being worked on (these substances should be compatible with the conditions of use, including the temperature, and should not pose a risk to health)
- The use of shadow vacuuming, and
- Performing the task in a controlled environment (for instance, a ventilated enclosure).

When selecting the best technique, the work should first be assessed for any electrical hazards that might result from the use of water or other liquids. If an electrical hazard exists, primary consideration should be given to removing the asbestos, rather than relying on dry work methods.

If maintenance or service tasks are assessed by a competent person as involving similar levels of risk, they too may be performed only after the risks for that task have been assessed and appropriate control measures implemented.

Care should be taken when using high-speed abrasive power and pneumatic tools including angle grinders, sanders and saws and high-speed drills. If you are unsure, you should consult the relevant regulator.

The Safework Practices section of this document, outline some safe work practices of service and maintenance tasks that are likely to disturb asbestos, and may be performed, only after a risk assessment has been conducted and control measures have been implemented to eliminate or minimise exposure to airborne asbestos fibres.

Tools and Equipment

It is important to select the correct equipment to minimise the generation of airborne asbestos fibres.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

The OHS Regulations require a person conducting a business or undertaking must never use or direct or allow a worker to use a high pressure water spray or compressed air on asbestos.

A person conducting a business or undertaking must not use or direct or allow a worker to use any of the following equipment on asbestos unless the use of the equipment is controlled:

- Power tools
- Brooms and
- Other tools that cause the release of airborne asbestos into the atmosphere

The use of the equipment is considered to be controlled if, during use the equipment is:

- Enclosed
- Designed to capture or suppress asbestos fibres, or
- Used in a way that is designed to capture or suppress asbestos fibres safely.

Manually operated (non-powered) hand tools should be used wherever possible. If they will not provide sufficient physical force to perform the required operation, low-speed, battery-powered tools which are able to be used in conjunction with wet methods for dust control are preferred.

Battery-powered tools should be fitted with a Local Exhaust Ventilation (LEV) dust control hood wherever possible. If an LEV dust control hood cannot be attached and other dust control methods, including pastes and gels, are unsuitable then shadow vacuuming techniques should be used.

Care should be taken when using brooms, high pressure water and compressed air, as if they are incorrectly used, they can cause asbestos to become friable.

Asbestos vacuum cleaners

Asbestos vacuum cleaners should comply with the requirements in Australian Standard AS/NZS 60335.2.69 *Industrial vacuum cleaners*. Household vacuum cleaners must never be used where asbestos is or may be present, even if they have a HEPA filter.

More comprehensive information about asbestos vacuum cleaners is provided in the *Removing Asbestos in Workplaces Compliance Code 2008*.

Personal Protective Equipment

PPE will need to be used, in combination with other effective control measures, when working with asbestos. The selection and use of PPE should be based on a risk assessment.

If work with asbestos requires the use of other chemicals that are themselves hazardous chemicals, a further risk assessment must be performed. Safety data sheets (SDS) must be referred to for information on appropriate PPE to use and any other precautions to take when using the chemicals (the manufacturer can supply the SDS).

The ease of decontamination should be one of the factors considered when choosing PPE. Where possible, disposable equipment should be used and should be disposed of as asbestos waste. Further information on decontamination and asbestos waste disposal is available in the *Removing Asbestos in Workplaces Compliance Code 2008*.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

Coveralls

- Protective clothing should be made from material capable of providing adequate protection against fibre penetration.
- When selecting protective clothing, other hazards including heat stress, fire and electrical hazards should also be considered.
- Disposable coveralls with fitted hoods and cuffs should be worn. Coveralls with open pockets and/or velcro fastenings should not be used, because these features can be contaminated and are difficult to decontaminate. Fitted hoods should always be worn over the straps of respirators, and loose cuffs should be sealed with tape. Disposable coveralls rated Type 5, Category 3 or equivalent would meet this standard.
- Asbestos fibres should be prevented from being transported outside the workplace by thoroughly vacuuming asbestos fibres from work clothes using an asbestos vacuum cleaner, or depending on the level of contamination and risk, the use of water spray bottle or disposable cloths may be appropriate.
- Disposable coveralls should be disposed of as asbestos waste at the completion of the work. Non-disposable coveralls are not recommended and would require specialist laundering if used.

Footwear and gloves

- Laced boots should be avoided as they can be difficult to clean and asbestos dust can gather in the laces and eyelets. Laceless boots, such as gumboots, are preferred where practicable. Boot covers should not be worn as they collect dust and are a slipping risk.
- Safety footwear should be decontaminated before being removed from the asbestos work area, or sealed in double bags, the exterior of which is decontaminated, for use only on the next asbestos maintenance task. Alternatively, work boots that cannot be effectively decontaminated should be disposed of as asbestos waste at the end of the work.
- The use of protective gloves should be determined by a risk assessment. If significant amounts of asbestos fibres may be present, disposable gloves should be worn. Protective gloves can be unsuitable if dexterity is required. Workers must clean their hands and fingernails thoroughly after work. Any gloves used must be disposed of as asbestos waste.

Respiratory protective equipment (RPE)

- In general, the selection of suitable RPE depends on the nature of the asbestos work, the probable maximum concentrations of asbestos fibres that would be encountered in this work and any personal characteristics of the wearer that may affect the facial fit of the respirator (for example, facial hair and glasses).
- A competent person must determine the most efficient respirator for the task. RPE should comply with *AS/NZS 1716-2003 Respiratory Protective Devices* and be selected, used and maintained in accordance with *AS/NZS 1715-1994 Selection, Use and Maintenance of Respiratory Protective Devices*. They must always be worn under fitted hoods. Face pieces should be cleaned and disinfected.
- RPE should be used until all contaminated disposable coveralls and clothing has been vacuum cleaned and/or removed and bagged for disposal and personal washing has been completed. RPE should be properly stored when not in use.

More comprehensive advice on RPE is provided in the *Removing Asbestos in Workplaces Compliance Code 2008*.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

Cleaning up

Following any asbestos work carried out, there are requirements to ensure the work area, tools and workers are decontaminated and asbestos waste is disposed of properly. In addition to this, a clearance certificate will be required before the work area can be reoccupied for ordinary use.

Removing Asbestos in Workplaces Compliance Code 2008 provides details on decontamination, waste disposal and clearance certificates.

Managing naturally occurring asbestos

Where NOA has been identified at the workplace, is confirmed by a competent person and the work carried out at the workplace is likely to result in the emission of airborne asbestos fibres, the following actions should be considered when developing the asbestos management plan:

- Isolating the workplace or part of the workplace until the NOA is contained.
- Deviating excavation to ensure avoidance of the deposit where possible.
- Providing appropriate labels and signs indicating NOA.
- Using sealed excavation or mining equipment (air conditioned cabins with filtered air).
- Maintaining regular surveillance of the rock by a competent person to ensure minimal disturbance of suspected fibrous minerals.
- Developing procedures for the secure disposal asbestos waste if required.
- Educating the workers in safe work practices.

Ongoing management of NOA may be determined with the aid of an air monitoring program to assess asbestos exposure levels and specific risk control measures.

If you have management or control at a workplace, you must ensure the release of airborne asbestos fibres is minimised by:

- Wetting surfaces to reduce the dust levels
- Suppression, containing and extracting dust in processing operations (water sprays or local exhaust at transfer points and vibrating screens)
- Using wet drilling or other approved in-hole dust suppression
- Sealing asbestos through the use of appropriate sealants or bonding agents
- Preventing the spread of contamination by using wash down facilities
- Providing information and training and supervision of all workers potentially at risk, and
- Using PPE where indicated.

Maintenance and service work

If asbestos is identified or presumed to be present, it is essential to determine whether maintenance or service work can be done without disturbing the asbestos, for example:

- Instead of drilling a hole through an AC sheeting wall to install electrical wiring, the wiring might be able to be routed over the wall, or
- if a ventilation flue or pipe has to be installed in an AC ceiling or roof, an alternative option may be to run the flue or pipe through a non-asbestos wall.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

It is also essential to ensure all people carrying out the work have the appropriate training and licence, correct tools, PPE, decontamination materials, barricades and warning signs ready at the workplace before any work commences, that may disturb the asbestos and to minimise the number of people in the area. For example:

- **Consultation and training** - Consultation with a person who may be affected by any maintenance and service work that might disturb asbestos should occur. People performing the work must receive all necessary training and access to the asbestos register, and the work should be documented and supervised.
- **Access to work area** - The asbestos work area should be isolated and access restricted only to people carrying out the asbestos work. Barriers and warning signs should be used.
- **PPE** - PPE needs to be selected to prevent the contamination of clothing and provide adequate respiratory protection.
- **Replacing asbestos** - Under the asbestos prohibition, wherever an asbestos component requires replacement the replacement product must be non-asbestos. It is illegal to reinstall or reuse any asbestos.
- **Disposing asbestos** - All asbestos must be disposed of correctly. PPE used during maintenance and service work must also be disposed of. *Removing Asbestos in Workplaces Compliance Code 2008* provides further information on disposing asbestos.

Before commencing any maintenance, plastic sheeting may need to be placed on the floor and any other surfaces that may become contaminated with asbestos dust. At a minimum, heavy-duty 200 µm (micron) thick plastic sheeting should be used for this purpose.

Whatever the control method used, it should be effective in making all maintenance workers aware of the presence of asbestos and preventing any work activity that might expose them, or others nearby, to respirable asbestos fibres. Particular attention should be paid to controlling work activities that affect inaccessible areas listed in the asbestos register, such as wall cavities and ceiling spaces.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

SAFE WORK PRACTICES

The drilling of asbestos cement sheeting can release asbestos fibres into the atmosphere, so precautions must be taken to protect the drill operator and other persons from exposure to these fibres. A hand drill is preferred to a battery-powered drill because the quantity of fibres is drastically reduced if a hand drill is used.	
Equipment may be required on site prior to commencing the work (in addition to any equipment required to complete particular task)	- A non-powered hand drill or low-speed battery-powered drill or drilling equipment. Battery-powered drills should be fitted with a local exhaust ventilation (LEV) dust control hood wherever possible. If an LEV dust control hood cannot be attached and other dust control methods, such as pastes and gels are suitable then shadow vacuuming techniques should be used. - Disposable cleaning rags. - A bucket of water, or more appropriate and/or a misting spray bottle. - Duct tape, Sealant, Spare PPE - A thickened substance such as wallpaper paste, shaving cream or hair gel. 200 µm plastic sheeting - A suitable asbestos waste container (E.g. 200 µm plastic bags or a drum, bin or skip lined with 200 µm plastic sheeting). - Warning signs and/or barrier tape. - An asbestos vacuum cleaner. - A sturdy paper, foam or thin metal cup, or similar (for work on overhead surfaces only).
PPE	Protective clothing and RPE (see AS1715, AS 1716) it is likely that a class P1 or P2 half face respirator will be adequate for this task, provided the recommended safe work procedure is followed.
Preparing the asbestos work area	- If the work is to be carried out at a height, appropriate precautions must be taken to prevent the risk of falls. - Ensure appropriately marked asbestos waste disposal bags are available. - Carry out the work with as few people present as possible. - Segregate the asbestos work area to ensure unauthorized personnel are restricted from entry (eg. Close door and/or use warning signs and/or barrier tape at all entry points). The distance for the segregation should be determined by a risk assessment. - If drilling a roof from outside, segregate the area below. - If access is available to the rear of the asbestos cement, segregate this area as well, as above. - If possible, use plastic sheeting, secured with duct tape, to cover any surface within the asbestos work area that could become contaminated. - Ensure there is adequate lighting. - Avoid working in windy environments where asbestos fibres can be redistributed. - If using a bucket of water, do not re-soak used rags in the bucket, as this will contaminate the water. Instead, either fold the rag so a clean surface is exposed or use another rag.
Drilling vertical surfaces	- Tape both the point to be drilled and the exit point, if accessible, with a strong adhesive tape such as duct tape to prevent the edges crumbling. - Cover the drill entry and exit points (if accessible) on the asbestos with a generous amount of thickened substance. - Drill through the paste. - Use disposable rags to clean off the paste and debris from the wall and drill it. - Dispose of the rags as asbestos waste, as they will contain asbestos dust and fibres. - Seal the cut edges with sealant. - If a cable is to be passed through, insert a sleeve to protect the inner edge of the hole.
Drilling overhead horizontal surfaces	- Mark the point to be drilled - Drill a hole through the bottom of the cup - Fill or line the inside of the cup with shaving cream, gel or a similar thickened substance. - Put the drill bit through the hole in the cup so that the cup encloses the drill bit, and make sure the drill bit extends beyond the lip of the cup. - Align the drill bit with the marked point. - Ensure the cup is firmly held against the surface to be drilled. - Drill through the surface. - Remove the drill bit from the cup, ensuring that the cup remains firmly against the surface. - Remove the cup from the surface. - Use disposable rags to clean off the paste and debris from the drill bit. - Dispose of the rags as asbestos waste, as they will contain asbestos dust and fibres. - Seal and cut edges with sealant. - If a cable is to be passed through, insert a sleeve to protect the inner edge of the hole.



150 Childers Street, North Adelaide

Rowan Gabb

FS309085

S3

Decontamination of the work area and equipment	• Use disposable rags to clean the equipment. • Carefully roll or fold any plastic sheeting used to cover any surface within the asbestos work area, so as not to spill any dust or debris that has been collected. • If necessary use disposable rags and/or an asbestos vacuum cleaner to clean any remaining visibly contaminated sections of the asbestos work area. • Place debris, used rags, plastic sheeting and other waste in the asbestos waste bags/container. • Wet wipe the external surfaces of the asbestos waste bags/container to remove any adhering dust before they are removed from the asbestos work area.
Personal contamination should be carried out in a designated area clearance procedure	• If disposable coveralls are worn, clean the coveralls while still wearing RPE using HEPA vacuum, damp rag or fine water spray. RPE can be cleaned with a wet rag or cloth. • While still wearing RPE, remove coveralls, turning them inside-out to entrap any remaining contamination then place them into a labeled asbestos waste bag. • Remove RPE. If non-disposable, inspect it to ensure it is free from contamination, clean it with a wet rag and store in a clean container. If disposable, cleaning is not required but RPE should be placed in a labeled waste container. Refer to the Code of Practice: How to Safely Remove Asbestos for more information.
Clearance Procedure	• Visually inspect the asbestos work area to make sure it has been properly cleaned. • Clearance air monitoring is not normally required for this task. • Dispose of all waste as asbestos waste. Refer to the Code of Practice: How to Safely Remove Asbestos for more information.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

These tasks should only be carried out on asbestos that are in good condition. For this reason, the AC material should be thoroughly inspected before commencing the work. There is a risk to health if the surface of asbestos cement sheeting is disturbed (e.g. from hail storms and cyclones) or if the sheeting has deteriorated as a result of aggressive environmental factors such as pollution. If asbestos cement sheeting is so weathered that its surface is cracked or broken, the asbestos cement matrix may be eroded, increasing the likelihood that asbestos fibres will be released. If treatment of asbestos cement sheeting is considered essential, a method that does not disturb the matrix of the asbestos cement sheeting should be used. Under no circumstances should asbestos cement products be water blasted or dry sanded in preparation for painting, coating or sealing.	
Equipment may be required on site prior to commencing the work (in addition to any equipment required to complete particular task)	• Disposable cleaning rags. • A bucket of water, or more as appropriate, and/or a misting spray bottle. • Sealant. • A suitable asbestos container. • Warning signs and/or barrier tape.
PPE	• Protective clothing and RPE (see AS1715, AS 1716) it is likely that a class P1 or P2 half face respirator will be adequate for this task, provided the recommended safe work procedure is followed. Where paint is to be applied, appropriate respiratory protection to control the paint vapours/mist must also be considered.
Preparing the asbestos work area	• If work is to be carried out at a height, precautions must be taken to prevent the risk of falls. • Before starting, assess the asbestos cement for damage. • Ensure appropriately marked asbestos waste disposal bags are available. • Carry out the work with as few people present as possible. • Segregate the asbestos work area to ensure unauthorised personnel are restricted from entry (e.g. close door and/or use warning signs and/or barrier tape at all entry points). The distance for segregation should be determined by a risk assessment. • If working at a height, segregate the area below. • If possible, use plastic sheeting, secured with duct tape, to cover any floor surface within the asbestos work area, which could become contaminated. This will help to contain any runoff from wet sanding methods. • Ensure there is adequate lighting. • If using a bucket of water, do not re-soak used rags in the bucket, as this will contaminate the water. Instead, either fold the rag so a clean surface is exposed or use another rag. • Never use high-pressure water cleaning methods. • Never prepare surfaces using dry sanding methods. Where sanding is required you should consider removing the asbestos and replacing it with a non-asbestos product. • Wet sanding methods may be used to prepare the asbestos, provided precautions are taken to ensure all the runoff is captured, and filtered where possible. • Wipe dusty surfaces with a damp cloth.
Painting and sealing	• When using a spray brush, never use a high pressure spray to apply the paint. • When using a roller, use it lightly to avoid abrasion or other damage.
Decontaminating the asbestos work area and equipment	• Use disposable rags to dean the equipment. • Where required, use disposable rags and/or an asbestos vacuum cleaner to clean the asbestos work area. • Place debris, used rags, plastic sheeting and other waste in the asbestos waste bags/container. • Wet wipe the external surfaces of the asbestos waste bags/container to remove any • Adhering dust before they are removed from the asbestos work area.
Personal decontamination should be carried out in a designated area	• If disposable coveralls are worn, clean the coveralls while still wearing RPE using a HEPA vacuum, damp rag or fine-water spray. RPE can be cleaned with a wet rag or cloth. • While still wearing RPE, remove coveralls, turning them inside-out to entrap any remaining contamination and then place them into a labelled asbestos waste bag. • Remove RPE. If non-disposable - inspect it to ensure it is free from contamination, dean it with a wet rag and store in a clean container. If disposable - cleaning is not required but RPE should be placed in a labelled asbestos waste bag or waste container. Refer to the Code of Practice: How to safely Remove Asbestos for more information.
Clearance procedure	• Visually inspect the asbestos work area to make sure it has been properly cleaned. • Clearance air monitoring is not normally required for this task.

These tasks should only to be carried out on asbestos that are in good condition. For this reason, the AC material should be thoroughly inspected before commencing the work. There is a risk to health if the surface of asbestos cement sheeting is disturbed (e.g. from hail storms and cyclones) or if the sheeting has deteriorated as a result of aggressive environmental factors such as pollution. If asbestos cement sheeting is so weathered that its surface is cracked or broken, the asbestos cement matrix may be eroded, increasing the likelihood that asbestos fibres will be released. If treatment of asbestos cement sheeting is considered essential, a method that does not disturb the matrix of the asbestos cement sheeting should be used. Under no circumstances should asbestos cement products be water blasted or dry sanded in preparation for painting, coating or sealing.	
Equipment that may be required on site prior to commencing the work (in addition to any equipment required to complete particular task)	• A bucket of water, or more as appropriate, and detergent • A watering can or garden spray. • A hand towel or scoop • Disposable cleaning rags. • A suitable asbestos waste container • Warning signs and/or barrier tape.
PPE	• Protective clothing and RPE (see AS1715, AS 1718) it is likely that a class P1 or P2 half face respirator will be adequate for this task, provided the recommended safe work procedure is followed.
Preparing the asbestos work area	• Since the work is to be carried out at a height, appropriate precautions must be taken to prevent the risk of falls. • Ensure appropriately marked asbestos waste disposal containers are available. • Segregate the asbestos work area to ensure unauthorised personnel are restricted from entry (e.g. use warning signs and/or barrier tape at all entry points). The distance for segregation should be determined by a risk assessment. • Segregate the area below • Avoid working in windy environments where asbestos fibres can be redistributed. • If using a bucket of water, do not re-soak used rags in the bucket, as this will contaminate the water. Instead, either fold the rag so a clean surface is exposed or use another rag.
Gutter cleaning	• Disconnect or re-route the downpipes to prevent any entry of contaminated water into the waste water system and ensure there is a suitable container to collect contaminated runoff. Contaminated water must be disposed of as asbestos waste. • Mix the water and detergent. • Using the watering can or garden spray, pour the water and detergent mixture into the gutter, but avoid over-wetting as this will create slurry. • Remove the debris using a scoop or trowel. Do not allow debris or slurry to enter the water system. • Wet the debris again if dry material is uncovered. • Place the removed debris straight into the asbestos waste container.
Decontaminating the asbestos work area and equipment	• Use damp rags to wipe down all equipment used. • Use damp rags to wipe down the gutturing. • Where practicable, and if necessary, use an asbestos vacuum cleaner to vacuum the area below. • Place debris, used rags and other waste in the asbestos waste container. • Wet wipe the external surfaces of the asbestos waste container to remove any adhering dust before it is removed from the asbestos work area. • Use damp rags to wipe down all equipment used. • Use damp rags to wipe down the gutturing. • Where practicable, and if necessary, use an asbestos vacuum cleaner to vacuum the area below. • Place debris, used rags and other waste in the asbestos waste container. • Wet wipe the external surfaces of the asbestos waste container to remove any adhering dust before it is removed from the asbestos work.
Personal decontamination should be carried out in a designated area	• If disposable coveralls are worn, clean the coveralls while still wearing RPE using a HEPA vacuum, damp rag or fine-water spray. RPE can be cleaned with a wet rag or cloth. • While still wearing RPE, remove coveralls, turning them inside-out to entrap any remaining contamination and then place them into a labeled asbestos waste bag. • Remove RPE. If non-disposable - inspect it to ensure it is free from contamination, clean it with a wet rag and store in a clean container. If disposable - cleaning is not required but RPE should be placed in a labeled asbestos waste bag or waste container. <u>Refer to the Code of Practice: How to Safely Remove Asbestos for more information.</u>
Clearance procedure	• Visually inspect the asbestos work area to make sure it has been properly cleaned. • Clearance air monitoring is not normally required for this task. • Dispose of all waste as asbestos waste. <u>Refer to the Code of Practice: How to Safely Remove Asbestos for more information.</u>



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

Equipment that may be required on site prior to commencing the work (in addition to any equipment required to complete particular task)	• Disposable cleaning rags. • A bucket of water, or more as appropriate, and/or a misting spray bottle. • 200 µm thick plastic sheeting. • Cable slipping compound. • Appropriately marked asbestos waste disposal bags. • Spare PPE. • Duct tape. • Warning signs and/or barrier tape. • An asbestos vacuum cleaner.
PPE	• Protective clothing and RPE (see AS1715, AS 1716) it is likely that a class P1 or P2 half face respirator will be adequate for this task, provided the recommended safe work procedure is followed.
Preparing the asbestos work area	• If the work will be carried out in a confined space, appropriate precautions must be taken to prevent the risk of asphyxiation. • Ensure appropriately marked asbestos waste disposal bags are available. • Carry out the work with as few people present as possible. • Segregate the asbestos work area to ensure unauthorised personnel are restricted from entry (e.g. use warning signs and/or barrier tape at all entry points). The distance for segregation should be determined by a risk assessment. • Use plastic sheeting, secured with duct tape, to cover any surface within the asbestos work area, which could become contaminated. • Place plastic sheeting below the conduits through which cable(s) are to be pulled, prior to pulling any cables. • Ensure there is adequate lighting. • Avoid working in windy environments where asbestos fibres can be redistributed. • If using a bucket of water, do not re-soak used rags in the bucket, as this will contaminate the water. Instead, either fold the rag so a clean surface is exposed or use another rag.
Replacement or installation of cables	• Wet down the equipment and apply adequate cable slipping compound to the conduits/ducts throughout the process. • Clean all ropes, rods or snakes used to pull cables after use. Cleaning should be undertaken close to the point(s) where the cables exit from the conduits/ducts. • Ropes used for cable pulling should have a smooth surface that can easily be cleaned. • Do not use metal stockings when pulling cables through asbestos cement conduits. • Do not use compressed air darts for pulling cables through asbestos cement conduits/ducts.
Decontaminating the asbestos work area and equipment	• Use damp rags to clean the equipment. • Wet wipe around the end of the conduit, sections of exposed cable and the pulling eye at the completion of the cable pulling operation. • If the rope or cable pass through any rollers, these must also be wet wiped after use. • Wet wipe the external surface of excess cable pulled through the conduit/duct, as close as possible to the exit point from the conduit, before it is removed from the work site. • Carefully roll or fold any plastic sheeting used to cover any surface within the asbestos work area, so as not to spill any dust or debris that has been collected. • If required, use damp rags or an asbestos vacuum cleaner to clean any remaining visibly contaminated sections of the asbestos work area. • Place all debris, used rags, plastic sheeting and other waste in the asbestos waste bags/container. • Wet wipe the external surfaces of the asbestos waste bags/container to remove any adhering dust before they are removed from the asbestos work area.
Personal decontamination should be carried out in a designated area	• If disposable coveralls are worn, clean the coveralls while still wearing RPE using a HEPA vacuum, damp rag or fine-water spray. RPE can be cleaned with a wet rag or cloth. • While still wearing RPE, remove coveralls, turning them inside-out to entrap any remaining contamination and then place them into a labeled asbestos waste bag. • Remove RPE. If non-disposable - inspect it to ensure it is free from contamination, clean it with a wet rag and store in a clean container. If disposable - cleaning is not required but RPE should be placed in a labeled asbestos waste bag or waste container. Refer to the <i>Code of Practice: How to Safely Remove Asbestos</i> for more information.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

If the asbestos-containing electrical mounting panel has to be removed for work behind the board, the procedures for removing electrical mounting boards outlined in the Code of Practice: How to Safely Remove Asbestos should be followed. If drilling is required, the control process should be consistent with the measures described in Safe Work Practice.	
Equipment that may be required on site prior to commencing the work (in addition to equipment required to complete particular task)	- A non-powered hand drill or a low-speed battery-powered drill or drilling equipment. Battery-powered drills should be fitted with a LEV dust control hood wherever possible. If a LEV dust control hood cannot be attached and other dust control methods, such as pastes and gels, are unsuitable then shadow vacuuming techniques should be used. - Duct tape. - Warning signs and/or barrier tape - Disposable cleaning rags. - A plastic bucket of water and for a misting spray bottle. - Spare PPE. - A suitable asbestos waste container, 200 µm plastic sheeting. - An asbestos vacuum cleaner.
PPE	Protective clothing and RPE (see AS1715, AS 1716) it is likely that a class P1 or P2 half face respirator will be adequate for this task, provided the recommended safe work procedure is followed.
Preparing the asbestos work area	- Because the asbestos work area will involve electrical hazards, appropriate precautions must be taken to prevent the risk of electrocution. - Ensure appropriately marked asbestos waste disposal bags are available. - Carry out the work with as few people present as possible. - Segregate the asbestos work area to ensure unauthorised personnel are restricted from entry (e.g. use warning signs and/or barrier tape at all entry points). The distance for segregation should be determined by a risk assessment. - Use plastic sheeting, secured with duct tape, to cover any surface within the asbestos work area which could become contaminated. - Ensure there is adequate lighting. - Avoid working in windy environments where asbestos fibres can be redistributed. - If using a bucket of water, do not re-soak used rags in the bucket, as this will contaminate the water. Instead, either fold the rag so a clean surface is exposed or use another rag.
Work on electrical mounting panels	Providing the panel is not friable, maintenance and service work may include: - Replacement of asbestos containing equipment on the electrical panel with non-asbestos equipment - Operation of main switches and individual circuit devices - Pulling/inserting service and circuit fuses - Bridging supplies at meter bases - Use testing equipment - Accessing the neutral link - Installation of new components/equipment.
Decontaminating the asbestos work area and equipment	- Use disposable rags to clean the equipment. - Carefully roll or fold any plastic sheeting used to cover any surface within the asbestos work area, so as not to spill any dust or debris that has been collected. - In areas where there is an electrical hazard, an asbestos vacuum cleaner should be used to remove any dust or debris from the mounting panel and other visibly contaminated sections of the asbestos work area. - In areas where there is no electrical hazard, wet wiping with a damp rag can be used to remove minor amounts of dust or debris. - Place debris, used rags, plastic sheeting and other waste in the asbestos waste bags in container. - Wet wipe the external surfaces of the asbestos waste bags/container to remove any adhering dust before they are removed from the asbestos work area.
Personal decontamination should be carried out in a designated area	- If disposable coveralls are worn, clean the coveralls while still wearing RPE using a HEPA vacuum, damp rag or fine-water spray. RPE can be cleaned with a wet rag or cloth. - While still wearing RPE, remove coveralls, turning them inside-out to entrap any remaining contamination and then place them into a labeled asbestos waste bag. - Remove RPE. If non-disposable - inspect it to ensure it is free from contamination, clean it with a wet rag and store in a clean container. If disposable - cleaning is not required but RPE should be placed in a labeled asbestos waste bag or waste container. Refer to the Code of Practice: How to Safely Remove Asbestos for more information.



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

Clearance procedure	• Visually inspect the asbestos work area to make sure it has been properly cleaned. • Clearance air monitoring is not normally required for this task. • Dispose of all waste as asbestos waste, • Refer to the Code of Practice: How to Safely Remove Asbestos for more information.

Feedback has been provided to person who reported the hazard / incident / accident Y / N	
Contractor name:	Date:
Supervisor / Manager name:	Date:



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3**DUTY OF CARE STAKEHOLDER DETAILS****Common area Workplace**

Stakeholder [OC, Company name]	Representative	Phone number/s	Email



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

REPORT LIMITATIONS

Areas inspected do not include private property, e.g. balconies and inside individual units as the Owner of a private dwelling is not required to comply with the regulation.

It is not always possible to view all areas of the building as access is not physically possible and / or would involve a demolition or partial demolition, or work from ladders. As Audit inspectors perform all on-site inspections alone, working at heights cannot be achieved. As a general guide, Asbestos Containing Materials (ACM) if stable and inaccessible should be left in situ until demolition, partial demolition or renovation. Where in situ asbestos materials are in a stable condition, but accessible, they should be controlled appropriately through encapsulation, sealing, enclosure or removal. However, ACM that is friable, poorly bonded or in an unstable condition, must be removed. Please note that if ACM is to be removed, removal must be done in accordance with the Safe Removal of Asbestos Code of Practice.

Where access was unavailable to the roof, the survey inspector uses aerial photos, information from the on-site inspection and experience to assess the age of the building to establish the materials used. Thus, the presence of Asbestos Containing Material on the roof and out buildings etc. may not be applicable.

MATERIAL SAMPLING AND ANALYSIS

Only laboratory analysis of samples of the particular material can conclusively identify the presence, type, and proportion of asbestos.

If samples are taken during our inspection, they should be representative of the suspected ACM (eg. for the walls of multi-storey buildings, at least one sample should be taken on each floor). If there are any variations in the appearance, texture or colour of the material, additional samples should be taken.

When requested, Focus Fire & Safety can competently collect these samples and arrange for analysis by a NATA accredited laboratory. Focus Fire & Safety will forward both PDF copies and the original certificate(s) of analysis to the client as they are completed, typically within 14 days of inspection.

The cost of material sampling and analysis to confirm the presence of asbestos is not included in this Asbestos Management Plan.

ACCESS LIMITATIONS FOR SAMPLING

In some instances, ACM may be present in areas that cannot be accessed without implementing destructive sampling techniques. As such, it may not be possible to positively identify the presence of all ACM on the property. Where there is reason to suspect ACM in areas that cannot be inspected, we will presume it to be present. Where ACM is presumed to be present, it will be treated as identified ACM.

Limited access areas may include:

- Wall cavities
- Beneath floor coverings
- Pipework in wall cavities
- Heater banks in air conditioning ductwork
- Penetrations in solid wall cavities and concrete floor slabs, lifts shafts, etc
- Fire doors



150 Childers Street, North Adelaide

Rowan Gabb

F5309086

S3

- Inaccessible service ducts / risers

ABBREVIATIONS

Abbreviations exist in all industries – the following are to assist with Asbestos / Hazard identification:

AC sheeting	Asbestos Cement Sheeting
ACD	Asbestos Contaminated Dust
ACM	Asbestos Containing Material
HEPA filter	High Efficiency Particulate Air filter
LEV	Local Exhaust Ventilation
NOA	Naturally Occurring Asbestos
OHS	Occupational Health & Safety
PCBU	Person Consulting a Business or Undertaking
PPE	Personal Protective Equipment
RPE	Respiratory Protective Equipment
SAP	Safety Action Plan
SDS	Safety Data Sheet

PRIORITY LEVELS

The ultimate goal of the asbestos management and control regime is for all workplaces to be free from ACM. This goal will not be achieved overnight however, so it is important that all ACM be managed and controlled depending on the risk it poses. As such, in the Inspection Summary Report, each item of presumed or confirmed ACM is given a 'Priority Number' ranked between a priority of 1 for a high risk incidence through to a priority 4, for a low risk of exposure. This indicates how it should be managed. The different Priority Levels are explained below.

A site with ACM **must** have controls in place i.e. "Site Safety Register and Folder, Asbestos Register and Asbestos Hazard Site Pack"



150 Childers Street, North Adelaide

Rowan Gabb

FS309086

S3

Priority Ranking	Meaning & Recommended Control Measures
Critical Risk Immediate Removal Action Required	Based on the condition of the ACM there is an indication of an immediate or elevated health risk to workers. The ACM has been identified as High Risk, and cannot be controlled through enclosure, encapsulation or sealing. Access to the area containing the ACM should be restricted and the ACM should be safely removed immediately.
High Risk Plan for removal	Based on the condition of the ACM, the likelihood that it will be disturbed and the likelihood of a person being exposed to respirable asbestos fibres, the ACM poses a potential health risk to workers in their current state. This risk is determined as requiring immediate action of the preferred control measure - elimination. Immediate removal of the asbestos containing materials is recommended. Failing removal - control measures to stabilise and isolate the material from access by any non-essential workers with regular monitoring of the condition of the material is the minimum that would be acceptable, until asbestos removal can be arranged.
Moderate Risk Planned monitoring	Based on the condition of the ACM, the likelihood that it will be disturbed, and the likelihood of a person being exposed to respirable asbestos fibres, the ACM does not present an immediate health risk unless further disturbed. <u>Control measures must be implemented</u> to undertake any necessary repairs and maintenance and protect these materials from further damage, including installation of warning signs. Reassessment of this priority ranking should be undertaken when any change to the work environment or the work activity within the environment is planned.
Low Risk	Products or bonded ACM that pose low health risk to workers. This material is currently undamaged, stable, non-friable, within a low assessable area. Control measures to protect these materials from damage would include identifying materials with warning signs and providing asbestos awareness instruction to workers by way of workplace training. Reassessment of this priority rating should be undertaken when any change to the work environment or the work activity within the environment is planned. E.g. low probability of disruption e.g. a well secured eave boards.

Asbestos is more vulnerable to damage and more likely to release airborne asbestos fibres than others, however in general, the materials which contain a high percentage of asbestos with less bonding agent are more easily damaged. For example, asbestos insulation and lagging can contain up to 85% asbestos and are likely to release fibres. In comparison, AC contains only 10-15% asbestos and as it is tightly bound, the material will only give off fibres if it is badly damaged, broken or is worked on.

No matter which priority level the asbestos has been indicated in your risk assessment, should any renovation, maintenance or demolition work involving asbestos or asbestos related materials (ACM) be planned, please ensure the persons involved can confirm their ability and intention to comply with the requirements for how to safely remove asbestos from www.worksafe.vic.gov.au or Safety Australia.

Schedule 3—Articles of strata corporation

- 1 (1) A unit holder must—
 - (a) maintain the unit in good repair;
 - (b) carry out any work ordered by a council or other public authority in respect of the unit.
- (2) The occupier of a unit must keep it in a clean and tidy condition.
- 2 A person bound by these articles—
 - (a) must not obstruct the lawful use of the common property by any person; and
 - (b) must not use the common property in a manner that unreasonably interferes with the use and enjoyment of the common property by the other members of the strata community, their customers, clients or visitors; and
 - (c) must not make, or allow his or her customers, clients or visitors to make, undue noise in or about any unit or the common property; and
 - (d) must not interfere, or allow his or her customers, clients or visitors to interfere, with others in the enjoyment of their rights in relation to units or common property.
- 3 A person bound by these articles must not use the unit, or permit the unit to be used, for any unlawful purpose.
- 4 Subject to the *Strata Titles Act 1988*, a person bound by these articles must not, without the strata corporation's consent, keep any animal in, or in the vicinity of, a unit.
- 5 A person bound by these articles—
 - (a) must not park a motor vehicle in a parking space allocated for others or on a part of the common property on which parking is not authorised by the strata corporation; and
 - (b) must take reasonable steps to ensure that his or her customers, clients or visitors do not park in parking spaces allocated for others or on parts of the common property on which parking is not authorised by the strata corporation.
- 6 A person bound by these articles must not, without the consent of the strata corporation—
 - (a) damage or interfere with any lawn, garden, tree, shrub, plant or flower on the common property; or
 - (b) use any portion of the common property for his or her own purposes as a garden.
- 7 A person bound by these articles must not—
 - (a) bring objects or materials onto the site of a kind that are likely to cause justified offence to the other members of the strata community; or
 - (b) allow refuse to accumulate so as to cause justified offence to others.
- 8 A person bound by these articles must not, without the consent of the strata corporation, display any sign, advertisement, placard, banner or any other conspicuous material of a similar nature—
 - (a) on part of his or her unit so as to be visible from outside the building; or
 - (b) on any part of the common property.

- 9 The occupier of a unit may, without the consent of the strata corporation, paint, cover or in any other way decorate the inside of any building forming part of the unit and may, provided that unreasonable damage is not caused to any common property, fix locks, catches, screens, hooks and other similar items to that building.
- 10 The occupier of a unit used for residential purposes must not, without the consent of the strata corporation, use or store on the unit or on the common property any explosive or other dangerous substance.
- 11 A person bound by these articles—
 - (a) must maintain within the unit, or on a part of the common property set apart for the purpose by the strata corporation, a receptacle for garbage adequately covered; and
 - (b) must comply with all council by-laws relating to the disposal of garbage.
- 12 A unit holder must immediately notify the strata corporation of—
 - (a) any change in the ownership of the unit, or any change in the address of an owner;
 - (b) any change in the occupancy of the unit.

RESOLUTIONS AFFECTING STRATA CORPORATION 3604 INC

DISCLAIMER - Strata Data will not be held liable for any missing, incomplete or incorrect information provided prior to the commencement of our management: 11/02/91

THE RELEVANT MINUTES should be consulted for the precise wording of resolutions.

DATE	RESOLUTION
-------------	-------------------

02/09/80	<u>Animals</u> A no pet policy applies to this Corporation.
-----------------	---

18/08/92	<u>External Doors, Windows and Flyscreens</u> Section 27(6) invoked
-----------------	---

Advertising Signs

'For Sale' or 'Auction' Boards permitted but must be removed within two weeks of a successful contract being signed.

Alterations/Additions

Cost of disbursements for approvals obtained between general meetings to be borne by the relevant unit owner.

Security Doors and Security Window Screens

Approved but must match the existing.

17/08/93	<u>Legal Recoveries</u> Legal action to be taken to recover unpaid levies - costs to be borne by the relevant unit owner.
-----------------	---

Legal Action for Breach of the Articles (Schedule 3) of the Strata Titles Act 1988

Legal action to be taken for a consistent Breach of the Articles - costs to be borne by the relevant unit owner.

21/10/93	<u>Airconditioner</u> The owner of Unit 20 granted approval to install.
-----------------	---

11/08/98	<u>Smoke Alarm Legislation</u> Self-contained smoke alarms which comply with the Australian Standard must be in place in all residences by 1st January 2000. Any transfer of property after 1.2.98 requires the Purchaser within six months of settlement to install a hard-wired smoke detector powered through mains electricity. Penalty for non-compliance by Purchaser - \$750.00.
-----------------	---

17/11/07	<u>Air-conditioner policy</u> All air-conditioners are to be professionally installed, all must be of a split system type. Unit holders cannot replace existing air conditioners with anything other than wall mounted split system described as follows: All external split system units must be placed at the rear of the building (Western side). All top floor units must install external units on the Western
-----------------	---

roof, all middle floor units must install external units on the Western wall at the middle level and all ground floor units must install external units on the western wall at ground level. In addition units are to be no bigger than 2 ½ HP.

03/09/08

Legal Recoveries

Strata Data is granted approval to seek legal assistance for the recovery of unpaid maintenance contributions or levies which remain unpaid after a period of six weeks from the due date, having first notified the owner of such action. All costs for the recovery to be borne by the relevant unit owner and become a debt against the unit.

Legal Action for Breach of the Articles (Schedule 3) of the Strata Titles Act 1988

Strata Data is granted approval to seek legal assistance to write to the owner of a unit whereby the occupier has clearly breached the Strata Titles Act and caused distress to other residents of the complex. Provided that at least two letters one of which a warning of legal recourse, have been forwarded to the unit owner and or agent concerning the occupants. The cost of all associated legal fees to be borne by the relevant owner and to become a debt against the unit.

09/09/09

Digital Television Reception (not including Foxtel installation)

Individual unit owners may install external mounted digital TV antennas to receive a digital service on the condition they are not located on the front of the building.

05/09/12

Interest on overdue levies

That the corporation resolves to apply interest charges to unpaid levies at a rate of 10% per annum.

05/09/2013

Asbestos Survey & Management Plan

That the Corporation engage an appropriately qualified, insured and registered contractor to conduct an asbestos survey of the property and, if asbestos is identified at the property, compile an asbestos management plan and onsite register.

Essential Services Box

That an 'Essential Services' box (approximately 150mm deep, 380mm long & 300mm wide), a small 'key safe' (as close as possible to the main electrical meter board) and relative signage be installed on Common Property to house site safety documentation and, where applicable, keys (including access cards and or fobs) to common areas.

4/02/2016 Air Conditioning Installation

That all air conditioners are to be professionally installed and all must be split system type. Unit owners cannot replace existing air conditioners with anything other than wall mounted split system described as follows: All external split system units must be placed at the rear of the building (Western side). All top and middle floor units must install external units on the western wall and all ground floor units must install external units on the western wall at ground level. All moisture drainpipes are to be channelled down the external wall and routed into the common drainage of the Corporation. Additionally air conditioning units may not be larger than 5 HP.

30/4/18 Pet Approval Unit 17

That the owner Unit 17 has been granted approval to keep one small female tabby indoor cat in the unit as per the following conditions:

- The occupier/owner must take full responsibility, financial or otherwise, for the care and behavior of the pet;
- Should the pet cause any concern to neighbour tenant/owners occupiers the Community Corporation should retain the right to ask for the pet to be removed and the permission be revoked.
- The animals do not injure or disturb the quite enjoyment of other unit owners or occupiers of a unit.
- No other animal shall be kept at the unit other than the one approved by the Body Corporate."

13/9/18 Insurance Excess

That the cost of the insurance excess be borne by the Unit from which the claim originated. That where a claim has originated from Common Property, the Body Corporate be responsible for the cost of the excess. That where a claim against a unit owner's alteration and/or addition is made, the responsibility of the insurance excess relating to that claim be borne by that unit owner.

23/05/2019 Building Colour Change

That the colour scheme of the exterior of the units be Windspray for the main building, Woodland Grey for the trims and facias and Shale Grey for the eaves.

18/08/2020 Screen Doors Replacement

That owners be permitted to replace their screen door with an Invisi-Gard style screen door. That the colour be woodland grey. That they are installed in a professional manner by a qualified and insured contractor, that all installation costs and all future repair/ replacement/ maintenance is the responsibility of the individual unit owner.

17/08/2021 Amended Motion CCTV Cameras

That the body corporate be permitted to install common security cameras on the external of the building filming the main driveway, carpark and stairwells, provided they are in keeping with the colours and schemes of the Corporation, they are installed in a professional manner by a qualified and insured contractor and all installation costs and all future repair/replacement/maintenance would be the body corporates responsibility. The cameras would stream 24 hours a day, with footage to be used in case of emergency or if a security issue arises. That the Body Corporate Manager and Committee have access to the footage should it be requested by appropriate legal authorities. That the footage would not be used for social media activity.

Related costs for recovery of outstanding money – Unanimous Resolution

That the Body Corporate seek to recover overdue levies which remain unpaid after a period of four weeks from the due date, having first notified the owner of proposed action. Related costs associated with the recovery of outstanding money shall be levied as a debt against the unit.

16/08/2022 Amended Motion Balustrade Replacement

That the current Balustrade style be changed to Modern Block and the colour be grey to match the colour of the entrance gate and front slat fence to the Corporation, they are installed in a professional manner by a qualified and insured contractor and all installation costs and all future repair/replacement/maintenance would be the body corporates responsibility

05/09/2023 Amended Motion Balustrade Replacement

That the current Balustrade style be changed to Modern Block and the colour be black to match the colour scheme of the Corporation, they are installed in a professional manner by a qualified and insured contractor and all installation costs and all future repair/replacement/maintenance would be the body corporates responsibility.

Subletting

That there are no restrictions that can be put in place to sublet a unit.

10/09/2024 Presiding Officer Approval Limit

That the Presiding Officer have an approval limit up to \$2,000.00. That the committee have an approval limit up to \$10,000.00 and that all capital work improvements above this be sent to all owners by the way of a general meeting for approval.

11/03/2025 Breach of Articles

Under the instruction of the Corporation's Office Bearers, the Body Corporate Manager may impose on any Unit holder a penalty for any ongoing breaches of the articles of up to, and inclusive of, \$500.00 for Residential Strata Corporations or, up to and inclusive of, \$2,000.00 for Commercial Strata Corporations (payable to the Strata Corporation). Subject to there being at least two letters, one of which includes a warning of a penalty being imposed, having been forwarded to the unit owner and or agent concerning the occupants

27/8/25 Maintenance reimbursements

Where an owner, occupier, or agent of a lot arranges for repairs, maintenance, or works affecting common property without the prior written approval of the Corporation and/or without using a contractor from the Corporation's Management Committee or Body Corporate Managers preferred contractor list, the Corporation reserves the right to decline any request for reimbursement of costs associated with those works, regardless of whether the works relate to common property. Exceptions may be considered at the sole discretion of the Corporation's Management Committee in circumstances where the works were urgent and unavoidable, and sufficient evidence is provided that the Corporation/ Corporation's preferred contractors could not be contacted in a reasonable time.

Sinking Fund Analysis

That the Body Corporate declined to obtain a Sinking Fund Analysis at this time and resolved to discuss obtaining the report at the next Annual General Meeting.



STRATA DATA

9th July 2026

IMPORTANT NOTICE TO NEW OWNER | LANDLORD & CONTENTS INSURANCE

The property you are considering purchasing is part of a Strata / Community group managed by Strata Data. As such the common/shared areas are already covered by the mandatory Body Corporates insurance policy.

However, your personal property & public liability within your own unit is not covered by your Body Corporates insurance, so resident owners and investor owners must take out their own insurance to cover these risks. If you are a resident owner you need separate contents insurance, and if you are an investor owner you need separate landlords insurance.

Please find in the following pages further information on both of these insurance products.

To access great rates on these insurances please go to www.stratadata.com.au/insurance

Best,

MARC STEEN

Chief Operating Officer

DISCLAIMER: Please note this is not financial advice and does not take into account your individual circumstances. It is your responsibility to determine what insurance products are right for you.

BETTER TOGETHER stratadata.com.au

ADELAIDE | 647 Porttrust Rd, Glen Osmond SA 5064 PO Box 219 Glen Osmond SA 5064 T 08 8372 2777 F 08 8379 0703
MELBOURNE | 59/57c Plummer St, Port Melbourne VIC 3207 PO Box 715 Port Melbourne VIC 3207 T 03 9876 9555 F 03 9876 9455 ABN 20 080 960 112



Level 13, 431 King William Street
Adelaide SA 5000

Certificate of Currency

CHU Residential Strata Insurance Plan

Policy No	HU0000020779
Policy Wording	CHU RESIDENTIAL STRATA INSURANCE PLAN
Period of Insurance	01/11/2025 to 01/11/2026 at 4:00pm
The Insured	STRATA CORPORATION NO. 3604 INC.
Situation	150 CHILDERS STREET NORTH ADELAIDE SA 5006

Sections

Section 1 – Insured Property

Building: \$8,466,717

Common Area Contents: \$84,667

Loss of Rent & Temporary Accommodation (total payable): \$1,270,007

Lot Owners' Fixtures and Improvements (per lot): \$250,000

Optional Extensions:

Catastrophe Insurance Sum Insured: Not Selected

Machinery Breakdown: Not Selected

Lot Owners' Contents inclusion (per lot): Not Selected

Section 2 – Liability to Others

Sum Insured: \$20,000,000

Section 3 – Voluntary Workers

Death: \$300,000

Total Disablement: \$3,000 per week

Section 4 – Fidelity Guarantee

Sum Insured: \$250,000

Section 5 – Office Bearers' Legal Liability

Sum Insured: \$5,000,000

Section 6 – Government Audit Costs and Legal Expenses

Government Audit Costs: \$25,000

Appeal expenses – common property health & safety breaches: \$100,000

Legal Defence Expenses: \$50,000

Flood Cover is included.



Date Printed

30/10/2025

This certificate confirms this policy is in force for the Period of Insurance shown, subject to the policy terms, conditions and exclusions. It is a summary of cover only (for full details refer to the current policy wording QM562-0725 and schedule). It does not alter, amend or extend the policy. This information is current only at the date of printing.